

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Product Type

Special Features

CHP12L200R CH Pon Loadcntr 200A MIo 12 Space N3R

Eaton Corp	
Catalog Number	CHP12L200R
Manufacturer	Eaton Corp
Description	Eaton CH Main Lug Loadcenters, Cover Included, Main Lug Only, 200A, X0, Copper, NEMA3R, Metallic, Overhead, 24, 12, Three-Wire, Single-Phase
Weight per unit	19.0 (lbs/each)
Product Category	
Features	
amperage rating	200 A
dimensions	16.7500 IN X 14.3100 IN X 5.1900 IN
interrupt rating	25 kAIC
media	Yes
number of spaces	12
Phase	Single-phase
Dimensions and Weight	
Depth	16.7500
Height	5.1900
Size	XO
Width	14.3100
Descriptions	
Description	CH PON LOADCNTR 200A MLO 12 SPACE N3R
extra long description	ETN CHP12L200R CH PON LC, 200A, MLO
Features	Eaton's CH 3/4-inch loadcenters enclose CH circuit breakers for power distribution and circuit protection in residential and light commercial applications. Also called a breaker box, electrical box or even a fuse box, the main function is to take electricity supplied by the utility and distribute it throughout the home to feed lights and receptacles. Covers are typically packaged separately and available as surface or flush mount.
Long Description	Eaton CH main lug loadcenters, Cover included, Main Lug Only, 200A, X0,Copper, NEMA3R, Metallic, Overhead, 24,12,

Three-wire, Single-phase

Cover included

CH Pon LC, 200A, MIo, 12SP, N3R



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Brand	Eaton	
GTIN	00786689058500	
Manufacturers Part Number	CHP12L200R	
UPC	786689058500	

Taxonomies, Classifications, and Categories

Category Description	LOADCENTERS & COVERS
Туре	Main lug loadcenter

Packaging

ckaging	
Carton	1
Weight Per each	19

Uses, Certifications, and Standards

Application	Residential Bldgs & Facilities - Residential Bldgs & Facilities -
	Other
standard	UL 67,UL 50