# Eaton CHP20L125X2

# Catalog Number: CHP20L125X2

Eaton CH main lug loadcenters, PON, CH, 125 A, X2, Copper, !, NEMA 1 indoor, Steel, 25 kAIC, 40, 20, 3, Single-phase, 120/240 V, #6-2/0 AWG



# General specifications

Product Name Eaton CH main lug loadcenter

UPC 786689054250

Product Height 4 in

Product Weight 10.8 lb

Catalog Notes Purchase Size X2 Cover Separately Catalog Number CHP20L125X2 Product Length/Depth 21 in Product Width

14.3 in

Certifications UL 67

Powering Business Worldwide

# defaultTaxonomyAttributeLabel

## Special features

PON

Туре

СН

## Amperage Rating

125 A

## **Bus material**

Copper

## Number of circuits

40

## Number of spaces

20

## Phase

Single-phase

## Voltage rating

120/240 V

## Box size

X2

## Enclosure

NEMA 1

## Enclosure material

Steel

## Interrupt rating

25 kAIC

## Number of wires

3

## Resources

#### Brochures

Loadcenters and Circuit Breakers

# Multimedia

AFCI Educational Video

## Specifications and datasheets

Eaton Specification Sheet - CHP20L125X2



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia

# Eaton CHP20L125X2

# Catalog Number: CHP20L125X2

Eaton CH main lug loadcenters, PON, CH, 125 A, X2, Copper, !, NEMA 1 indoor, Steel, 25 kAIC, 40, 20, 3, Single-phase, 120/240 V, #6-2/0 AWG



# General specifications

Product Name Eaton CH main lug loadcenter

UPC 786689054250

Product Height 4 in

Product Weight 10.8 lb

Catalog Notes Purchase Size X2 Cover Separately Catalog Number CHP20L125X2 Product Length/Depth 21 in Product Width

14.3 in

Certifications UL 67

Powering Business Worldwide

# defaultTaxonomyAttributeLabel

## Special features

PON

Туре

СН

## Amperage Rating

125 A

## **Bus material**

Copper

## Number of circuits

40

## Number of spaces

20

## Phase

Single-phase

## Voltage rating

120/240 V

## Box size

X2

## Enclosure

NEMA 1

## Enclosure material

Steel

## Interrupt rating

25 kAIC

## Number of wires

3

## Resources

#### Brochures

Loadcenters and Circuit Breakers

# Multimedia

AFCI Educational Video

## Specifications and datasheets

Eaton Specification Sheet - CHP20L125X2



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia