

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Status

CHR7N7N5GSU Bottom Fed Metered Ringless Surface Pop W/ 1 6-20R *Eaton Corp*

<u>a</u>			
Catalog Number	CHR7N7N5GSU		
Manufacturer	Eaton Corp		
Description	Eaton Pedestal Mount Metered, Pos 1: Non-GND Fault, Pos 2: Non-GND Fault, Pos 3: GND Fault, Bottom, Surface, Circuits: 4, Center: Nema 5-20R2GFI, Left: Nema 5-20R2GFI, Right: Nema 6-20R2, Ringless		
Weight per unit	24.0 (lbs/each)		
Product Category	Metered Power Outlet Panels		
Features			
dimensions	31.0000 IN X 10.0000 IN X 8.0000 IN		
Dimensions and Weight			
Depth	31.0000		
Height	8.0000		
Width	10.0000		
Descriptions			
Description	BOTTOM FED METERED RINGLESS SURFACE POP W/ 1 6-20R		
extra long description	ETN CHR7N7N5GSU BTM Fed MTRD RL Sur		
Features	Eaton's temporary power panels provide safe, reliable power for RV and construction sites. Durable, long-lasting units are available as metered (ring or ringless) or unmetered and can be mounted at the surface, on a pedestal, or in a back-to-back configuration.		
Long Description	Eaton pedestal mount metered, Pos 1: Non-gnd fault, Pos 2: Non-gnd fault, Pos 3: Gnd fault, Bottom, Surface, Circuits: 4, Center: NEMA 5-20R2GFI, Left: NEMA 5-20R2GFI, Right: NEMA 6-20R2, Ringless		
Product Type	BTM Fed MTRD RL Surface Pop(1)620R(2)52		
Vianufacturer Information			
Brand	EATON CUTLER-HAMMER		
GTIN	00700116150010		
	CHR7N7N5GSU		
UPC	782116153312		
Faxonomies, Classifications, and (Categories		
	RV Power Pedestals		
Туре			
Availability			
-			

Inactive



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Pa	C	ka	gı	n	g
		_			

Carton	1
Weight Per each	24

Uses, Certifications, and Standards

,: ::::::-, -::-	
Application	Elec Assemblies, Panels & EOEM - Electrical Assemblies, Panels
	and EOEMs
Mounting	SURFACE
standard	UL Listed file E163588.UL 231