

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



standard

CHR8N8NS Pop, Metered-Ringless, (2) 20A GFI Weather Rest Re Eaton Corp

Eaton Corp	
Catalog Number	CHR8N8NS
Manufacturer	Eaton Corp
Description	Metered Ringless, 20 A, 25.4000 CM Overall Length, 18.4150 CM Overall Width, 78.7400 CM Overall Height, Surface Mount
Weight per unit	30.0 (lbs/each)
Product Category	Metered Power Outlet Pedestals
Features	
dimensions	31.0000 IN X 10.0000 IN X 7.2500 IN
Dimensions and Weight	
Height	7.2500
Length	31.0000
Width	10.0000
Descriptions	
Description	POP, METERED-RINGLESS, (2) 20A GFI WEATHER REST RE
extra long description	ETN CHR8N8NS POP MTRDRL(2)20A GFI W
Features	Eaton's temporary power panels provide safe, reliable power for RV and construction sites. Durable, long-lasting units are available as metered (ring or ringless) or unmetered and can be mounted at the surface, on a pedestal, or in a back-to-back configuration.
Manufacturer Information	
GTIN	00786685402345
UPC	786685402345
Taxonomies, Classifications, and	l Categories
Category Description	RV Power Pedestals
Туре	Pedestal mount metered
Availability	
Status	Inactive
Packaging	
Carton	1
Weight Per each	30
Uses, Certifications, and Standa	rds
Application	Elec Assemblies, Panels & EOEM - Electrical Assemblies, Panels and EOEMs
Mounting	SURFACE
•	

UL 231, UL Listed file E163588