

## Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

## CHSUR32N225K CH Surge Loadcntr 32 CCT 225A Convertible Eaton Corp

Catalog Number	CHSUR32N225K
Manufacturer	Eaton Corp
Description	Eaton CH Surge Loadcenter, Factory Integrated Surge, Surge Installed Loadcenters- Convertible, 225 A, CH, 32 Circuits, CHSUR8KF, Chsur8ks
Weight per unit	7.0 (lbs/each)
Product Category	Single Phase Convertible Load
atures	
dimensions	37.0000 IN X 14.3100 IN X 3.8800 IN
media	Yes
mensions and Weight	
Depth	37.0000
Height	3.8800
Width	14.3100
escriptions	
Description	CH SURGE LOADCNTR 32 CCT 225A CONVERTIBLE
extra long description	ETN CHSUR32N225K CH Surge LC, 32 cc
Features	Eaton's CH 3/4-inch loadcenters enclose CH circuit breakers for power distribution and circuit protection in residential and light commercial applications. Also called a breaker box, electrical bo or even a fuse box, the main function is to take electricity supplied by the utility and distribute it throughout the home to feed lights and receptacles. Covers are typically packaged separately and available as surface or flush mount.
Long Description	Eaton CH surge loadcenter, Factory integrated surge, Surge installed loadcenters- convertible, 225 A, CH, 32 Circuits, Chsur8kf chsur8ks
Product Type	CH Surge LC, 32 CCT, 225A, Convertible
Special Features	Factory integrated surge
anufacturer Information	
Brand	EATON CUTLER-HAMMER
GTIN	00782116200115
Manufacturers Part Number	CHSUR32N225K
UPC	782116200115
xonomies, Classifications, and C	Categories
Category Description	LOADCENTERS & COVERS
Туре	Surge loadcenter



## Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging	
Carton	1
Weight Per each	7
Uses, Certifications, and Standards	
Application	Commercial / Institutional Buildings / Structures - Building
	Automation and Monitoring
standard	UL Listed file E8741