# SAFETY DATA SHEET



### 1. Identification

Product identifier Kopr-Shield

Other means of identification

SDS number SDS-00003

**Product code** 201-31879, 201-31879-1, CP128, CP16, CP8-TB, 54865CK

Recommended use Lubricants, Greases and Release Products

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Thomas & Betts Corporation

Address 8155 T & B Boulevard

Memphis, TN 38125

US

**Telephone** 901-252-5000 ext.8324

E-mail Not available.

**Emergency phone number** For Hazardous Materials [or Dangerous Goods] Incident

Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night +1 703-741-5970

# 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

Response Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information**Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

# 3. Composition/information on ingredients

### **Mixtures**

Chemical name	CAS number	%
Lubricating greases; a complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. May contain organic salts of alkali metals, alkaline earth metals, etc.	74869-21-9	65 - 70
Copper	7440-50-8	25-30
Zinc bis(dipentyldithiocarbamate)	15337-18-5	<1

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eve contact

Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding

Do not use water jet as an extinguisher, as this will spread the fire.

environment.

Unsuitable extinguishing media

Specific hazards arising from

None known.

the chemical Special protective equipment

and precautions for firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus. Wear suitable protective equipment.

Fire fighting

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. General fire hazards No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. Wear suitable protective clothing, gloves and eye/face protection.

Methods and materials for containment and cleaning up Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. The product is immiscible with water and will spread on the water surface. Should not be released into the environment. Be aware of potential for surfaces to become slippery.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

# **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

# 7. Handling and storage

Precautions for safe handling

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove contaminated clothing and wash before reuse. Do not breathe vapors or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Use only in area provided with appropriate exhaust ventilation. Be aware of potential for surfaces to become slippery. Do not eat, drink or smoke when using the product.

Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

Kopr-Shield SDS US

### 8. Exposure controls/personal protection

### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Copper (CAS 7440-50-8)	PEL	1 mg/m3	Dust and mist.	
		0.1 mg/m3	Fume.	

### **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form	
Copper (CAS 7440-50-8)	TWA	1 mg/m3	Dust and mist.	
		0.2 mg/m3	Fume.	

#### **US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Туре	Value	Form
Copper (CAS 7440-50-8)	TWA	1 mg/m3	Dust and mist.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines No exposure standards allocated. Occupational Exposure Limits are not relevant to the current

physical form of the product.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Skin protection

Other Wear apron or protective clothing in case of contact. Use of protective coveralls and long sleeves

is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Wash hands before breaks and immediately after handling the product.

### 9. Physical and chemical properties

**Appearance** 

Physical state Semi-fluid (gel).

Form Gel.
Color Copper.

Odor Petroleum.

Odor threshold Not available.

pH NeutralMelting point/freezing point NONE.

Initial boiling point and boiling >

range

> 599 °F (> 315 °C)

Flash point > 590.0 °F (> 310.0 °C)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower Not applicable.

(%)

Kopr-Shield SDS US

Flammability limit - upper

(%)

Not applicable.

Explosive limit - lower (%)

Not available. Explosive limit - upper (%) Not available.

Vapor pressure Not available. Not available. Vapor density

Relative density 1.2

Solubility(ies)

Insoluble. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. Not available. **Decomposition temperature Viscosity** Not applicable.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

# 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. Decomposes in the presence of water. **Chemical stability** 

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Acids. Oxidizing agents. Acetylene. Vinyl compounds.

**Hazardous decomposition** 

products

Metal oxides.

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

# Information on toxicological effects

**Acute toxicity** Not expected to be acutely toxic.

**Product Species Test Results** 

Kopr-Shield (CAS Mixture)

Acute Oral

LD50 3266 mg/kg, Acute toxicity estimate

Skin corrosion/irritation No adverse effects due to skin contact are expected. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed

**NTP Report on Carcinogens** 

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

**Further information** This product has no known adverse effect on human health.

# 12. Ecological information

 Ecotoxicity
 Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

 Components
 Species
 Test Results

mponents		Species	rest results
pper (CAS 7440-50-8)			
Aquatic			
Algae	EC50	Pseudokirchnerella subcapitata	0.031 - 0.054 mg/l, 96 hours
Crustacea	EC50	Water flea (Daphnia magna)	0.03 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0.0068 - 0.0156 mg/l, 96 hours
	opper (CAS 7440-50-8)  Aquatic  Algae  Crustacea	Aquatic Algae EC50 Crustacea EC50	Aquatic Algae EC50 Pseudokirchnerella subcapitata Crustacea EC50 Water flea (Daphnia magna)

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential**The product is not expected to bioaccumulate.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers retain product residue, follow label warnings even after

container is emptied.

### 14. Transport information

DOT

UN number UN3082

UN proper shipping name Transport hazard class(es) Environmentally hazardous substances, liquid, n.o.s. (Copper RQ = 18182 LBS)

Class 9
Subsidiary risk Label(s) 9
Packing group III

Kopr-Shield SDS

**Environmental hazards** 

Marine pollutant Yes.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** 8, 146, 335, IB3, T4, TP1, TP29

Packaging exceptions 155
Packaging non bulk 203
Packaging bulk 241

**IATA** 

UN number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Copper)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards Yes.
ERG Code 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

UN number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (COPPER)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards

Marine pollutant YES. EmS F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

**US federal regulations**This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Copper (CAS 7440-50-8)

Zinc bis(dipentyldithiocarbamate) (CAS 15337-18-5)

LISTED

LISTED

Not applicable.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Copper	7440-50-8	25-30	
Zinc bis(dipentyldithiocarbamate)	15337-18-5	<1	

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### US state regulations

#### **US. Massachusetts RTK - Substance List**

Copper (CAS 7440-50-8)

#### US. New Jersey Worker and Community Right-to-Know Act

Copper (CAS 7440-50-8)

Zinc bis(dipentyldithiocarbamate) (CAS 15337-18-5)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Copper (CAS 7440-50-8)

#### US. Rhode Island RTK

Copper (CAS 7440-50-8)

Zinc bis(dipentyldithiocarbamate) (CAS 15337-18-5)

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

### 16. Other information, including date of preparation or last revision

Inventory name

15-January-2016 Issue date 04-May-2016 **Revision date** 

Revision #

United States & Puerto Rico

HMIS Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic **Further information** 

NFPA Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

**HMIS®** ratings Health: 0

Flammability: 1 Physical hazard: 0

NFPA ratings



Kopr-Shield SDS US

On inventory (yes/no)\*

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### List of abbreviations

DOT: Department of Transportation.

IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods. HMIS: Hazardous Materials Identification System. NFPA: National Fire Protection Association.

CAS Number: Chemical Abstracts Service Registry Number.

LC50: Lethal concentration 50% (concentration that kills 50% of test animals).

EC50: (Effective Concentration – 50%) The concentration that will produce a 50% in vivo inhibition

of a biological or biochemical effect, in the test organisms or animals.

MARPOL: International Convention for the Prevention of Pollution from Ships.

**Disclaimer** 

The information presented herein has been compiled from resources considered to be dependable and accurate to the best of Thomas & Betts Corporation knowledge. The information relates to the special material. It may not be valid for this material if used in combination with any other materials or in any other process. It is user's responsibility to satisfy himself as to the suitability and completeness of this information for his own particular use. Thomas & Betts Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Kopr-Shield SDS US

# SAFETY DATA SHEET



### 1. Identification

Product identifier Kopr-Shield

Other means of identification

SDS number SDS-00003

**Product code** 201-31879, 201-31879-1, CP128, CP16, CP8-TB, 54865CK

Recommended use Lubricants, Greases and Release Products

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Thomas & Betts Corporation

Address 8155 T & B Boulevard

Memphis, TN 38125

US

**Telephone** 901-252-5000 ext.8324

E-mail Not available.

**Emergency phone number** For Hazardous Materials [or Dangerous Goods] Incident

Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night +1 703-741-5970

# 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

Response Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information**Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

# 3. Composition/information on ingredients

### **Mixtures**

Chemical name	CAS number	%
Lubricating greases; a complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. May contain organic salts of alkali metals, alkaline earth metals, etc.	74869-21-9	65 - 70
Copper	7440-50-8	25-30
Zinc bis(dipentyldithiocarbamate)	15337-18-5	<1

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eve contact

Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding

Do not use water jet as an extinguisher, as this will spread the fire.

environment.

Unsuitable extinguishing media

Specific hazards arising from

None known.

the chemical Special protective equipment

and precautions for firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus. Wear suitable protective equipment.

Fire fighting

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. General fire hazards No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. Wear suitable protective clothing, gloves and eye/face protection.

Methods and materials for containment and cleaning up Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. The product is immiscible with water and will spread on the water surface. Should not be released into the environment. Be aware of potential for surfaces to become slippery.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

# **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

# 7. Handling and storage

Precautions for safe handling

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove contaminated clothing and wash before reuse. Do not breathe vapors or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Use only in area provided with appropriate exhaust ventilation. Be aware of potential for surfaces to become slippery. Do not eat, drink or smoke when using the product.

Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

Kopr-Shield SDS US

### 8. Exposure controls/personal protection

### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Copper (CAS 7440-50-8)	PEL	1 mg/m3	Dust and mist.	
		0.1 mg/m3	Fume.	

### **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form	
Copper (CAS 7440-50-8)	TWA	1 mg/m3	Dust and mist.	
		0.2 mg/m3	Fume.	

#### **US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Туре	Value	Form
Copper (CAS 7440-50-8)	TWA	1 mg/m3	Dust and mist.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines No exposure standards allocated. Occupational Exposure Limits are not relevant to the current

physical form of the product.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Skin protection

Other Wear apron or protective clothing in case of contact. Use of protective coveralls and long sleeves

is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Wash hands before breaks and immediately after handling the product.

### 9. Physical and chemical properties

**Appearance** 

Physical state Semi-fluid (gel).

Form Gel.
Color Copper.

Odor Petroleum.

Odor threshold Not available.

pH NeutralMelting point/freezing point NONE.

Initial boiling point and boiling >

range

> 599 °F (> 315 °C)

Flash point > 590.0 °F (> 310.0 °C)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower Not applicable.

(%)

Kopr-Shield SDS US

Flammability limit - upper

(%)

Not applicable.

Explosive limit - lower (%)

Not available. Explosive limit - upper (%) Not available.

Vapor pressure Not available. Not available. Vapor density

Relative density 1.2

Solubility(ies)

Insoluble. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. Not available. **Decomposition temperature Viscosity** Not applicable.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

# 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. Decomposes in the presence of water. **Chemical stability** 

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Acids. Oxidizing agents. Acetylene. Vinyl compounds.

**Hazardous decomposition** 

products

Metal oxides.

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

# Information on toxicological effects

**Acute toxicity** Not expected to be acutely toxic.

**Product Species Test Results** 

Kopr-Shield (CAS Mixture)

Acute Oral

LD50 3266 mg/kg, Acute toxicity estimate

Skin corrosion/irritation No adverse effects due to skin contact are expected. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed

**NTP Report on Carcinogens** 

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

**Further information** This product has no known adverse effect on human health.

# 12. Ecological information

 Ecotoxicity
 Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

 Components
 Species
 Test Results

mponents		Species	rest results
pper (CAS 7440-50-8)			
Aquatic			
Algae	EC50	Pseudokirchnerella subcapitata	0.031 - 0.054 mg/l, 96 hours
Crustacea	EC50	Water flea (Daphnia magna)	0.03 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0.0068 - 0.0156 mg/l, 96 hours
	opper (CAS 7440-50-8)  Aquatic  Algae  Crustacea	Aquatic Algae EC50 Crustacea EC50	Aquatic Algae EC50 Pseudokirchnerella subcapitata Crustacea EC50 Water flea (Daphnia magna)

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential**The product is not expected to bioaccumulate.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers retain product residue, follow label warnings even after

container is emptied.

### 14. Transport information

DOT

UN number UN3082

UN proper shipping name Transport hazard class(es) Environmentally hazardous substances, liquid, n.o.s. (Copper RQ = 18182 LBS)

Class 9
Subsidiary risk Label(s) 9
Packing group III

**Environmental hazards** 

Marine pollutant Yes.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** 8, 146, 335, IB3, T4, TP1, TP29

Packaging exceptions 155
Packaging non bulk 203
Packaging bulk 241

**IATA** 

UN number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Copper)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards Yes.
ERG Code 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

UN number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (COPPER)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards

Marine pollutant YES. EmS F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

**US** federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Copper (CAS 7440-50-8)

Zinc bis(dipentyldithiocarbamate) (CAS 15337-18-5)

LISTED

LISTED

Not applicable.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

 Chemical name
 CAS number
 % by wt.

 Copper
 7440-50-8
 25-30

 Zinc bis(dipentyldithiocarbamate)
 15337-18-5
 <1</td>

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### US state regulations

#### **US. Massachusetts RTK - Substance List**

Copper (CAS 7440-50-8)

#### **US. New Jersey Worker and Community Right-to-Know Act**

Copper (CAS 7440-50-8)

Zinc bis(dipentyldithiocarbamate) (CAS 15337-18-5)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Copper (CAS 7440-50-8)

#### US. Rhode Island RTK

Copper (CAS 7440-50-8)

Zinc bis(dipentyldithiocarbamate) (CAS 15337-18-5)

#### **US.** California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Australian Inventory of Chemical Substances (AICS)

#### International Inventories

Australia

Country(s) or region

	,	
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

### 16. Other information, including date of preparation or last revision

Inventory name

**Issue date** 15-January-2016 **Revision date** 04-May-2016

Revision # 2

United States & Puerto Rico

Further information HMIS Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic

hazard

NFPA Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

HMIS® ratings Health: 0

Flammability: 1 Physical hazard: 0

NFPA ratings



Kopr-Shield SDS US

On inventory (yes/no)\*

No

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### List of abbreviations

DOT: Department of Transportation.

IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods. HMIS: Hazardous Materials Identification System. NFPA: National Fire Protection Association.

CAS Number: Chemical Abstracts Service Registry Number.

LC50: Lethal concentration 50% (concentration that kills 50% of test animals).

EC50: (Effective Concentration – 50%) The concentration that will produce a 50% in vivo inhibition

of a biological or biochemical effect, in the test organisms or animals.

MARPOL: International Convention for the Prevention of Pollution from Ships.

**Disclaimer** 

The information presented herein has been compiled from resources considered to be dependable and accurate to the best of Thomas & Betts Corporation knowledge. The information relates to the special material. It may not be valid for this material if used in combination with any other materials or in any other process. It is user's responsibility to satisfy himself as to the suitability and completeness of this information for his own particular use. Thomas & Betts Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Kopr-Shield SDS US