



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1725 East Highway 82  
76240-0000, TX Gainesville  
Phone: 940-612-1388  
Fax: 940-612-1499



## CPL114 1-1/4" PVC Coupling

*Cantex, Inc*

Catalog Number	CPL114
Manufacturer	Cantex, Inc
Description	Cantex 6141626 Is A 1-1/4 In. Schedule 40 Standard Center Stop Coupling Used to Join Lengths Of Conduit Pipe Together With Two Solvent Weld Socket Ends
Weight per unit	0.1000 (lbs/each)
Product Category	PVC Conduit Fittings & Accy

### Features

Inside Diameter	1.688
outside diameter	2.125
Schedule	40

### Material, Color, and Finish

Color	Gray
-------	------

### Dimensions and Weight

Length	2.125
Size	1-1/4 in. Schedule 40 Standard Center Stop Coupling

### Descriptions

Description	1-1/4" PVC COUPLING
extra long description	CTX 6141626 1 1/4 UL CPLG CC
Features	CANTEX 6141626 is a 1-1/4 in. Schedule 40 Standard Center Stop Coupling used to join lengths of conduit pipe together with two solvent weld socket ends
Long Description	CANTEX 6141626 is a 1-1/4 in. Schedule 40 Standard Center Stop Coupling used to join lengths of conduit pipe together with two solvent weld socket ends
Product Type	1 1/4 UI CPLG CC
Special Features	Center stop to help determine proper depth of connection

### Manufacturer Information

Brand	PVC & Accessories
GTIN	00088700567313
Manufacturers Part Number	6141626
UPC	088700061040

### Taxonomies, Classifications, and Categories

Category Description	COUPLINGS, ADAPTERS, REDUCERS, BUSHINGS, & CAPS
Type	1-1/4 in. Schedule 40 Standard Center Stop Coupling;Schedule 40 Standard Center Stop Coupling



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1725 East Highway 82  
76240-0000, TX Gainesville  
Phone: 940-612-1388  
Fax: 940-612-1499

## Trade Size

Trade Size ..... 1 1/4 .....

## Packaging

Carton ..... 1 .....

Package ..... 40 .....

Weight Per each ..... 0.1 .....

## Uses, Certifications, and Standards

Application ..... Schedule 40 Standard Center Stop Coupling .....

standard ..... UL Listed .....