

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



CPR9 3-1/2 RGD CMP

CPR9 3-1/2 RGD CMI Crouse-Hinds	P
Catalog Number	CPR9
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series CPR Compression Connector, Rigid/Imc, Straight, Non-Insulated, Malleable Iron, 3-1/2"
Weight per unit	4.0 (lbs/each)
Product Category	Rigid Conduit Fittings - Steel
Features	
dimensions	5.3000 IN X 4.0000 IN X 5.7000 IN
Material	Malleable Iron
Dimensions and Weight	
Size	3-1/2 in
Descriptions	
Construction	Concrete Tight
Description	3-1/2 RGD CMP
extra long description	MIDWEST CPR9 3 1/2 RGD CMP CONN
Features	Crouse-Hinds series rigid/IMC connectors, couplings and combination couplings are used to join used to join rigid/IMC conduit to a box or enclosure, or to couple two ends of conduit together. Our rigid/IMC connectors and couplings are available in set screw type and compression type, in both insulated and non-insulated versions. They are available in a variety of materials to suit customer preferences, including malleable iron, steel, zinc die cast, aluminum, stainless steel and hot dip galvanized mallea
Long Description	Eaton Crouse-Hinds series CPR compression connector, Rigid/IMC, Straight, Non-insulated, Malleable iron, 3-1/2"
Product Type	2.1/2.DCD CMD Comp
Manufacturer Information	
Brand	Eaton
GTIN	00784564122094
Manufacturers Part Number	CPR9
UPC	784564122094
Taxonomies, Classifications, and Ca Category Description	COLIDI INCS ADADTEDS DEDITORDS DISCUINCS & CADS
Type	Compression Connector

Taxo

Category Description	COUPLINGS, ADAPTERS, REDUCERS, BUSHINGS, & CAPS
Туре	Compression Connector

Packaging

Carton	1	
Weight Per each	4	

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application	Commercial / Institutional Buildings / Structures - Commercial /
	Institutional Buildings / Structures - Other
standard	UL 514B, CUL