

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



CSB220V Switch Toggle DP 20A 120/277V B/Swire Iv Eaton Wiring Devices

Catalog Number	CSB220V
Manufacturer	Eaton Wiring Devices
Description	Eaton Commercial Grade Toggle Switch, #14-10 Awg, 20A,
	Commercial, Flush, 120/277V, Back and Side, Screw, Ivory, Load
	Type: Motor Control, Fan, Led, Incandescent, Elv, MLV, CFL,
	Flourescent, Halogen, Double-Pole, Dual-Pole, Brass, PVC
Weight per unit	0.1680 (lbs/each)
Product Category	Gen Purpose Switches
Features	
amperage rating	20
dimensions	1.3000 IN X 0.9020 IN X 4.2000 IN
Material	PVC
Poles	
Voltage Rating	120/277 V
Descriptions	
Description	SWITCH TOGGLE DP 20A 120/277V B/SWIRE IV
extra long description	EWD CSB220V Switch Toggle DP 20A 12
Features	Eaton's Arrow Hart commercial specification grade switches are
	designed to provide superior quality, reliability and performance
	in a variety of commercial environments.
Long Description	Eaton commercial grade toggle switch, #14-10 AWG, 20A,
	Commercial, Flush, 120/277V, Back and side, Screw, Ivory, Load
	type: Motor Control, Fan, LED, Incandescent, ELV, MLV, CFL,
	Flourescent, Halogen, Double-Pole, Dual-pole, Brass, PVC
Product Type	Switch Toggle DP 20A 120/277V B/Swire Iv
Special Features	Commercial Grade
Vanufacturer Information	
Brand	COOPER WIRING DEVICES
GTIN	00032664559099
Manufacturers Part Number	CSB220V
UPC	032664559099
Faxonomies, Classifications, and (Categories
Category Description	Commencial availables
Туре	Commercial grade toggle switch
Packaging	
Carton	1
Package	50
Weight Per each	0.168



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application

Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other cULus Listed,NOM

standard