MATERIAL SAFETY 3M DATA SHEET 3M Center St. Paul, Minnesota 55144-1000 1-800-364-3577 or (651) 737-6501 (24 hours) Copyright, 2000, Minnesota Mining and Manufacturing Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: 1) the information is copied in full with no changes unless prior agreement is obtained from 3M, and 2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon. DIVISION: ELECTRICAL PRODUCTS DIVISION TRADE NAME: DBY-6 AND DBR-6 DIRECT BURY SPLICE KITS (INSULATING PASTE) U.P.C. Number: 00-54007-69756-5 00-54007-69757-2 00-54007-49697-7 00-54007-49699-1 00-54007-49945-9 00-54007-49947-3 00-54007-93253-6 ISSUED: July 24, 2000 SUPERSEDES: November 18, 1999 DOCUMENT: 11-3072-3 _____ C.A.S. NO. PERCENT 1. INGREDIENT _____ amorphous silica..... 7631-86-9 6.0 - 10.0
 poly(dimethylsiloxane).....
 63148-62-9
 20

 dimethyl methyl silicone resin.....
 68037-74-1
 10
- 30 - 15 poly(dimethylsiloxane) hydroxy - 50 _____ 2. PHYSICAL DATA _____ BOILING POINT: N/A VAPOR PRESSURE: N/A VAPOR DENSITY: N/A EVAPORATION RATE: N/A SOLUBILITY IN WATER:..... Nil SPECIFIC GRAVITY:..... 1.02 PERCENT VOLATILE:.... less than 5% pH:.....N/A VISCOSITY:.... Grease MELTING POINT:..... N/D APPEARANCE AND ODOR: Paste, little odor

MSDS: DBY-6 AND DBR-6 DIRECT BURY SPLICE KITS (INSULATING PASTE) July 24, 2000 PAGE 2 _____ 3. FIRE AND EXPLOSION HAZARD DATA _____ FLASH POINT:.....>200F Closed Cup FLAMMABLE LIMITS - LEL:..... N/D FLAMMABLE LIMITS - UEL:..... N/D AUTOIGNITION TEMPERATURE:..... N/D EXTINGUISHING MEDIA: Carbon dioxide, Dry chemical, Foam SPECIAL FIRE FIGHTING PROCEDURES: Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head. UNUSUAL FIRE AND EXPLOSION HAZARDS: See Hazardous Decomposition section for products of combustion. NFPA HAZARD CODES: HEALTH: 1 FIRE: 1 REACTIVITY: 0 UNUSUAL REACTION HAZARD: none _____ 4. REACTIVITY DATA _____ STABILITY: Stable INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID: Strong Oxidizing Agents. HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur. HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide and Carbon Dioxide, Oxides of Sulfur. _____ 5. ENVIRONMENTAL INFORMATION _____ SPILL RESPONSE: Observe precautions from other sections. Collect spilled material. Clean up residue with an appropriate organic solvent. Read and follow safety precautions on the solvent label and MSDS. Place in a U.S. DOT-approved container. RECOMMENDED DISPOSAL: Incinerate large quantities in an industrial or commercial incinerator. _____ Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: DBY-6 AND DBR-6 DIRECT BURY SPLICE KITS (INSULATING PASTE) July 24, 2000 PAGE 3 _____ 5. ENVIRONMENTAL INFORMATION (continued) _____ ENVIRONMENTAL DATA: Not applicable. **REGULATORY INFORMATION:** Volatile Organic Compounds: N/D. VOC Less H2O & Exempt Solvents: N/D. Since regulations vary, consult applicable regulations or authorities before disposal. EPCRA HAZARD CLASS: FIRE HAZARD: NO PRESSURE: NO REACTIVITY: NO ACUTE: Yes CHRONIC: NO _____ 6. SUGGESTED FIRST AID _____ EYE CONTACT: Immediately flush eyes with large amounts of water. Get immediate medical attention. SKIN CONTACT: Wash affected area with soap and water. INHALATION: No need for first aid is anticipated. IF SWALLOWED: No need for first aid is anticipated. _____ 7. PRECAUTIONARY INFORMATION _____ _____ EYE PROTECTION: Avoid eye contact. SKIN PROTECTION: Avoid prolonged or repeated skin contact. RECOMMENDED VENTILATION: Not applicable. RESPIRATORY PROTECTION: Not applicable. PREVENTION OF ACCIDENTAL INGESTION: Do not ingest. _____

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: DBY-6 AND DBR-6 DIRECT BURY SPLICE KITS (INSULATING PASTE) PAGE 4 July 24, 2000 _____ 7. PRECAUTIONARY INFORMATION (continued) _____ RECOMMENDED STORAGE: Keep out of the reach of children. FIRE AND EXPLOSION AVOIDANCE: Keep away from heat, sparks, open flame, and other sources of ignition. EXPOSURE LIMITS VALUE UNIT TNGREDIENT TYPE AUTH SKIN* _____ amorphous silica..... NONE NONE NONE NONE NONE poly(dimethylsiloxane)..... NONE NONE NONE NONE dimethyl methyl silicone resin..... NONE NONE NONE NONE poly(dimethylsiloxane) hydroxy terminated..... NONE NONE NONE NONE * SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption. SOURCE OF EXPOSURE LIMIT DATA: - NONE: None Established _____ 8. HEALTH HAZARD DATA _____ EYE CONTACT: Mild Eye Irritation: signs/symptoms can include redness, swelling, pain, and tearing. SKIN CONTACT: Mild Skin Irritation (after prolonged or repeated contact): signs/symptoms can include redness, swelling, and itching. INHALATION: Irritation (lower respiratory): signs/symptoms can include coughing, congestion, irritation of throat, wheezing and difficulty breathing. IF SWALLOWED: Ingestion is not a likely route of exposure to this product.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: DBY-6 AND DBR-6 DIRECT BURY SPLICE KITS (INSULATING PASTE) July 24, 2000 PAGE 5 SECTION CHANGE DATES

HEADING SECTION CHANGED SINCE November 18, 1999 ISSUE

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.