



General Duty Cartridge Fuse Safety Switch

DG221NRB

UPC:782113120317

Dimensions:

Height: 6.25 INLength: 5.73 INWidth: 6.1 IN

Weight:5 LB

Notes:Maximum hp ratings apply only when dual element fuses are used. 3-Phase hp rating shown is a grounded B phase rating, UL listed.

Warranties:

 Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Specifications:

• Type: General Duty/Cartridge Fuse

Amperage Rating: 30AEnclosure: NEMA 3R

• Enclosure Material: Painted galvanized steel

Fuse Class Provision: Class H fuses
Fuse Configuration: Fusible with neutral

Number Of Poles: Two-poleNumber Of Wires: Three-wire

• Product Category: General Duty Safety Switch

• Voltage Rating: 240V

Supporting documents:

• Eatons Volume 2-Commercial Distribution

• Eaton Specification Sheet - DG221NRB

Certifications:

UL Listed



P	ro	duc	t co	mnli	iance:	No	Data
	ı	uuc		шрп	iaiice.	INO	Data

© 2016 Eaton. All rights reserved.





General Duty Cartridge Fuse Safety Switch

DG221NRB

UPC:782113120317

Dimensions:

Height: 6.25 INLength: 5.73 INWidth: 6.1 IN

Weight:5 LB

Notes:Maximum hp ratings apply only when dual element fuses are used. 3-Phase hp rating shown is a grounded B phase rating, UL listed.

Warranties:

 Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Specifications:

• Type: General Duty/Cartridge Fuse

Amperage Rating: 30AEnclosure: NEMA 3R

• Enclosure Material: Painted galvanized steel

Fuse Class Provision: Class H fuses
Fuse Configuration: Fusible with neutral

Number Of Poles: Two-poleNumber Of Wires: Three-wire

• Product Category: General Duty Safety Switch

• Voltage Rating: 240V

Supporting documents:

• Eatons Volume 2-Commercial Distribution

• Eaton Specification Sheet - DG221NRB

Certifications:

UL Listed



P	ro	duc	t co	mnli	iance:	No	Data
	ı	uuc		шрп	iaiice.	INO	Data

© 2016 Eaton. All rights reserved.