


ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685





DG222NGB 60A/2P GD Fusible Safety Switch W/Neut 240V Nema 1 *Eaton Corp*

Catalog Number	DG222NGB
Manufacturer	Eaton Corp
Description	Eaton General Duty Cartridge Fuse Safety Switch, 60 A, Nema 1 Painted Steel, Class H Fuses, Fusible With Neutral, Two-Pole, Three Wire Category, Coperal Duty Safety Switch, 240 V
Woight por unit	Three-Wire, Category: General Duty Safety Switch, 240 V
Weight per unit Product Category	Fusible Conoral Duty Safety SM
• •	Tusible General Duty Safety SW
atures	/0
amperage rating	
dimensions	7.3800 IN X 8.6900 IN X 14.1900 IN
Material	
media	Yes
Poles	2
Voltage Rating	240V
mensions and Weight	
Depth	7.3800
Height	14.1900
Width	8.6900
scriptions	
Description	60A/2P GD FUSIBLE SAFETY SWITCH W/NEUT 240V NEMA 1
extra long description	ETN DG222NGB 60A/2P GD FUSIBLE Sfty
Features	General duty safety switches are used in residential and commercial applications. They are suitable for light duty motor circuits and service entrance applications. Fusible (plug or cartidge) and non-fusible switches are available.
Long Description	Eaton General duty cartridge fuse safety switch, 60 A, NEMA 1, Painted steel, Class H fuses, Fusible with neutral, Two-pole, Three-wire, Category: general duty safety switch, 240 V
Product Type	60A/2P GD Fusible Sfty SW W/Neut 240V N1
nufacturer Information	
Brand	EATON CUTLER-HAMMER
GTIN	00782113144214
Manufacturers Part Number	DG222NGB
UPC	782113144214

Category Description	DISCONNECTS
Туре	Cartridge fuse safety switch



standard

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging	
Carton	1
Weight Per each	8.8
Uses, Certifications, and Stan	ndards
Application	Commercial / Institutional Buildings / Structures - Power
	Distribution and Controls

UL Listed, NEC 230.62 (C) Compliant Barrier