

Eaton general duty non-fusible safety switch

DG325URK

UPC:782113589541

Dimensions:

- **Height:** 10.5 IN
- **Length:** 12.63 IN
- **Width:** 23 IN

Weight:97.75 LB

Notes:Drilled to accept field installed neutral kits

Warranties:

- Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Specifications:

- **Type:** Non-fusible, single-throw
- **Amperage Rating:** 400A
- **Enclosure:** NEMA 3R, Rainproof
- **Enclosure Material:** Painted galvanized steel
- **Fuse Configuration:** Non-fusible
- **Number Of Poles:** Three-pole
- **Number Of Wires:** Three-wire
- **Product Category:** General duty safety switch
- **Voltage Rating:** 240V

Supporting documents:

- [Eaton's Volume 2-Commercial Distribution](#)
- [Eaton Specification Sheet - DG325URK](#)

Certifications:

- UL Listed

Product compliance: No Data

Eaton general duty non-fusible safety switch

DG325URK

UPC:782113589541

Dimensions:

- **Height:** 10.5 IN
- **Length:** 12.63 IN
- **Width:** 23 IN

Weight:97.75 LB

Notes:Drilled to accept field installed neutral kits

Warranties:

- Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Specifications:

- **Type:** Non-fusible, single-throw
- **Amperage Rating:** 400A
- **Enclosure:** NEMA 3R, Rainproof
- **Enclosure Material:** Painted galvanized steel
- **Fuse Configuration:** Non-fusible
- **Number Of Poles:** Three-pole
- **Number Of Wires:** Three-wire
- **Product Category:** General duty safety switch
- **Voltage Rating:** 240V

Supporting documents:

- [Eaton's Volume 2-Commercial Distribution](#)
- [Eaton Specification Sheet - DG325URK](#)

Certifications:

- UL Listed

Product compliance: No Data
