

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Weight Per each

DH322NGK 60A/3P HD Fusible Safety Switch W/Neut 240V Nema 1 *Eaton Corp*

Catalog Number	DH322NGK
Manufacturer	Eaton Corp
Description	Eaton Heavy Duty Single-Throw Fused Safety Switch, 60 A, Nema 1, Painted Steel, Class H, Fusible, Neutral, Three-Pole, Four-Wire 240 V, Max HP: 3, 7.5/10, 15/10 HP (1, 3PH @STD/TD/250 VDC) #14-#2 Cu/Al
Weight per unit	17.0 (lbs/each)
Product Category	Fusible Heavy Duty Safety Swit
Features	
amperage rating	60A
dimensions	16.5000 IN X 9.5000 IN X 16.0000 IN
Material	Painted Steel
media	Yes
Poles	Three-pole
Voltage Rating	240V
Descriptions	
Description	60A/3P HD FUSIBLE SAFETY SWITCH W/NEUT 240V NEMA 1
extra long description	ETN DH322NGK 60A/3P HD Fusible Sfty
Features	Eaton's heavy-duty safety switches provide a highly visible mear of disconnect to help improve personnel safety and equipment protection. Additionally, they're Ideal for applications where reliable performance, safety, and service continuity are critical.
Long Description	Eaton Heavy duty single-throw fused safety switch, 60 A, NEMA 1, Painted steel, Class H, Fusible, Neutral, Three-pole, Four-wire, 240 V, Max Hp: 3, 7.5/ 10, 15/ 10 hp (1,3PH @Std/TD/250 Vdc), #14-#2 Cu/Al
Product Type	60A/3P HD Fusible Sfty SW W/Neut 240V N1
Manufacturer Information	
Brand	EATON CUTLER-HAMMER
GTIN	00782113205823
Manufacturers Part Number	DH322NGK
UPC	782113205823
Taxonomies, Classifications, and C	Categories
Category Description	DISCONNECTS
Туре	Fusible safety switch
Packaging	
Carton	1
Mainh Dan a ale	47

17

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application	Commercial / Institutional Buildings / Structures - Power
	Distribution and Controls
nema rating	NEMA 1
standard	UL Listed.NEC 230.62 (C) Compliant Barrier