



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



DH367NRK 800A/3P HD Fusible Safety Switch 600V W/Neut Nema

Eaton Corp

| | |
|------------------|---|
| Catalog Number | DH367NRK |
| Manufacturer | Eaton Corp |
| Description | Eaton Heavy Duty Single-Throw Fused Safety Switch, 800 A, Nema 3R, Painted Galvanized Steel, Class L, Fusible With Neutral, Three-Pole, Four-Wire, 600 V, Max HP: 500, 500 HP (3PH @480/600 V), (4)#1/0-(4)750 Kcmil Al |
| Weight per unit | 168.0 (lbs/each) |
| Product Category | Fusible Heavy Duty Safety Swit |

Features

| | |
|-----------------|------------------|
| amperage rating | 800 |
| Material | Galvanized Steel |
| media | Yes |
| Poles | 3 |
| Voltage Rating | 600 V |

Dimensions and Weight

| | |
|--------|-------|
| Depth | 57.5 |
| Height | 12.38 |
| Width | 27.5 |

Descriptions

| | |
|------------------------|--|
| Description | 800A/3P HD FUSIBLE SAFETY SWITCH 600V W/NEUT NEMA |
| extra long description | ETN DH367NRK 800A/3P HD FSBL Sfty S |
| Features | Eaton's heavy-duty safety switches provide a highly visible means of disconnect to help improve personnel safety and equipment protection. Additionally, they're Ideal for applications where reliable performance, safety, and service continuity are critical. |
| Long Description | Eaton Heavy duty single-throw fused safety switch, 800 A, NEMA 3R, Painted galvanized steel, Class L, Fusible with neutral, Three-pole, Four-wire, 600 V, Max Hp: 500, 500 hp (3PH @480/600 V), (4)#1/0-(4)750 kcmil Al |
| Product Type | 800A/3P HD FSBL Sfty SW 600V W/Neut N3R |

Manufacturer Information

| | |
|---------------------------|---------------------|
| Brand | EATON CUTLER-HAMMER |
| GTIN | 00782113639277 |
| Manufacturers Part Number | DH367NRK |
| UPC | 782113639277 |



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description DISCONNECTS

Type Fusible safety switch

Packaging

Carton 1

Weight Per each 168

Uses, Certifications, and Standards

Application Commercial / Institutional Buildings / Structures - Power
Distribution and Controls

nema rating 3R

standard UL Listed, NEC 230.62 (C) Compliant Barrier