



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

3804 South Street  
75964-7263, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## DS200H1 2 Rainproof Plate Hub

Eaton Corp

Catalog Number	DS200H1
Manufacturer	Eaton Corp
Description	Rainproof Conduit Hub, 2.75 In Overall Length, 3 In Overall Width, 1.25 In Overall Height, 0.2 LB
Weight per unit	0.2000 (lbs/each)
Product Category	Safety Switch Accessories

### Features

amperage rating	Up to 100A
dimensions	69.8500millimetreX76.2000millimetreX31.7500millimetre
used with	Mlo and mcb loadcenters and cb enclosures, ch8b150rf, ch8b200rf, general duty, heavy duty, and double throw safety switches through 100A. for use with rgdn and rfdn

### Dimensions and Weight

Size	3/4 in
------	--------

### Descriptions

Description	2 RAINPROOF PLATE HUB
Special Features	Suitable for PL0724R and S3100RN

### Manufacturer Information

Brand	EATON CUTLER-HAMMER
GTIN	00782113109954
UPC	782113109954

### Taxonomies, Classifications, and Categories

Category Description	LOAD CENTER HUBS
igcc	4459
Type	Rainproof conduit/plate type hub -group 1
unspsc code	39121321

### Packaging

Carton	1
Package	10
Weight Per each	0.2

### Uses, Certifications, and Standards

Enclosure	NEMA 3R
standard	Contact Manufacturer



Powering Business Worldwide

[pe.eaton.com](http://pe.eaton.com)

## CH 3/4 in Loadcenter and Breaker Accessories

DS200H1

UPC:782113109954

### Dimensions:

- **Height:** 1.25 IN
- **Length:** 2.75 IN
- **Width:** 3 IN

**Weight:** .2 LB

**Notes:** Group 1, conduit size: 3/4 inch (19.1 mm), used with 70, 100, and 125A mlo and mcb br and ch loadcenters and cb enclosures, and the following 150 and 200A panels: ch8b150rf, ch8b200rf

### Warranties:

- Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

### Specifications:

- **Special Features:** Suitable for PL0724R and S3100RN
- **Type:** Rainproof conduit/plate type hub -group 1
- **Amperage Rating:** Up to 100A
- **Enclosure:** NEMA 3R
- **Size:** 3/4 in
- **Used With:** Mlo and mcb loadcenters and cb enclosures, ch8b150rf, ch8b200rf, general duty, heavy duty, and double throw safety switches through 100A. for use with rgdn and rfdn

### Supporting documents:

- [Double-throw safety switch](#)
- [Eatons Volume 2-Commercial Distribution](#)
- [Eaton Specification Sheet - DS200H1](#)



**Certifications:** No Data

**Product compliance:** No Data

---

© 2016 Eaton. All rights reserved.