

General Duty Double-Throw Safety Switch

DT223URK-NPS

UPC:782114495834

Dimensions:

- Height: 25.02 IN
- Length: 11.19 IN
- Width: 11.15 IN

Weight:34 LB

Notes:Suitable for service entrance use

Warranties:

• Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Specifications:

- **Type:** General Duty, Compact Design, Double-Throw
- Amperage Rating: 100A
- Design: Compact design, includes neutral
- Enclosure: NEMA 3R
- Enclosure Material: Painted galvanized steel
- Fuse Configuration: Non-fusible
- Number Of Poles: Two-pole
- Number Of Wires: Three-wire
- Voltage Rating: 240 Vac, 250 Vdc

Supporting documents:

- Double-throw safety switch
- Eatons Volume 2-Commercial Distribution
- Eaton Specification Sheet DT223URK-NPS

Certifications:

UL Listed

Product compliance: No Data

pe.eaton.com



© 2016 Eaton. All rights reserved.



General Duty Double-Throw Safety Switch

DT223URK-NPS

UPC:782114495834

Dimensions:

- Height: 25.02 IN
- Length: 11.19 IN
- Width: 11.15 IN

Weight:34 LB

Notes:Suitable for service entrance use

Warranties:

• Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Specifications:

- **Type:** General Duty, Compact Design, Double-Throw
- Amperage Rating: 100A
- Design: Compact design, includes neutral
- Enclosure: NEMA 3R
- Enclosure Material: Painted galvanized steel
- Fuse Configuration: Non-fusible
- Number Of Poles: Two-pole
- Number Of Wires: Three-wire
- Voltage Rating: 240 Vac, 250 Vdc

Supporting documents:

- Double-throw safety switch
- Eatons Volume 2-Commercial Distribution
- Eaton Specification Sheet DT223URK-NPS

Certifications:

UL Listed

Product compliance: No Data

pe.eaton.com



© 2016 Eaton. All rights reserved.