# Eaton E1016-1602S

# Catalog Number: E1016-1602S

Eaton Crouse-Hinds series Cam-Lok J Series E1016 insulated receptacle, Up to 400A continuous, #6 AWG-250 kcmil, Red, Male, Thermoplastic elastomer (TPE), 1-1/8", Threaded stud, 600 Vac/dc

# General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series Cam-Lok J	E1016-1602S
Series E1016 insulated receptacle	UPC 662275128300
Product Length/Depth	Product Height
3.69 in	2.25 in
Product Width 2.25 in	Product Weight 0.63 lb





# Certifications and compliances

#### Area classification

Ordinary/Non-Hazardous Locations

Standards type NEC/CEC

NEMA Rating

3R

# **Product specifications**

Cable size

#6 AWG-250 kcmil

Amperage Rating Up to 400A Continuous

Voltage rating

600 Vac/dc

Material

Thermoplastic elastomer (TPE)

Type Threaded stud

Gender

Male

Color

Red

Receptacle threaded stud size 1-1/8"

## Resources

#### Brochures

Cam-Lok Single Pole Plugs and Receptacles catalog

### Catalogs

Cam-Lok J Series Single Pole Plugs and Receptacles catalog page

#### Installation instructions

EB 141 - Cam-Lok E1015 and E1016 Molded to Cable Connectors

IM 1039 - Cam-Lok E1016 and E1018 Panel Mount Receptacles

EB 9 - Cam-Lok E1016 and E1018 Connectors

IM 1004 - Cam-Lok E1016 and E1018 Double Set Screw

### Specifications and datasheets

Eaton Specification Sheet - E1016-1602S



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia