
# Eaton E10T115AS

# Catalog Number: E10T115AS

Eaton E10 toggle switch, Single-pole, ON, None, OFF, 0.563 inch lever, Screw, Single-throw, 15A at 125 Vac, 10A at 250 Vac, 3/4 hp at 50 Vac, 0.47 inch bushing





Eaton E10 toggle switch

UPC

782113697994

**Product Height** 

1 in

**Product Weight** 

0.06 lb

Catalog Number

E10T115AS

Product Length/Depth

1.5 in

**Product Width** 

0.5 in

Warranty

Eaton Selling Policy 25-000, one (1) year

from the date of installation of the

Product or eighteen (18) months from the

date of shipment of the Product,

whichever occurs first.

### Certifications

UL Recognized CSA Certified



## Product specifications

Throw type

Single-throw

Lever length

0.563 in

Series

E10

Number of positions

ON, NONE, OFF

Type

Toggle Switch

**Bushing length** 

0.47 inch bushing

Rating

15 A at 125 Vac, 10 A at 250 Vac, 1/2 hp at 50 Vac

**Terminals** 

Screw

**Number Of Poles** 

Single-pole

### Resources

#### Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Specifications and datasheets

Eaton Specification Sheet - E10T115AS



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.




Eaton.com/socialmedia

# Eaton E10T115AS

# Catalog Number: E10T115AS

Eaton E10 toggle switch, Single-pole, ON, None, OFF, 0.563 inch lever, Screw, Single-throw, 15A at 125 Vac, 10A at 250 Vac, 3/4 hp at 50 Vac, 0.47 inch bushing





Eaton E10 toggle switch

UPC

782113697994

**Product Height** 

1 in

**Product Weight** 

0.06 lb

Catalog Number

E10T115AS

Product Length/Depth

1.5 in

**Product Width** 

0.5 in

Warranty

Eaton Selling Policy 25-000, one (1) year

from the date of installation of the

Product or eighteen (18) months from the

date of shipment of the Product,

whichever occurs first.

### Certifications

UL Recognized CSA Certified



## Product specifications

Throw type

Single-throw

Lever length

0.563 in

Series

E10

Number of positions

ON, NONE, OFF

Type

Toggle Switch

**Bushing length** 

0.47 inch bushing

Rating

15 A at 125 Vac, 10 A at 250 Vac, 1/2 hp at 50 Vac

**Terminals** 

Screw

**Number Of Poles** 

Single-pole

### Resources

#### Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Specifications and datasheets

Eaton Specification Sheet - E10T115AS



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia