

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



E51DS1 Ind Prox Sensor Head Only Eaton Corp

Catalog Number	E51DS1
Manufacturer	Eaton Corp
Description	Eaton E51 Nema Limit Switch Inductive Proximity Sensor,
	Inductive Proximity Sensor Head, E51, 0.51 In Range, Side
	Sensing, Shielded, Standard Frequency
Weight per unit	0.1000 (lbs/each)
Product Category	Sensor Accessories
Features	
dimensions	1.3800 IN X 1.5100 IN X 1.5100 IN
Material	Plastic
Descriptions	
Description	IND PROX SENSOR HEAD ONLY
extra long description	ETN E51DS1 IND PROX SENSOR HEAD ONL
Features	Eaton's E51 limit switch style modular sensors are available in
	thru-beam, reflex, polarized reflex, diffuse reflective and fiber
	optic sensing modes to solve a wide variety of sensing
	applications. Modular, plug-in components are easy to maintain,
	meaning less downtime and reduced inventory. Choose between
	2-wire sensors with AC/DC operation and 4-wire sensors in either
	AC or DC styles. Connection options include terminal,
	mini-connector and various lengths of cable. Sensors can be
	ordered in component fo
Long Description	Eaton E51 NEMA limit switch inductive proximity sensor,
	Inductive Proximity Sensor Head, E51, 0.51 in range, Side
	Sensing, Shielded, Standard frequency
Product Type	Ind Prox Sensor Head Only
Manufacturer Information	
Brand	
GTIN	00782113344881
Manufacturers Part Number	E51DS1
UPC	782113344881
Taxonomies, Classifications, and (Categories
Category Description	
Туре	Limit switch inductive proximity sensor
Packaging	
Carton	
Weight Per each	0.1



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application	Stationary Mach Equip In Factory - Other Stationary Machinery and Equipment - In Factory
Operating Temperature	-13
standard	CSA Certified, UL Listed