Series C G-Frame 15-100 amperes, 120-480 volts

Contents

| Description | Page |
|--------------------------|------|
| Catalog Number Selection | |

Time Current Curves: Thermal/Magnetic Trip Unit

| GB, GHB, GC, GHC 15-100A, 1 Pole | SC-3500-83B |
|--------------------------------------|--------------|
| GB, GHB, GC, GHC 15-100A, 2, 3 Poles | SC-3501-83B |
| GHB, GHC, GD 15-100A, 2, 3 Poles | TC01201057E6 |
| GD 15-100A, 2, 3 Poles | SC-6030-957 |
| GHBGFEP, GHCGFEP 15-60A, 2 Pole | SC-6759-97 |
| GHBS, GBHS 15-30A, 1, 2 Poles | SC-5695-93B9 |

Note:

The following curves are UL489 Listed for use in North America. The following circuit breakers are derived from Eaton, Westinghouse, or Cutler-Hammer brand.

Time Current Curves are engineering reference documents for application and coordination purposes only. For field testing molded case circuit breakers, refer to NEMA AB 4 guidelines



Time Current Curves **TD012032EN** Effective April 2014

Note: Unless noted below, all curves remain unchanged from their prior revision.


| Revision | Curve Number | Page | Date |
|----------|--------------|------|------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Series C G-Frame

Catalog Number Selection

This information is presented only as an aid to understanding catalog numbers. It is not to be used to build catalog numbers for circuit breakers or trip units.

Table 1. Circuit Breaker/Frame



Time Current Curves **TD012032EN** Effective April 2014

Types GB, GHB, GC, GHC 15-100 Amperes, 1 Pole




Figure 1. GB, GHB, GC, GHC 15-100A, 1 Pole - Curve Number SC-3500-83B, October 1997

Types GB, GHB, GC, GHC 15-100 Amperes, 2 and 3 Poles




Figure 2. GB, GHB, GC, GHC 15-100A, 2, 3 Poles - Curve Number SC-3501-83B, October 1997

Time Current Curves **TD012032EN** Effective April 2014

Type GHB/GHC/GD 2 and 3 poles, 15-100 Amperes




Figure 3. GHB, GHC, GD 15-100A, 2, 3 Poles - Curve Number TC01201057E

| Series C | |
|----------|--|
| G-Frame | |

Type GD 15-100 Amperes, 2 and 3 Poles




Figure 4. GD 15-100A, 2, 3 Poles - Curve Number SC-6030-95, October 1997

Types GHBGFEP, GHCGFEP 15-60 Amperes, 2 Pole (Single Phase)




Figure 5. GHBGFEP, GHCGFEP 15-60A, 2 Pole - Curve Number SC-6759-97, October 1997

Type GHBS 15-30 Amperes, 1, 2 Poles




Figure 6. GHBS, GBHS 15-30A, 1, 2 Poles - Curve Number SC-5695-93B

Series C G-Frame

Eaton 1000 Eaton Boulevard Cleveland, OH 44122 United States Eaton.com

F^T•N

Powering Business Worldwide

© 2014 Eaton All Rights Reserved Printed in USA Publication No. TD012032EN / KDC April 2014

Eaton is a registered trademark.

All other trademarks are property of their respective owners.