Eaton EDS2129

Catalog Number: EDS2129

Eaton Crouse-Hinds series EDS snap switch control station, 20A, With switch, With one 3/4" hub, Feraloy iron alloy, 1, Single-gang, Single-pole, 120-277V, Factory sealed, Dead end, Single-pole, 3/4", 120-277 Vac

General specifications



Product Name Catalog Number

Eaton Crouse-Hinds series EDS snap EDS2129 switch control station

UPC

782274763750

Product Length/Depth Product Height

5.06 in 5.875 in

Product Width Product Weight

3.5 in 8.15 lb



Product specifications

Special features

Factory sealed

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

Enclosure type

With switch

Hub style

With one 3/4" hub

Material

Feraloy iron alloy

Standards type

NEC/CEC

Amperage Rating

20A

Switch function

Single-pole

Number of gangs

Single-gang

Number Of Poles

Single-pole

Number of devices

1

Trade size

3/4"

Primary voltage range

120-277V

NEMA Rating

3

7

9

Area classification

Hazardous/Classified Locations

Resources

Catalogs

EDS and EDSX Fully Assembled Snap Switches catalog page

Certification reports

EDS and EFD Explosionproof Snap Switches UL certification - snap switches

EDS and EFD Explosion proof Snap Switches UL certification - industrial control panels and assemblies

EDS and EFD Explosionproof Snap Switches Canadian certification - snap switches

EDS and EFD Explosion proof Snap Switches Canadian certification - industrial control panels and assemblies

Installation instructions

IF 242 - EDS and EDSC Control Stations

IF 328 - EDS, EFS, EDSC and EFSC Single- and Two-gang Device Bodies

Specifications and datasheets

Eaton Specification Sheet - EDS2129

Style

Dead end

Voltage rating

120-277 Vac



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia