

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

600 E 23rd Street 66046-0000, KS Lawrence Phone: 785-330-9441

Fax: 785-371-0291



EMRGLED5500AC 120-277V 5W Led Emergency Backup *Keystone Technologies*

Reystone 1	cumologics
Catalog Number	EMRGLED5500AC
Manufacturer	Keystone Technologies
Description	Led Emergency Backup, 5W - 500 Lumen Constant Power Design. 120-277V Input. Installs On Primary Side Of Ac Powered Led Load. Optimized For Type B Single Ended Led Tubes. Includes Instruction Sheets & Test Switch. Individually Packaged.
Weight per unit	0.9600 (lbs/each)
Product Category	Led Power Supplies
Features	
Ballast Type	N/A
beam angle	N/A
Circuit Type	N/A
Input Voltage	120-277V
ip rating	N/A
lumens	500
Nominal Length	N/A
Nominal Size	N/A
Number of Lamps	N/A
Output Current	Load Dependant
Output Voltage	40-100
Sensor Type	N/A
Wattage	5
Wire Type	Standard Wire Leads
Material, Color, and Finish	
Base Type	N/A
color rendering index (cri)	N/A
color temperature	N/A
housing color	N/A

Descriptions

Construction	ONE PIECE
Description	120-277V 5W LED EMERGENCY BACKUP
extra long description	Key KT-EMRG-LED-5-500-AC-IP LED Eme
Long Description	LED Emergency Backup, 5W - 500 Lumen Constant Power Design.
	120-277V Input. Installs on Primary Side of AC Powered LED load.
	Optimized for Type B Single Ended LED Tubes. Includes
	Instruction Sheets & Test Switch. Individually Packaged.
Product Type	Led Emergency Backup, 5W - 500 Lumen Constant Power Design.



ELLIOTT ELECTRIC SUPPLY 600 E 23rd Street 66046-0000, KS Lawrence Phone: 785-330-9441

We Deliver...Lower Cost, Quality Products, & Personal Service

Fax: 785-371-0291

n,		tootileor	mtormotion.
11/	ıarıı	121'11 IT OF	
ıv	ıaııu	actuici	Information

Brand	Keystone	
GTIN	00890949018613	
Manufacturers Part Number	KT-EMRG-LED-5-500-AC-IP	
UPC	890949018613	

Taxonomies, Classifications, and Categories

Category Description	Emergency & Exit Lighting
----------------------	---------------------------

Packaging

Carton	1	
Package	25	
Weight Per each	0.96	

Uses, Certifications, and Standards

Energy Star N	
---------------	--