

## 4-INCH INCANDESCENT NEW CONSTRUCTION ICAT




H99ICAT

### FEATURES

- Got Nail!™ bar hangers
- Pass-N-Thru™ tool-less shortening of bar hangers
- Slide-N-Side™ wire traps
- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Thermally protected
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

**COMPLIANCES:** UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283



### ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY<sup>A</sup>

SAMPLE NUMBER: H99ICAT - 993W

Housing	Trims	Accessories
H99ICAT=4" Aperture, Shallow Ceiling, IC AIR-TITE™, 120V Line Voltage	<p><b>Adjustables</b></p> <p><b>996 Adjustable Eyeball - 15° Tilt, 50W PAR20, OD: 5-1/16" [129mm]</b></p> <p>996P=White Trim with White Eyeball</p> <p>996SN=Satin Nickel Trim with Satin Nickel Eyeball</p> <p>996TBZ=Tuscan Bronze Trim with Tuscan Bronze Eyeball</p> <p><b>998 Adjustable Eyeball - 30° Tilt, 40W R16, OD: 5-1/16" [129mm]</b></p> <p>998P=White Trim with White Eyeball</p> <p>998PB=Polished Brass Trim with Polished Brass Eyeball</p> <p>998SN=Satin Nickel Trim with Satin Nickel Eyeball</p> <p>998TBZ=Tuscan Bronze Trim with Tuscan Bronze Eyeball</p> <p><b>Baffles</b></p> <p><b>953 Metal Baffle, 30W R20, 35W PAR20, With H1999 Socket Extender 50W PAR20, OD: 5-1/16" [129mm]</b></p> <p>953P=White Trim with Black Baffle</p> <p>953SN=Satin Nickel Trim with Satin Nickel Baffle</p> <p>953TBZ=Tuscan Bronze Trim with Tuscan Bronze Baffle</p> <p>953W=White Trim with White Baffle</p> <p><b>993 Coilex® Baffle, 30W R20, 35W PAR20, With H1999 Socket Extender 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b></p> <p>993P=White Trim with Black Baffle</p> <p>993PB=Polished Brass Trim with Black Baffle</p> <p>993SN=Satin Nickel Trim with Black Baffle</p> <p>993TBZ=Tuscan Bronze Trim with Black Baffle</p> <p>993W=White Trim with White Baffle</p> <p><b>ERT413 Metal Baffle, 40W A19, 50W R20 (ERT413WHT only), 45W R20, 50W PAR 20, OD: 5-1/16" [129mm]</b></p> <p>ERT413=High Gloss Appliance White Trim Ring with Black Baffle</p> <p>ERT413WHT=High Gloss Appliance White Trim Ring with White Baffle</p> <p><b>Decorative</b></p> <p><b>945 Metropolitan Ice Lite, 30W R20, OD: 5-1/16" [129mm]</b></p> <p>945=Frosted Glass</p> <p>945BLUE=Frosted Blue Glass</p> <p><b>946 Metropolitan Deco, 30W R20, OD: 5-5/8" [143mm]</b></p> <p>946BC=Black Chrome Accent with Translucent Rings</p> <p>946PB=Polished Brass Accent with Translucent Rings</p> <p><b>Reflectors</b></p> <p><b>999 Reflector, 40W R16, 50W R20, 50W PAR20, OD: 5-1/16" [129mm]</b></p> <p>999H=White Trim with Haze Reflector</p> <p>999MB=White Trim with Specular Black Reflector</p> <p>999P=White Trim with Specular Clear Reflector</p> <p>999RG=White Trim with Residential Gold Reflector</p> <p>999SN=Satin Nickel Trim with Satin Nickel Reflector</p> <p>999TBZ=Tuscan Bronze Trim with Tuscan Bronze Reflector</p> <p>999W=White Trim with White Reflector</p> <p><b>Showerlight</b></p> <p><b>952 Frosted Dome Lens Showerlight, 30W R20, 35W PAR20, With H1999 Socket Extender 50W PAR20, OD: 5-1/16" [129mm]</b></p> <p>952PS=White Trim Ring, Frost Dome Glass Lens Showerlight</p> <p><b>955 Showerlight, 30W R20, 35W PAR20, OD: 5-1/16" [129mm]</b></p> <p>955PS=White Trim Ring, Prismatic Glass Lens Showerlight</p>	<p><b>Socket Extender</b></p> <p><b>H1999=Socket Extender, for Use with Select Trims and Housings, Extends Lamp 1" (25mm)</b></p>

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit [www.cooperlighting.com](http://www.cooperlighting.com) for available options, accessories and ordering information.

## FEATURES

- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pryouts and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

**COMPLIANCES:** UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, IP Rated, AIR-TITE™ Certified ASTM E283



H99RTAT

## ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY<sup>A</sup>

SAMPLE NUMBER: H99RTAT - 993W

Housing	Trims
H99RTAT=4" Aperture, Shallow Ceiling, Remodel, Non-IC AIR-TITE™, 120V Line Voltage	<b>Adjustables</b> <b>998 Adjustable Eyeball - 30° Tilt, 40W R16, 60W PAR16, OD: 5-1/16" [129mm]</b> <b>998P</b> =White Trim with White Eyeball <b>998PB</b> =Polished Brass Trim with Polished Brass Eyeball <b>998SN</b> =Satin Nickel Trim with Satin Nickel Eyeball <b>998TBZ</b> =Tuscan Bronze Trim with Tuscan Bronze Eyeball
	<b>Baffles</b> <b>953 Metal Baffle, 40W R16, 50W R20, 50W PAR20, OD: 5-1/16" [129mm]</b> <b>953P</b> =White Trim with Black Baffle <b>953SN</b> =Satin Nickel Trim with Satin Nickel Baffle <b>953TBZ</b> =Tuscan Bronze Trim with Tuscan Bronze Baffle <b>953W</b> =White Trim with White Baffle
	<b>990 Pinhole Trim, 40W A19, 40W R16, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> <b>990P</b> =White Pinhole Trim <b>990SN</b> =Satin Nickel Pinhole Trim <b>990TBZ</b> =Tuscan Bronze Pinhole Trim
	<b>993 Coilex® Baffle, 40W R16, 50W R20, 50W PAR20, OD: 5-1/16" [129mm]</b> <b>993P</b> =White Trim with Black Baffle <b>993PB</b> =Polished Brass Trim with Black Baffle <b>993SN</b> =Satin Nickel Trim with Black Baffle <b>993TBZ</b> =Tuscan Bronze Trim with Black Baffle <b>993W</b> =White Trim with White Baffle
	<b>ERT413 Metal Baffle, 40W A19, 50W R20 (ERT413WHT only), 50W PAR 20, OD: 5-1/16" [129mm]</b> <b>ERT413</b> =High Gloss Appliance White Trim Ring with Black Baffle <b>ERT413WHT</b> =High Gloss Appliance White Trim Ring with White Baffle
	<b>Decorative</b> <b>945 Metropolitan Ice Lite, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> <b>945</b> =Frosted Glass <b>945BLUE</b> =Frosted Blue Glass
	<b>946 Metropolitan Deco, 50W PAR20, 50W R20, OD: 5-5/8" [143mm]</b> <b>946BC</b> =Black Chrome Accent with Translucent Rings <b>946PB</b> =Polished Brass Accent with Translucent Rings
	<b>Reflectors</b> <b>999 Reflector, 40W R16, 50W R20, 50W PAR20, OD: 5-1/16" [129mm]</b> <b>999H</b> =White Trim with Haze Reflector <b>999MB</b> =White Trim with Specular Black Reflector <b>999P</b> =White Trim with Specular Clear Reflector <b>999RG</b> =White Trim with Residential Gold Reflector <b>999SN</b> =Satin Nickel Trim with Satin Nickel Reflector <b>999TBZ</b> =Tuscan Bronze Trim with Tuscan Bronze Reflector <b>999W</b> =White Trim with White Reflector
	<b>Showerlight</b> <b>951 Showerlight, 40W A19, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> <b>951PS</b> =White Trim with Full Reflector and Prismatic Glass Lens <b>951SNS</b> =Satin Nickel Trim with Full Reflector and Prismatic Glass Lens <b>951TBZS</b> =Tuscan Bronze Trim with Full Reflector and Prismatic Glass Lens
	<b>952 Frosted Dome Lens Showerlight, 40W A19, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> <b>952PS</b> =White Trim Ring, Frost Dome Glass Lens Showerlight
	<b>955 Showerlight, 50W PAR20, OD: 5-1/16" [129mm]</b> <b>955PS</b> =White Trim Ring, Prismatic Glass Lens Showerlight
	<b>Wall Wash</b> <b>992 Wall Wash with Baffle, 40W R16, 40W A19, 50W R20, 50W PAR20, OD: 5-1/16" [129mm]</b> <b>992P</b> =White Trim and Eyelid, Black Baffle <b>992SN</b> =Satin Nickel Trim and Eyelid, Satin Nickel Baffle <b>992TBZ</b> =Tuscan Bronze Trim and Eyelid, Tuscan Bronze Baffle <b>992W</b> =White Trim and Eyelid, White Baffle

NOTES: <sup>A</sup> UL/cUL Listed for Wet Location with select trims.

## 4-INCH INCANDESCENT NEW CONSTRUCTION NON - IC




H99TAT

### FEATURES

- Got Nail!™ bar hangers
- Pass-N-Thru™ tool-less shortening of bar hangers
- Slide-N-Side™ wire traps
- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Thermally protected
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

**COMPLIANCES:** UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, IP Rated, AIR-TITE™ Certified ASTM E283



### ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY<sup>A</sup>


SAMPLE NUMBER: H99TAT - 993W

Housing	Trims
H99TAT=4" Aperture, Shallow Ceiling, Non-IC AIR-TITE™, 120V Line Voltage	<b>Adjustables</b> <b>996 Adjustable Eyeball - 15° Tilt, 50W PAR20, OD: 5-1/16" [129mm]</b> 996P=White Trim with White Eyeball 996SN=Satin Nickel Trim with Satin Nickel Eyeball 996TBZ=Tuscan Bronze Trim with Tuscan Bronze Eyeball  <b>998 Adjustable Eyeball - 30° Tilt, 40W R16, 60W PAR16, OD: 5-1/16" [129mm]</b> 998P=White Trim with White Eyeball 998PB=Polished Brass Trim with Polished Brass Eyeball 998SN=Satin Nickel Trim with Satin Nickel Eyeball 998TBZ=Tuscan Bronze Trim with Tuscan Bronze Eyeball
	<b>Baffles</b> <b>953 Metal Baffle, 40W R16, 50W R20, 50W PAR20, OD: 5-1/16" [129mm]</b> 953P=White Trim with Black Baffle 953SN=Satin Nickel Trim with Satin Nickel Baffle 953TBZ=Tuscan Bronze Trim with Tuscan Bronze Baffle 953W=White Trim with White Baffle
	<b>990 Pinhole Trim, 40W A19, 40W R16, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> 990P=White Pinhole Trim 990SN=Satin Nickel Pinhole Trim 990TBZ=Tuscan Bronze Pinhole Trim
	<b>993 Coilex® Baffle, 40W R16, 50W R20, 50W PAR20, OD: 5-1/16" [129mm]</b> 993P=White Trim with Black Baffle 993PB=Polished Brass Trim with Black Baffle 993SN=Satin Nickel Trim with Black Baffle 993TBZ=Tuscan Bronze Trim with Black Baffle 993W=White Trim with White Baffle
	<b>ERT413 Metal Baffle, 40W A19, 50W R20 (ERT413WHT only), 50W PAR 20, OD: 5-1/16" [129mm]</b> ERT413=High Gloss Appliance White Trim Ring with Black Baffle ERT413WHT=High Gloss Appliance White Trim Ring with White Baffle
	<b>Decorative</b> <b>945 Metropolitan Ice Lite, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> 945=Frosted Glass 945BLUE=Frosted Blue Glass
	<b>946 Metropolitan Deco, 50W PAR20, 50W R20, OD: 5-5/8" [143mm]</b> 946BC=Black Chrome Accent with Translucent Rings 946PB=Polished Brass Accent with Translucent Rings
	<b>Reflectors</b> <b>999 Reflector, 40W R16, 50W R20, 50W PAR20, OD: 5-1/16" [129mm]</b> 999H=White Trim with Haze Reflector 999MB=White Trim with Specular Black Reflector 999P=White Trim with Specular Clear Reflector 999RG=White Trim with Residential Gold Reflector 999SN=Satin Nickel Trim with Satin Nickel Reflector 999TBZ=Tuscan Bronze Trim with Tuscan Bronze Reflector 999W=White Trim with White Reflector
	<b>Showerlight</b> <b>951 Showerlight, 40W A19, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> 951PS=White Trim with Full Reflector and Prismatic Glass Lens 951SNS=Satin Nickel Trim with Full Reflector and Prismatic Glass Lens 951TBZS=Tuscan Bronze Trim with Full Reflector and Prismatic Glass Lens
	<b>952 Frosted Dome Lens Showerlight, 40W A19, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> 952PS=White Trim Ring, Frost Dome Glass Lens Showerlight
	<b>955 Showerlight, 40W A19, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> 955PS=White Trim Ring, Prismatic Glass Lens Showerlight
	<b>Wall Wash</b> <b>992 Wall Wash with Baffle, 40W R16, 40W A19, 50W R20, OD: 5-1/16" [129mm]</b> 992P=White Trim and Eyelid, Black Baffle 992SN=Satin Nickel Trim and Eyelid, Satin Nickel Baffle 992TBZ=Tuscan Bronze Trim and Eyelid, Tuscan Bronze Baffle 992W=White Trim and Eyelid, White Baffle

NOTES: <sup>A</sup> UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit [www.cooperlighting.com](http://www.cooperlighting.com) for available options, accessories and ordering information.

### 945 4" Metropolitan Ice Lite





#### HOUSING / LAMP:

H99ICAT: 30W R20  
H99RTAT: 50W PAR20, 50W R20  
H99TAT: 50W PAR20, 50W R20

**DIMENSIONS:** Aperture: 2-1/8" [54mm],  
Outside Dimensions: 5-5/16" [135mm]

### 946 4" Metropolitan Deco




#### HOUSING / LAMP:

H99ICAT: 30W R20  
H99RTAT: 50W PAR20, 50W R20  
H99TAT: 50W PAR20, 50W R20

**DIMENSIONS:** Height: 1-5/8" [41mm],  
Outside Diameter: 5-5/8" [143mm]

### 951 4" Showerlight





#### HOUSING / LAMP:

H99ICAT: 30W R20, 35W PAR20  
H99ICAT: 50W PAR20 with H1999 Socket Extender  
H99RTAT: 40W A19, 50W PAR20, 50W R20  
H99TAT: 40W A19, 50W PAR20, 50W R20

**DIMENSIONS:** Height: 4-1/2" [114mm],  
Outside Diameter: 5-1/16" [129mm]

**ACCESSORIES:** H1999 Socket Extender

### 952 4" Frosted Dome Lens Showerlight





#### HOUSING / LAMP:

H99ICAT: 30W R20, 35W PAR20  
H99ICAT: 50W PAR20 with H1999 Socket Extender  
H99RTAT: 40W A19, 50W PAR20, 50W R20  
H99TAT: 40W A19, 50W PAR20, 50W R20

**DIMENSIONS:** Height: 2-5/8" [66mm],  
Outside Diameter: 5-1/16" [129mm]

**ACCESSORIES:** H1999 Socket Extender

### 953 4" Metal Baffle





#### HOUSING / LAMP:

H99ICAT: 30W R20, 35W PAR20  
H99ICAT: 50W PAR20 with H1999 Socket Extender  
H99RTAT: 40W R16, 50W R20, 50W PAR20  
H99TAT: 40W R16, 50W R20, 50W PAR20

**DIMENSIONS:** Height: 2-5/8" [67mm], OD: 5-1/16" [129mm]

**ACCESSORIES:** H1999 Socket Extender

### 955 4" Showerlight




#### HOUSING / LAMP:

H99ICAT: 30W R20, 35W PAR20  
H99RTAT: 40W A19, 50W PAR20, 50W R20  
H99TAT: 40W A19, 50W PAR20, 50W R20

**DIMENSIONS:** Height: 2-5/8" [67mm], OD: 5-1/16" [129mm]

### 990 4" Pinhole Trim



#### HOUSING / LAMP:


H99RTAT: 40W A19, 40W R16, 50W PAR20, 50W R20  
H99TAT: 40W A19, 40W R16, 50W PAR20, 50W R20

**DIMENSIONS:** Height: 1-3/4" [44mm], OD: 5-1/16" [129mm]

### 992 4" Wall Wash with Baffle



- 992W White Trim and Eyelid, White Baffle
- 992P White Trim and Eyelid, Black Baffle
- 992SN Satin Nickel Trim and Eyelid, Satin Nickel Baffle
- 992TBZ Tuscan Bronze Trim and Eyelid, Tuscan Bronze Baffle



#### HOUSING / LAMP:


H99RTAT: 40W R16, 40W A19, 50W R20, 50W PAR20  
H99TAT: 40W R16, 40W A19, 50W R20

**DIMENSIONS:** Height: 1-1/4" [32mm], OD: 5-1/16" [129mm]

### 993 4" Coilex® Baffle



- 993P White Trim with Black Baffle
- 993W White Trim with White Baffle
- 993SN Satin Nickel Trim with Black Baffle
- 993TBZ Tuscan Bronze Trim with Black Baffle
- 993PB Polished Brass Trim with Black Baffle



#### HOUSING / LAMP:

H99ICAT: 30W R20, 35W PAR20  
H99ICAT: 50W PAR20, 50W R20 with H1999 Socket Extender  
H99RTAT: 40W R16, 50W R20, 50W PAR20  
H99TAT: 40W R16, 50W R20, 50W PAR20


**DIMENSIONS:** Height: 2-1/2" [63mm], OD: 5-1/16" [129mm]

**ACCESSORIES:** H1999 Socket Extender

### 996 4" Adjustable Eyeball 15° Tilt



- 996P White Trim with White Eyeball
- 996SN Satin Nickel Trim with Satin Nickel Eyeball
- 996TBZ Tuscan Bronze Trim with Tuscan Bronze Eyeball



#### HOUSING / LAMP:


H99ICAT: 50W PAR20  
H99TAT: 50W PAR20

**DIMENSIONS:** Aperture: 3-11/16 [94mm], Height: 3-7/16" [88mm], OD: 5-1/16" [129mm]

### 998 4" Adjustable Eyeball 30° Tilt



- 998P White Trim with White Eyeball
- 998SN Satin Nickel Trim with Satin Nickel Eyeball
- 998PB Polished Brass Trim with Polished Brass Eyeball
- 998TBZ Tuscan Bronze Trim with Tuscan Bronze Eyeball



#### HOUSING / LAMP:


H99ICAT: 40W R16  
H99RTAT: 40W R16, 60W PAR16  
H99TAT: 40W R16, 60W PAR16

**DIMENSIONS:** Aperture: 2-3/16" [56mm], Height: 3-1/4" [83mm], OD: 5-1/16" [129mm]

### 999 4" Reflector



- 999W White Trim with White Reflector
- 999MB White Trim with Specular Black Reflector
- 999P White Trim with Specular Clear Reflector
- 999H White Trim with Haze Reflector
- 999RG White Trim with Residential Gold Reflector
- 999SN Satin Nickel Trim with Satin Nickel Reflector
- 999TBZ Tuscan Bronze Trim with Tuscan Bronze Reflector



#### HOUSING / LAMP:


H99ICAT: 40W R16, 50W R20, 50W PAR20  
H99RTAT: 40W R16, 50W R20, 50W PAR20  
H99TAT: 40W R16, 50W R20, 50W PAR20

**DIMENSIONS:** Height: 2-5/8" [67mm], OD: 5-1/16" [129mm]

### ERT413 Metal Baffle



- ERT413WHT High Gloss Appliance White Trim Ring with White Baffle
- ERT413 High Gloss Appliance White Trim Ring with Black Baffle



#### HOUSING / LAMP:

H99ICAT: 40W A19, 50W R20 (ERT413WHT only), 45W R20, 50W PAR 20  
H99RTAT: 40W A19, 50W R20 (ERT413WHT only), 50W PAR 20  
H99TAT: 40W A19, 50W R20 (ERT413WHT only), 50W PAR 20

**DIMENSIONS:** Height: 4-1/2" [114mm], OD: 5-1/6" [129mm]



#### H1999

##### Description

##### SOCKET EXTENDER

For use with selected trims and housings. Extends lamp 1" (25mm).

## 4-INCH INCANDESCENT NEW CONSTRUCTION ICAT




H99ICAT

### FEATURES

- Got Nail!™ bar hangers
- Pass-N-Thru™ tool-less shortening of bar hangers
- Slide-N-Side™ wire traps
- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Thermally protected
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

**COMPLIANCES:** UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283



### ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY<sup>A</sup>

SAMPLE NUMBER: H99ICAT - 993W

Housing	Trims	Accessories
<b>H99ICAT</b> =4" Aperture, Shallow Ceiling, IC AIR-TITE™, 120V Line Voltage	<p><b>Adjustables</b></p> <p><b>996 Adjustable Eyeball - 15° Tilt, 50W PAR20, OD: 5-1/16" [129mm]</b></p> <p>996P=White Trim with White Eyeball</p> <p>996SN=Satin Nickel Trim with Satin Nickel Eyeball</p> <p>996TBZ=Tuscan Bronze Trim with Tuscan Bronze Eyeball</p> <p><b>998 Adjustable Eyeball - 30° Tilt, 40W R16, OD: 5-1/16" [129mm]</b></p> <p>998P=White Trim with White Eyeball</p> <p>998PB=Polished Brass Trim with Polished Brass Eyeball</p> <p>998SN=Satin Nickel Trim with Satin Nickel Eyeball</p> <p>998TBZ=Tuscan Bronze Trim with Tuscan Bronze Eyeball</p> <p><b>Baffles</b></p> <p><b>953 Metal Baffle, 30W R20, 35W PAR20, With H1999 Socket Extender 50W PAR20, OD: 5-1/16" [129mm]</b></p> <p>953P=White Trim with Black Baffle</p> <p>953SN=Satin Nickel Trim with Satin Nickel Baffle</p> <p>953TBZ=Tuscan Bronze Trim with Tuscan Bronze Baffle</p> <p>953W=White Trim with White Baffle</p> <p><b>993 Coilex® Baffle, 30W R20, 35W PAR20, With H1999 Socket Extender 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b></p> <p>993P=White Trim with Black Baffle</p> <p>993PB=Polished Brass Trim with Black Baffle</p> <p>993SN=Satin Nickel Trim with Black Baffle</p> <p>993TBZ=Tuscan Bronze Trim with Black Baffle</p> <p>993W=White Trim with White Baffle</p> <p><b>ERT413 Metal Baffle, 40W A19, 50W R20 (ERT413WHT only), 45W R20, 50W PAR 20, OD: 5-1/16" [129mm]</b></p> <p>ERT413=High Gloss Appliance White Trim Ring with Black Baffle</p> <p>ERT413WHT=High Gloss Appliance White Trim Ring with White Baffle</p> <p><b>Decorative</b></p> <p><b>945 Metropolitan Ice Lite, 30W R20, OD: 5-1/16" [129mm]</b></p> <p>945=Frosted Glass</p> <p>945BLUE=Frosted Blue Glass</p> <p><b>946 Metropolitan Deco, 30W R20, OD: 5-5/8" [143mm]</b></p> <p>946BC=Black Chrome Accent with Translucent Rings</p> <p>946PB=Polished Brass Accent with Translucent Rings</p> <p><b>Reflectors</b></p> <p><b>999 Reflector, 40W R16, 50W R20, 50W PAR20, OD: 5-1/16" [129mm]</b></p> <p>999H=White Trim with Haze Reflector</p> <p>999MB=White Trim with Specular Black Reflector</p> <p>999P=White Trim with Specular Clear Reflector</p> <p>999RG=White Trim with Residential Gold Reflector</p> <p>999SN=Satin Nickel Trim with Satin Nickel Reflector</p> <p>999TBZ=Tuscan Bronze Trim with Tuscan Bronze Reflector</p> <p>999W=White Trim with White Reflector</p> <p><b>Showerlight</b></p> <p><b>952 Frosted Dome Lens Showerlight, 30W R20, 35W PAR20, With H1999 Socket Extender 50W PAR20, OD: 5-1/16" [129mm]</b></p> <p>952PS=White Trim Ring, Frost Dome Glass Lens Showerlight</p> <p><b>955 Showerlight, 30W R20, 35W PAR20, OD: 5-1/16" [129mm]</b></p> <p>955PS=White Trim Ring, Prismatic Glass Lens Showerlight</p>	<p><b>Socket Extender</b></p> <p><b>H1999</b>=Socket Extender, for Use with Select Trims and Housings, Extends Lamp 1" (25mm)</p>

NOTES: <sup>A</sup> Not to be used in direct contact with spray foam insulation. <sup>Δ</sup> UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit [www.cooperlighting.com](http://www.cooperlighting.com) for available options, accessories and ordering information.




## FEATURES

- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pryouts and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

**COMPLIANCES:** UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, IP Rated, AIR-TITE™ Certified ASTM E283



H99RTAT

## ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY<sup>A</sup>

SAMPLE NUMBER: H99RTAT - 993W

Housing	Trims
H99RTAT=4" Aperture, Shallow Ceiling, Remodel, Non-IC AIR-TITE™, 120V Line Voltage	<b>Adjustables</b> <b>998 Adjustable Eyeball - 30° Tilt, 40W R16, 60W PAR16, OD: 5-1/16" [129mm]</b> <b>998P</b> =White Trim with White Eyeball <b>998PB</b> =Polished Brass Trim with Polished Brass Eyeball <b>998SN</b> =Satin Nickel Trim with Satin Nickel Eyeball <b>998TBZ</b> =Tuscan Bronze Trim with Tuscan Bronze Eyeball
	<b>Baffles</b> <b>953 Metal Baffle, 40W R16, 50W R20, 50W PAR20, OD: 5-1/16" [129mm]</b> <b>953P</b> =White Trim with Black Baffle <b>953SN</b> =Satin Nickel Trim with Satin Nickel Baffle <b>953TBZ</b> =Tuscan Bronze Trim with Tuscan Bronze Baffle <b>953W</b> =White Trim with White Baffle
	<b>990 Pinhole Trim, 40W A19, 40W R16, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> <b>990P</b> =White Pinhole Trim <b>990SN</b> =Satin Nickel Pinhole Trim <b>990TBZ</b> =Tuscan Bronze Pinhole Trim
	<b>993 Coilex® Baffle, 40W R16, 50W R20, 50W PAR20, OD: 5-1/16" [129mm]</b> <b>993P</b> =White Trim with Black Baffle <b>993PB</b> =Polished Brass Trim with Black Baffle <b>993SN</b> =Satin Nickel Trim with Black Baffle <b>993TBZ</b> =Tuscan Bronze Trim with Black Baffle <b>993W</b> =White Trim with White Baffle
	<b>ERT413 Metal Baffle, 40W A19, 50W R20 (ERT413WHT only), 50W PAR 20, OD: 5-1/16" [129mm]</b> <b>ERT413</b> =High Gloss Appliance White Trim Ring with Black Baffle <b>ERT413WHT</b> =High Gloss Appliance White Trim Ring with White Baffle
	<b>Decorative</b> <b>945 Metropolitan Ice Lite, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> <b>945</b> =Frosted Glass <b>945BLUE</b> =Frosted Blue Glass
	<b>946 Metropolitan Deco, 50W PAR20, 50W R20, OD: 5-5/8" [143mm]</b> <b>946BC</b> =Black Chrome Accent with Translucent Rings <b>946PB</b> =Polished Brass Accent with Translucent Rings
	<b>Reflectors</b> <b>999 Reflector, 40W R16, 50W R20, 50W PAR20, OD: 5-1/16" [129mm]</b> <b>999H</b> =White Trim with Haze Reflector <b>999MB</b> =White Trim with Specular Black Reflector <b>999P</b> =White Trim with Specular Clear Reflector <b>999RG</b> =White Trim with Residential Gold Reflector <b>999SN</b> =Satin Nickel Trim with Satin Nickel Reflector <b>999TBZ</b> =Tuscan Bronze Trim with Tuscan Bronze Reflector <b>999W</b> =White Trim with White Reflector
	<b>Showerlight</b> <b>951 Showerlight, 40W A19, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> <b>951PS</b> =White Trim with Full Reflector and Prismatic Glass Lens <b>951SNS</b> =Satin Nickel Trim with Full Reflector and Prismatic Glass Lens <b>951TBZS</b> =Tuscan Bronze Trim with Full Reflector and Prismatic Glass Lens
	<b>952 Frosted Dome Lens Showerlight, 40W A19, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> <b>952PS</b> =White Trim Ring, Frost Dome Glass Lens Showerlight
	<b>955 Showerlight, 50W PAR20, OD: 5-1/16" [129mm]</b> <b>955PS</b> =White Trim Ring, Prismatic Glass Lens Showerlight
	<b>Wall Wash</b> <b>992 Wall Wash with Baffle, 40W R16, 40W A19, 50W R20, 50W PAR20, OD: 5-1/16" [129mm]</b> <b>992P</b> =White Trim and Eyelid, Black Baffle <b>992SN</b> =Satin Nickel Trim and Eyelid, Satin Nickel Baffle <b>992TBZ</b> =Tuscan Bronze Trim and Eyelid, Tuscan Bronze Baffle <b>992W</b> =White Trim and Eyelid, White Baffle

NOTES: <sup>A</sup> UL/cUL Listed for Wet Location with select trims.

## 4-INCH INCANDESCENT NEW CONSTRUCTION NON - IC




H99TAT

### FEATURES

- Got Nail!™ bar hangers
- Pass-N-Thru™ tool-less shortening of bar hangers
- Slide-N-Side™ wire traps
- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Thermally protected
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

**COMPLIANCES:** UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, IP Rated, AIR-TITE™ Certified ASTM E283



### ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY<sup>A</sup>

SAMPLE NUMBER: H99TAT - 993W


Housing	Trims
H99TAT=4" Aperture, Shallow Ceiling, Non-IC AIR-TITE™, 120V Line Voltage	<b>Adjustables</b> <b>996 Adjustable Eyeball - 15° Tilt, 50W PAR20, OD: 5-1/16" [129mm]</b> 996P=White Trim with White Eyeball 996SN=Satin Nickel Trim with Satin Nickel Eyeball 996TBZ=Tuscan Bronze Trim with Tuscan Bronze Eyeball  <b>998 Adjustable Eyeball - 30° Tilt, 40W R16, 60W PAR16, OD: 5-1/16" [129mm]</b> 998P=White Trim with White Eyeball 998PB=Polished Brass Trim with Polished Brass Eyeball 998SN=Satin Nickel Trim with Satin Nickel Eyeball 998TBZ=Tuscan Bronze Trim with Tuscan Bronze Eyeball
	<b>Baffles</b> <b>953 Metal Baffle, 40W R16, 50W R20, 50W PAR20, OD: 5-1/16" [129mm]</b> 953P=White Trim with Black Baffle 953SN=Satin Nickel Trim with Satin Nickel Baffle 953TBZ=Tuscan Bronze Trim with Tuscan Bronze Baffle 953W=White Trim with White Baffle
	<b>990 Pinhole Trim, 40W A19, 40W R16, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> 990P=White Pinhole Trim 990SN=Satin Nickel Pinhole Trim 990TBZ=Tuscan Bronze Pinhole Trim
	<b>993 Coilex® Baffle, 40W R16, 50W R20, 50W PAR20, OD: 5-1/16" [129mm]</b> 993P=White Trim with Black Baffle 993PB=Polished Brass Trim with Black Baffle 993SN=Satin Nickel Trim with Black Baffle 993TBZ=Tuscan Bronze Trim with Black Baffle 993W=White Trim with White Baffle
	<b>ERT413 Metal Baffle, 40W A19, 50W R20 (ERT413WHT only), 50W PAR 20, OD: 5-1/16" [129mm]</b> ERT413=High Gloss Appliance White Trim Ring with Black Baffle ERT413WHT=High Gloss Appliance White Trim Ring with White Baffle
	<b>Decorative</b> <b>945 Metropolitan Ice Lite, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> 945=Frosted Glass 945BLUE=Frosted Blue Glass
	<b>946 Metropolitan Deco, 50W PAR20, 50W R20, OD: 5-5/8" [143mm]</b> 946BC=Black Chrome Accent with Translucent Rings 946PB=Polished Brass Accent with Translucent Rings
	<b>Reflectors</b> <b>999 Reflector, 40W R16, 50W R20, 50W PAR20, OD: 5-1/16" [129mm]</b> 999H=White Trim with Haze Reflector 999MB=White Trim with Specular Black Reflector 999P=White Trim with Specular Clear Reflector 999RG=White Trim with Residential Gold Reflector 999SN=Satin Nickel Trim with Satin Nickel Reflector 999TBZ=Tuscan Bronze Trim with Tuscan Bronze Reflector 999W=White Trim with White Reflector
	<b>Showerlight</b> <b>951 Showerlight, 40W A19, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> 951PS=White Trim with Full Reflector and Prismatic Glass Lens 951SNS=Satin Nickel Trim with Full Reflector and Prismatic Glass Lens 951TBZS=Tuscan Bronze Trim with Full Reflector and Prismatic Glass Lens
	<b>952 Frosted Dome Lens Showerlight, 40W A19, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> 952PS=White Trim Ring, Frost Dome Glass Lens Showerlight
	<b>955 Showerlight, 40W A19, 50W PAR20, 50W R20, OD: 5-1/16" [129mm]</b> 955PS=White Trim Ring, Prismatic Glass Lens Showerlight
	<b>Wall Wash</b> <b>992 Wall Wash with Baffle, 40W R16, 40W A19, 50W R20, OD: 5-1/16" [129mm]</b> 992P=White Trim and Eyelid, Black Baffle 992SN=Satin Nickel Trim and Eyelid, Satin Nickel Baffle 992TBZ=Tuscan Bronze Trim and Eyelid, Tuscan Bronze Baffle 992W=White Trim and Eyelid, White Baffle

NOTES: <sup>A</sup> UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit [www.cooperlighting.com](http://www.cooperlighting.com) for available options, accessories and ordering information.



### 945 4" Metropolitan Ice Lite





#### HOUSING / LAMP:

H99ICAT: 30W R20  
H99RTAT: 50W PAR20, 50W R20  
H99TAT: 50W PAR20, 50W R20

**DIMENSIONS:** Aperture: 2-1/8" [54mm],  
Outside Dimensions: 5-5/16" [135mm]

### 946 4" Metropolitan Deco




#### HOUSING / LAMP:

H99ICAT: 30W R20  
H99RTAT: 50W PAR20, 50W R20  
H99TAT: 50W PAR20, 50W R20

**DIMENSIONS:** Height: 1-5/8" [41mm],  
Outside Diameter: 5-5/8" [143mm]

### 951 4" Showerlight





#### HOUSING / LAMP:

H99ICAT: 30W R20, 35W PAR20  
H99ICAT: 50W PAR20 with H1999 Socket Extender  
H99RTAT: 40W A19, 50W PAR20, 50W R20  
H99TAT: 40W A19, 50W PAR20, 50W R20

**DIMENSIONS:** Height: 4-1/2" [114mm],  
Outside Diameter: 5-1/16" [129mm]

**ACCESSORIES:** H1999 Socket Extender

### 952 4" Frosted Dome Lens Showerlight





#### HOUSING / LAMP:

H99ICAT: 30W R20, 35W PAR20  
H99ICAT: 50W PAR20 with H1999 Socket Extender  
H99RTAT: 40W A19, 50W PAR20, 50W R20  
H99TAT: 40W A19, 50W PAR20, 50W R20

**DIMENSIONS:** Height: 2-5/8" [66mm],  
Outside Diameter: 5-1/16" [129mm]

**ACCESSORIES:** H1999 Socket Extender

### 953 4" Metal Baffle





#### HOUSING / LAMP:

H99ICAT: 30W R20, 35W PAR20  
H99ICAT: 50W PAR20 with H1999 Socket Extender  
H99RTAT: 40W R16, 50W R20, 50W PAR20  
H99TAT: 40W R16, 50W R20, 50W PAR20

**DIMENSIONS:** Height: 2-5/8" [67mm], OD: 5-1/16" [129mm]

**ACCESSORIES:** H1999 Socket Extender

### 955 4" Showerlight




#### HOUSING / LAMP:

H99ICAT: 30W R20, 35W PAR20  
H99RTAT: 40W A19, 50W PAR20, 50W R20  
H99TAT: 40W A19, 50W PAR20, 50W R20

**DIMENSIONS:** Height: 2-5/8" [67mm], OD: 5-1/16" [129mm]

### 990 4" Pinhole Trim



#### HOUSING / LAMP:


H99RTAT: 40W A19, 40W R16, 50W PAR20, 50W R20  
H99TAT: 40W A19, 40W R16, 50W PAR20, 50W R20

**DIMENSIONS:** Height: 1-3/4" [44mm], OD: 5-1/16" [129mm]

### 992 4" Wall Wash with Baffle



- 992W White Trim and Eyelid, White Baffle
- 992P White Trim and Eyelid, Black Baffle
- 992SN Satin Nickel Trim and Eyelid, Satin Nickel Baffle
- 992TBZ Tuscan Bronze Trim and Eyelid, Tuscan Bronze Baffle



#### HOUSING / LAMP:


H99RTAT: 40W R16, 40W A19, 50W R20, 50W PAR20  
H99TAT: 40W R16, 40W A19, 50W R20

**DIMENSIONS:** Height: 1-1/4" [32mm], OD: 5-1/16" [129mm]

### 993 4" Coilex® Baffle



- 993P White Trim with Black Baffle
- 993W White Trim with White Baffle
- 993SN Satin Nickel Trim with Black Baffle
- 993TBZ Tuscan Bronze Trim with Black Baffle
- 993PB Polished Brass Trim with Black Baffle



#### HOUSING / LAMP:

H99ICAT: 30W R20, 35W PAR20  
H99ICAT: 50W PAR20, 50W R20 with H1999 Socket Extender  
H99RTAT: 40W R16, 50W R20, 50W PAR20  
H99TAT: 40W R16, 50W R20, 50W PAR20


**DIMENSIONS:** Height: 2-1/2" [63mm], OD: 5-1/16" [129mm]

**ACCESSORIES:** H1999 Socket Extender

### 996 4" Adjustable Eyeball 15° Tilt



- 996P White Trim with White Eyeball
- 996SN Satin Nickel Trim with Satin Nickel Eyeball
- 996TBZ Tuscan Bronze Trim with Tuscan Bronze Eyeball



#### HOUSING / LAMP:


H99ICAT: 50W PAR20  
H99TAT: 50W PAR20

**DIMENSIONS:** Aperture: 3-11/16 [94mm], Height: 3-7/16" [88mm], OD: 5-1/16" [129mm]

### 998 4" Adjustable Eyeball 30° Tilt



- 998P White Trim with White Eyeball
- 998SN Satin Nickel Trim with Satin Nickel Eyeball
- 998PB Polished Brass Trim with Polished Brass Eyeball
- 998TBZ Tuscan Bronze Trim with Tuscan Bronze Eyeball



#### HOUSING / LAMP:


H99ICAT: 40W R16  
H99RTAT: 40W R16, 60W PAR16  
H99TAT: 40W R16, 60W PAR16

**DIMENSIONS:** Aperture: 2-3/16" [56mm], Height: 3-1/4" [83mm], OD: 5-1/16" [129mm]

### 999 4" Reflector



- 999W White Trim with White Reflector
- 999MB White Trim with Specular Black Reflector
- 999P White Trim with Specular Clear Reflector
- 999H White Trim with Haze Reflector
- 999RG White Trim with Residential Gold Reflector
- 999SN Satin Nickel Trim with Satin Nickel Reflector
- 999TBZ Tuscan Bronze Trim with Tuscan Bronze Reflector



#### HOUSING / LAMP:


H99ICAT: 40W R16, 50W R20, 50W PAR20  
H99RTAT: 40W R16, 50W R20, 50W PAR20  
H99TAT: 40W R16, 50W R20, 50W PAR20

**DIMENSIONS:** Height: 2-5/8" [67mm], OD: 5-1/16" [129mm]

### ERT413 Metal Baffle



- ERT413WHT High Gloss Appliance White Trim Ring with White Baffle
- ERT413 High Gloss Appliance White Trim Ring with Black Baffle



#### HOUSING / LAMP:

H99ICAT: 40W A19, 50W R20 (ERT413WHT only), 45W R20, 50W PAR 20  
H99RTAT: 40W A19, 50W R20 (ERT413WHT only), 50W PAR 20  
H99TAT: 40W A19, 50W R20 (ERT413WHT only), 50W PAR 20

**DIMENSIONS:** Height: 4-1/2" [114mm], OD: 5-1/6" [129mm]



#### H1999

##### Description

##### SOCKET EXTENDER

For use with selected trims and housings. Extends lamp 1" (25mm).