6-INCH INCANDESCENT NEW CONSTRUCTION NON - IC





ET700

FEATURES
- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, IP Rated





ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELYΔ

SAMPLE NUMBER: ET700 - ERT707WHT


Housing	Trims
ET700=6" Aperture, New Construction, Non-IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT706 Open, 65W BR30, 75W R30, 75W PAR30, OD: 8" [203mm]** **ERT706**=High Gloss Appliance White Trim **ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT709 Large Aperture Metal Baffle, 120W R40, 120W PAR38, OD: 7-1/4" [184mm]** **ERT709**=High Gloss Appliance White Trim with Black Baffle **ERT709WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 75W R30, 75W PAR30, 75W PAR30L, 85W BR30, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716WHT**=High Gloss Appliance White Trim with White Baffle **ERT717 Large Aperture Plastic Baffle, 150W PAR38, 120W BR40, 150W R40, OD: 8" [203mm]** **ERT717WHT**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 75W A19, 75W PAR30L, 75W PAR30, 85W BR30, 100W R30, 120W BR40, 150W R40, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 50W PAR30L, 85W BR30, 90W A19, 100W R30,, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 50W PAR30L, 75W PAR30L, 85W BR30, 90W A19, 100W R30, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction	**Lenses and Diffusers** **ERT701 Albalite Glass Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT701**=High Gloss Appliance White Trim **ERT702 Drop Opal Plastic Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT702**=High Gloss Appliance White Trim with Drop Opal Glass Lens **ERT703 Fresnel Glass Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT703**=High Gloss Appliance White Trim with Fresnel Glass Lens **Open** **ERT708 Large Aperture Open, 120W BR40, 150W R40, OD: 8" [203mm]** **ERT708**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 65W BR30, 75W R30, 75W PAR30, 150W R40, 150W PAR38, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Regressed Eyeball** **ERT711 Regressed Eyeball, 65W BR30, 75W R30, 75W PAR30, OD: 8" [203mm]** **ERT711**=High Gloss Appliance White Trim and Eyeball with Black Baffle **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 85W BR30, 120W BR40, 100W R30, 75W PAR30L, 100W A19, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction


NOTES: Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES
- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, IP Rated







ET700R

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELYΔ

SAMPLE NUMBER: ET700R - ERT707WHT

Housing	Trims
ET700R=6" Aperture, Remodel, Non-IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT706 Open, 65W R30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT706**=High Gloss Appliance White Trim **ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 75W R30, 75W PAR30L, 85W BR30, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716WHT**=High Gloss Appliance White Trim with White Baffle **ERT717 Large Aperture Plastic Baffle, 150W R40, 120W BR40, OD: 8" [203mm]** **ERT717WHT**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 65W BR30, 75W PAR30L, 150W R40, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 50W PAR30L, 85W BR30, 90W A19, 100W R30,, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 50W PAR30L, 75W PAR30L, 85W BR30, 90W A19, 100W R30, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **Lenses and Diffusers** **ERT701 Albalite Glass Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT701**=High Gloss Appliance White Trim **ERT702 Drop Opal Plastic Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT702**=High Gloss Appliance White Trim with Drop Opal Glass Lens **ERT703 Fresnel Glass Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT703**=High Gloss Appliance White Trim with Fresnel Glass Lens **Open** **ERT708 Large Aperture Open, 120W BR40, 150W R40, OD: 8" [203mm]** **ERT708**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 150W R40, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


ERT710 Specular Reflector



ERT710 High Gloss Appliance White Trim with Clear Specular Reflector



ERT710G High Gloss Appliance White Trim with Gold Reflector



HOUSING / LAMP:
ET700: 65W BR30, 75W R30, 75W PAR30, 150W R40, 150W PAR38
ET700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 150W R40


DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]

ERT712 White Reflector

ERT712TS High Gloss Appliance White Trim withWhite Reflector, Torsion Spring

ERT712 High Gloss Appliance White Trim with White Reflector


ERT712TS



HOUSING / LAMP:
ET700: 85W BR30, 120W BR40, 100W R30, 75W PAR30L, 100W A19
ET700R: 65W BR30, 75W PAR30L

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT712




ERT707 Metal Baffle



ERT707WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings



ERT707 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim Rings



HOUSING / LAMP:
ET700: 65W BR30, 75W R30, 75W PAR30
ET700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm]; Wide OD: 8" [203mm]; Narrow OD: 7-1/4" [184mm]


ERT709 Large Aperture Metal Baffle



ERT709WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings



ERT709 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim RIngs



HOUSING / LAMP:
ET700: 120W R40, 120W PAR38

DIMENSIONS: Height: 2-5/8" [67mm]; Wide OD: 8" [203mm]; Narrow OD: 7-1/4" [184mm]

ERT713 Black Metal Baffle




ERT713 High Gloss Appliance White Trim with Black Baffle



ERT713TS High Gloss White Trim with Black Baffle Torsion Spring Construction


ERT713TS



HOUSING / LAMP:
ET700: 75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40
ET700R: 65W BR30, 75W PAR30L

DIMENSIONS: Height: 5" [127mm]; OD: 7-1/4" [184mm]

ERT713



ERT713L Black Metal Baffle




ERT713L High Gloss Appliance White Trim with Black Baffle



ERT713LTS High Gloss White Trim with Black Baffle Torsion Spring Construction


ERT713LTS



HOUSING / LAMP:
ET700: 75W A19, 75W PAR30L, 75W PAR30, 85W BR30, 100W R30, 120W BR40, 150W R40
ET700R: 65W BR30, 75W PAR30L, 150W R40

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT713LTS




ERT713WHT White Metal Baffle

ERT713WHT High Gloss Appliance White Trim with White Baffle

ERT713WHTTS High Gloss White Trim with White Baffle Torsion Spring Construction


ERT713WHTTS



HOUSING / LAMP:
ET700: 75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40
ET700R: 65W BR30, 75W PAR30L

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT713WHT




ERT714 Plastic Baffle



ERT714WHT High Gloss Appliance White Trim with White Baffle



ERT714 High Gloss Appliance White Trim with Black Baffle




HOUSING / LAMP:
ET700: 75W R30, 75W PAR30, 75W PAR30L, 85W BR30
ET700R: 75W R30, 75W PAR30L, 85W BR30

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT717 Large Aperture Plastic Baffle



ERT717WHT High Gloss Appliance White Trim and White Baffle




HOUSING / LAMP:
ET700: 150W PAR38, 120W BR40, 150W R40
ET700R: 150W R40, 120W BR40

DIMENSIONS: Height: 2-3/4" [70mm]; OD: 8" [203mm]

ERT716 Shallow Metal Baffle



ERT716 High Gloss Appliance White Trim with White Baffle




HOUSING / LAMP:
ET700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
ET700R: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT704 Eyeball



ERT704 High Gloss Appliance White Trim with White Eyeball




HOUSING / LAMP:
ET700: 75W R30, 75W PAR30, 75W PAR30L
ET700R: 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT711 Regressed Eyeball



ERT711 High Gloss Appliance White Trim and Eyeball with Black Baffle



HOUSING / LAMP:
ET700: 65W BR30, 75W R30, 75W PAR30


DIMENSIONS: Height: 3" [76mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

ERT706 Open



ERT706 High Gloss
Appliance White Trim




HOUSING / LAMP:
ET700: 65W BR30, 75W R30, 75W PAR30
ET700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT708 Large Aperture Open



ERT708 High Gloss
Appliance White Trim




HOUSING / LAMP:
ET700: 120W BR40, 150W R40
ET700R: 120W BR40, 150W R40

DIMENSIONS: Height: 5-3/16" [131mm]; OD: 8" [203mm]

ERT701 Albalite Glass Lens Showerlight

ERT701 High Gloss
Appliance White Trim




HOUSING / LAMP:
ET700: 60W A19
ET700R: 60W A19

DIMENSIONS: OD: 8" [203mm]

ERT702 Drop Opal Plastic Lens Showerlight

ERT702 High Gloss
Appliance White Trim with
Drop Opal Lens




HOUSING / LAMP:
ET700: 60W A20
ET700R: 60W A20

DIMENSIONS: OD: 8" [203mm]

ERT703 Fresnel Glass Lens Showerlight



ERT703 High Gloss
Appliance White Trim with
Fresnel Glass Lens




HOUSING / LAMP:
ET700: 60W A21
ET700R: 60W A21

DIMENSIONS: OD: 8" [203mm]

ERT705 Open



ERT705 High Gloss
Appliance White Trim




HOUSING / LAMP:
ET700: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss
Appliance White Trim with
Frosted Glass Lens



HOUSING / LAMP:
ET700: 60W A19
ET700R: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT725 Black Metal Baffle/Splay




ERT725 High Gloss
Appliance White Trim with
Black Baffle



ERT725TS High Gloss
White Trim with Black
Baffle Torsion Spring
Construction


ERT725TS



HOUSING / LAMP:
ET700: 50W PAR30L, 85W BR30,
90W A19, 100W R30,
ET700R: 50W PAR30L, 85W BR30,
90W A19, 100W R30,

DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT725




ERT725WHT White Metal Baffle/Splay

ERT725WHT High Gloss
Appliance White Trim with
White Baffle

ERT725WHTTS High
Gloss Appliance White
Trim with White Baffle,
Torsion Spring


ERT725WHTTS



HOUSING / LAMP:
ET700: 50W PAR30L, 75W PAR30L,
85W BR30, 90W A19, 100W R30
ET700R: 50W PAR30L, 75W PAR30L,
85W BR30, 90W A19, 100W R30

DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]


ERT725WHT



ERT723 Showerlight with Fresnel Lens and Reflector



ERT723 High Gloss
Appliance White Trim with
Fresnel Glass Lens



HOUSING / LAMP:
ET700: 60W A19
ET700R: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

6-INCH INCANDESCENT NEW CONSTRUCTION IC





EI700

FEATURES
- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, IP Rated





ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY[Δ]

SAMPLE NUMBER: EI700 - ERT707WHT


Housing	Trims
EI700=6" Aperture, New Construction, IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **Reflectors** **ERT710 Specular Reflector, 75W R30, 65W BR30, 50W PAR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Regressed Eyeball** **ERT711 Regressed Eyeball, 50W PAR30, OD: 8" [203mm]** **ERT711**=High Gloss Appliance White Trim and Eyeball with Black Baffle **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


FEATURES
- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Insulation Contact





EI700R



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELYΔ

SAMPLE NUMBER: EI700R - ERT707WHT

Housing	Trims
EI700R=6" Aperture, Remodel, IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **Reflectors** **ERT710 Specular Reflector, 75W R30, 65W BR30, 50W PAR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


6-INCH INCANDESCENT NEW CONSTRUCTION ICAT




EI700AT

FEATURES
- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- Quick Connect wiring connectors included in junction box
- NM cable pry-outs and conduit knockouts in junction box
- AIR-TITE™
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283





ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY[Δ]

SAMPLE NUMBER: EI700AT - ERT707WHT


Housing	Trims
EI700AT=6" Aperture, New Construction, IC, AIR-TITE™, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **Reflectors** **ERT710 Specular Reflector, 75W R30, 65W BR30, 50W PAR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Regressed Eyeball** **ERT711 Regressed Eyeball, 50W PAR30, OD: 8" [203mm]** **ERT711**=High Gloss Appliance White Trim and Eyeball with Black Baffle **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction


NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES
- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283







EI700RAT

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELYΔ

SAMPLE NUMBER: EI700RAT - ERT707WHT

Housing	Trims
EI700RAT=6" Aperture, Remodel, IC, AIR-TITE™, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **Reflectors** **ERT710 Specular Reflector, 50W PAR30, 75W PAR30L, 65W BR30, 75W R30, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

6-INCH INCANDESCENT NEW CONSTRUCTION ICAT





EI700ATNB

FEATURES
- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- Quick Connect wiring connectors included in junction box
- NM cable pry-outs and conduit knockouts in junction box
- AIR-TITE™
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected
- Designed without a socket bracket, for socket supporting trims only

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283





ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELYΔ


SAMPLE NUMBER: EI700ATNB - ERT713WHT

Housing	Trims
EI700ATNB=6" Aperture, New Construction, IC, AIR-TITE™, 120V Line Voltage, No Socket Bracket	**Adjustables** **ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **Regressed Eyeball** **ERT711 Regressed Eyeball, 65W BR30, 75W R30, OD: 8" [203mm]** **ERT711**=High Gloss Appliance White Trim and Eyeball with Black Baffle **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


FEATURES
- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Quick Connect wiring connectors included in junction box
- Housing may be removed from plaster frame for junction box access
- Designed without a socket bracket, for socket supporting trims only
- Die-formed housing and plaster frame
- Thermally protected





EI700NB

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELYΔ

SAMPLE NUMBER: EI700NB - ERT713WHT

Housing	Trims
EI700NB=6" Aperture, New Construction, IC, 120V Line Voltage, No-Socket Bracket	**Adjustables** **ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **Regressed Eyeball** **ERT711 Regressed Eyeball, 65W BR30, 75W R30, OD: 8" [203mm]** **ERT711**=High Gloss Appliance White Trim and Eyeball with Black Baffle **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


ERT710 Specular Reflector



ERT710 High Gloss Appliance White Trim with Clear Specular Reflector



ERT710G High Gloss Appliance White Trim with Gold Reflector



HOUSING / LAMP:
EI700: 75W R30, 65W BR30, 50W PAR30, 75W PAR30L
EI700AT: 75W R30, 65W BR30, 50W PAR30, 75W PAR30L
EI700R: 50W PAR30, 75W PAR30L, 65W BR30, 75W R30
EI700RAT: 50W PAR30, 75W PAR30L, 65W BR30, 75W R30


DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]

ERT712 White Reflector

ERT712TS High Gloss Appliance White Trim withWhite Reflector, Torsion Spring


ERT712 High Gloss Appliance White Trim with White Reflector

ERT712TS



HOUSING / LAMP:
EI700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700AT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700ATNB: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700NB: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700R: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700RAT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40

ERT712



DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]


ERT707 Metal Baffle



ERT707WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings



ERT707 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim Rings



HOUSING / LAMP:
EI700: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI700AT: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI700R: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI700RAT: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm];
Wide OD: 8" [203mm];
Narrow OD: 7-1/4" [184mm], Two Trim Rings, Narrow and Wide, Supplied with Trim

ERT713 Black Metal Baffle




ERT713 High Gloss Appliance White Trim with Black Baffle




ERT713TS High Gloss White Trim with Black Baffle Torsion Spring Construction

ERT713TS



ERT713



HOUSING / LAMP:
EI700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40
EI700AT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40
EI700ATNB: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700NB: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700R: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700RAT: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40

DIMENSIONS: Height: 5" [127mm]; OD: 7-1/4" [184mm]

ERT713L Black Metal Baffle




ERT713L High Gloss Appliance White Trim with Black Baffle




ERT713LTS High Gloss White Trim with Black Baffle Torsion Spring Construction

ERT713LTS



ERT713LTS



HOUSING / LAMP:
EI700: 75W BR40, 65W BR30, 75W PAR30L
EI700AT: 75W BR40, 65W BR30, 75W PAR30L
EI700ATNB: 75W BR40, 65W BR30, 75W PAR30L
EI700NB: 75W BR40, 65W BR30, 75W PAR30L
EI700R: 75W BR40, 65W BR30, 75W PAR30L
EI700RAT: 75W BR40, 65W BR30, 75W PAR30L


DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT713WHT White Metal Baffle


ERT713WHT High Gloss Appliance White Trim with White Baffle

ERT713WHTTS High Gloss White Trim with White Baffle Torsion Spring Construction

ERT713WHTTS



ERT713WHT



HOUSING / LAMP:
EI700: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700AT: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700ATNB: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700NB: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700R: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700RAT: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]


ERT714 Plastic Baffle



ERT714WHT High Gloss Appliance White Trim with White Baffle



ERT714 High Gloss Appliance White Trim with Black Baffle




HOUSING / LAMP:
EI700: 50W PAR30, 65W BR30, 75W PAR30L
EI700AT: 50W PAR30, 65W BR30, 75W PAR30L
EI700R: 50W PAR30, 65W BR30, 75W PAR30L
EI700RAT: 50W PAR30, 65W BR30, 75W PAR30L

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT716 Shallow Metal Baffle



ERT716WHT High Gloss Appliance White Trim with White Baffle




HOUSING / LAMP:
EI700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700AT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700ATNB: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700NB: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700R: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700RAT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT704 Eyeball



ERT704 High Gloss Appliance White Trim with White Eyeball



HOUSING / LAMP:
EI700: 75W R30, 65W BR30, 75W PAR30L
EI700AT: 75W R30, 65W BR30, 75W PAR30L
EI700ATNB: 75W R30, 65W BR30, 75W PAR30L
EI700NB: 75W R30, 65W BR30, 75W PAR30L
EI700R: 75W R30, 65W BR30, 75W PAR30L
EI700RAT: 75W R30, 65W BR30, 75W PAR30L


DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

ERT711 Regressed Eyeball



ERT711 High Gloss Appliance White Trim and Eyeball with Black Baffle




HOUSING / LAMP:
EI700: 50W PAR30
EI700AT: 50W PAR30
EI700ATNB: 65W BR30, 75W R30
EI700NB: 65W BR30, 75W R30

DIMENSIONS: Height: 3" [76mm]; OD: 8" [203mm]

ERT705 Open



ERT705 High Gloss Appliance White Trim




HOUSING / LAMP:
EI700: 65W BR30, 75W PAR30, 75W PAR30L
EI700AT: 65 W BR30, 75W PAR30, 75W PAR30L
EI700ATNB: 65 W BR30, 75W PAR30, 75W PAR30L
EI700NB: 65 W BR30, 75W PAR30, 75W PAR30L
EI700R: 65 W BR30, 75W PAR30, 75W PAR30L
EI700RAT: 65 W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss Appliance White Trim with Frosted Glass Lens



HOUSING / LAMP:
EI700: 40W A19
EI700AT: 40W A19
EI700ATNB: 40W A19
EI700NB: 40W A19
EI700R: 40W A19
EI700RAT: 40W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT725 Black Metal Baffle/Splay




ERT725 High Gloss Appliance White Trim with Black Baffle




ERT725TS High Gloss White Trim with Black Baffle Torsion Spring Construction

ERT725TS



ERT725



HOUSING / LAMP:
EI700: 50W PAR30L, 65W BR30
EI700AT: 50W PAR30L, 65W BR30
EI700ATNB: 50W PAR30L, 65W BR30
EI700NB: 50W PAR30L, 65W BR30
EI700R: 50W PAR30L, 65W BR30
EI700RAT: 50W PAR30L, 65W BR30


DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT725WHT White Metal Baffle/Splay


ERT725WHT High Gloss Appliance White Trim with White Baffle

ERT725WHTTS High Gloss Appliance White Trim with White Baffle, Torsion Spring

ERT725WHTTS



ERT725WHT




HOUSING / LAMP:
EI700: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700AT: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700ATNB: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700NB: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700R: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700RAT: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT723 Showerlight with Fresnel Lens and Reflector



ERT723 High Gloss Appliance White Trim with Fresnel Glass Lens




HOUSING / LAMP:
EI700: 40W A19
EI700AT: 40W A19
EI700ATNB: 40W A19
EI700NB: 40W A19
EI700R: 40W A19
EI700RAT: 40W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

6-INCH INCANDESCENT NEW CONSTRUCTION IC





EI700U

FEATURES
- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact





ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY$^{\Delta}$


SAMPLE NUMBER: EI700U - ERT707WHT

Housing	Trims
EI700U=6" Aperture, New Construction, IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT709 Large Aperture Metal Baffle, 90W BR40, OD: 7-1/4" [184mm]** **ERT709**=High Gloss Appliance White Trim with Black Baffle **ERT709WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 40W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 40W A19, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 60W A19, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction	**Lenses and Diffusers** **ERT701 Albalite Glass Lens Showerlight, 40W A19, OD: 8" [203mm]** **ERT701**=High Gloss Appliance White Trim with Albalite Lens **ERT702 Drop Opal Plastic Lens Showerlight, 40W A19, OD: 8" [203mm]** **ERT702**=High Gloss Appliance White Trim with Drop Opal Glass Lens **ERT703 Fresnel Glass Lens Showerlight, 40W A19, OD: 8" [203mm]** **ERT703**=High Gloss Appliance White Trim with Fresnel Glass Lens **Open** **ERT708 Large Aperture Open, 100W R40 (Requires H1999 Socket Extender), OD: 8" [203mm]** **ERT708**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 75W PAR30, 75W PAR30L, 85W BR30, 90W BR40, 100W R30, 100W R40, 100W PAR38, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES
- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected





EI700UAT



Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELYΔ

SAMPLE NUMBER: EI700UAT - ERT707WHT

Housing	Trims
EI700UAT=6" Aperture, New Construction, IC AIR-TITE™, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT709 Large Aperture Metal Baffle, 90W BR40, OD: 7-1/4" [184mm]** **ERT709**=High Gloss Appliance White Trim with Black Baffle **ERT709WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 40W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 40W A19, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 60W A19, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **Lenses and Diffusers** **ERT701 Albalite Glass Lens Showerlight, 40W A19, OD: 8" [203mm]** **ERT701**=High Gloss Appliance White Trim with Albalite Lens **ERT702 Drop Opal Plastic Lens Showerlight, 40W A19, OD: 8" [203mm]** **ERT702**=High Gloss Appliance White Trim with Drop Opal Glass Lens **ERT703 Fresnel Glass Lens Showerlight, 40W A19, OD: 8" [203mm]** **ERT703**=High Gloss Appliance White Trim with Fresnel Glass Lens **Open** **ERT708 Large Aperture Open, 100W R40 (Requires H1999 Socket Extender), OD: 8" [203mm]** **ERT708**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 75W PAR30, 75W PAR30L, 85W BR30, 90W BR40, 100W R30, 100W R40, 100W PAR38, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


ERT710 Specular Reflector



ERT710 High Gloss Appliance White Trim with Clear Specular Reflector



ERT710G High Gloss Appliance White Trim with Gold Reflector



HOUSING / LAMP:
EI700U: 75W PAR30, 75W PAR30L, 85W BR30, 90W BR40, 100W R30, 100W R40, 100W PAR38
EI700UAT: 75W PAR30, 75W PAR30L, 85W BR30, 90W BR40, 100W R30, 100W R40, 100W PAR38


DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]

ERT712 White Reflector


ERT712TS High Gloss Appliance White Trim with White Reflector, Torsion Spring

ERT712 High Gloss Appliance White Trim with White Reflector

ERT712TS



ERT712



HOUSING / LAMP:
EI700U: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40
EI700UAT: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]


ERT707 Metal Baffle



ERT707WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings



ERT707 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim Rings



HOUSING / LAMP:
EI700U: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40
EI700UAT: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40

DIMENSIONS: Height: 2-7/8" [73mm]; Wide OD: 8" [203mm]; Narrow OD: 7-1/4" [184mm], Two Trim Rings, Narrow and Wide, Supplied with Trim


ERT709 Large Aperture Metal Baffle



ERT709WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings



ERT709 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim RIngs



HOUSING / LAMP:
EI700U: 90W BR40
EI700UAT: 90W BR40

DIMENSIONS: Height: 2-5/8" [67mm]; Wide OD: 8" [203mm]; Narrow OD: 7-1/4" [184mm], Two Trim Rings, Narrow and Wide, Supplied with Trim

ERT713 Black Metal Baffle




ERT713 High Gloss Appliance White Trim with Black Baffle




ERT713TS High Gloss White Trim with Black Baffle Torsion Spring Construction

ERT713TS



ERT713



HOUSING / LAMP:
EI700U: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40
EI700UAT: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40

DIMENSIONS: Height: 5" [127mm]; OD: 7-1/4" [184mm]

ERT713L Black Metal Baffle




ERT713L High Gloss Appliance White Trim with Black Baffle




ERT713LTS High Gloss White Trim with Black Baffle Torsion Spring Construction

ERT713LTS



ERT713LTS



HOUSING / LAMP:
EI700U: 40W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40
EI700UAT: 40W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40


DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT713WHT White Metal Baffle

ERT713WHT High Gloss Appliance White Trim with White Baffle


ERT713WHTTS High Gloss White Trim with White Baffle Torsion Spring Construction

ERT713WHTTS



HOUSING / LAMP:
EI700U: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40
EI700UAT: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40

ERT713WHT



DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]


ERT714 Plastic Baffle



ERT714WHT High Gloss Appliance White Trim with White Baffle



ERT714 High Gloss Appliance White Trim with Black Baffle



HOUSING / LAMP:
EI700U: 65W BR30, 75W PAR30, 75W PAR30L
EI700UAT: 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT725 Black Metal Baffle/Splay




ERT725 High Gloss Appliance White Trim with Black Baffle




ERT725TS High Gloss White Trim with Black Baffle Torsion Spring Construction

ERT725TS



HOUSING / LAMP:
EI700U: 40W A19, 75W PAR30L, 85W BR30, 100W R30
EI700UAT: 40W A19, 75W PAR30L, 85W BR30, 100W R30

ERT725



DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

ERT725WHT White Metal Baffle/Splay


ERT725WHT High Gloss Appliance White Trim with White Baffle

ERT725WHTTS High Gloss Appliance White Trim with White Baffle, Torsion Spring

ERT725WHTTS



ERT725WHT




HOUSING / LAMP:
EI700U: 60W A19, 75W PAR30L, 85W BR30, 100W R30
EI700UAT: 60W A19, 75W PAR30L, 85W BR30, 100W R30

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT704 Eyeball



ERT704 High Gloss Appliance White Trim with White Eyeball




HOUSING / LAMP:
EI700U: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30
EI700UAT: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT705 Open



ERT705 High Gloss Appliance White Trim




HOUSING / LAMP:
EI700U: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30
EI700UAT: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT708 Large Aperture Open



ERT708 High Gloss Appliance White Trim




HOUSING / LAMP:
EI700U: 100W R40
(Requires H1999 Socket Extender)
EI700UAT: 100W R40 (Requires H1999 Socket Extender)

DIMENSIONS: Height: 5-3/16" [131mm]; OD: 8" [203mm]

ERT701 Albalite Glass Lens Showerlight

ERT701 High Gloss Appliance White Trim with Albalite Glass Lens




HOUSING / LAMP:
EI700U: 40W A19
EI700UAT: 40W A19

DIMENSIONS: OD: 8" [203mm]

ERT702 Drop Opal Plastic Lens Showerlight

ERT702 High Gloss Appliance White Trim with Drop Opal Lens




HOUSING / LAMP:
EI700U: 40W A19
EI700UAT: 40W A19

DIMENSIONS: OD: 8" [203mm]

ERT703 Fresnel Glass Lens Showerlight



ERT703 High Gloss Appliance White Trim with Fresnel Glass Lens




HOUSING / LAMP:
EI700U: 40W A19
EI700UAT: 40W A19

DIMENSIONS: OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss Appliance White Trim with Frosted Glass Lens




HOUSING / LAMP:
EI700U: 60W A19
EI700UAT: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT723 Showerlight with Fresnel Lens and Reflector



ERT723 High Gloss Appliance White Trim with Fresnel Glass Lens



HOUSING / LAMP:
EI700U: 60W A19
EI700UAT: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


6-INCH INCANDESCENT SHALLOW NEW CONSTRUCTION HOUSING IC




EI2700

FEATURES
- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Shallow ceiling housing
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact





ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY$^{\Delta}$

SAMPLE NUMBER: EI2700 - ERT707WHT


Housing	Trims
EI2700=6" Aperture, Shallow Ceiling, New Construction, IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 65W BR30, 50W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716WHT**=High Gloss Appliance White Trim with White Baffle **Open** **ERT705 Open, 50W PAR30L, 60W BR30, 75W PAR30, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 35W PAR30L, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 35W PAR30L, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens


NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES
- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Insulation Contact







EI2700R

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY[Δ]

SAMPLE NUMBER: EI2700R - ERT707WHT

Housing	Trims
EI2700R=6" Aperture, Shallow Ceiling, Remodel, IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT707 Metal Baffle, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 60W BR30, 50W PAR30, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716WHT**=High Gloss Appliance White Trim with White Baffle **Open** **ERT705 Open, 50W PAR30L, 60W BR30, 75W PAR30, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

6-INCH INCANDESCENT SHALLOW NEW CONSTRUCTION HOUSING ICAT




EI2700AT

FEATURES
- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected



Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY$^{\Delta}$

SAMPLE NUMBER: EI2700AT - ERT707WHT

Housing	Trims
EI2700AT=6" Aperture, Shallow Ceiling, New Construction, IC AIR-TITE™, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 65W BR30, 50W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716WHT**=High Gloss Appliance White Trim with White Baffle **Open** **ERT705 Open, 50W PAR30L, 60W BR30, 75W PAR30, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 35W PAR30L, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 35W PAR30L, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


ERT710 Specular Reflector



ERT710 High Gloss Appliance White Trim with Clear Specular Reflector



ERT710G High Gloss Appliance White Trim with Gold Reflector



HOUSING / LAMP:
EI2700: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI2700AT: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI2700R: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]


ERT707 Metal Baffle



ERT707WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings



ERT707 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim Rings



HOUSING / LAMP:
EI2700: 50W PAR30, 65W BR30, 75W PAR30L
EI2700AT: 50W PAR30, 65W BR30, 75W PAR30L
EI2700R: 65W BR30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm]; Wide OD: 8" [203mm]; Narrow OD: 7-1/4" [184mm], Two Trim Rings, Narrow and Wide, Supplied with Trim


ERT714 Plastic Baffle



ERT714WHT High Gloss Appliance White Trim with White Baffle



ERT714 High Gloss Appliance White Trim with Black Baffle




HOUSING / LAMP:
EI2700: 65W BR30, 50W PAR30, 75W PAR30L
EI2700AT: 65W BR30, 50W PAR30, 75W PAR30L
EI2700R: 50W PAR30, 60W BR30

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT716 Shallow Metal Baffle



ERT716WHT High Gloss Appliance White Trim with White Baffle




HOUSING / LAMP:
EI2700: 65W BR30, 75W PAR30, 75W PAR30L
EI2700AT: 65W BR30, 75W PAR30, 75W PAR30L
EI2700R: 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT704 Eyeball



ERT704 High Gloss Appliance White Trim with White Eyeball




HOUSING / LAMP:
EI2700: 65W BR30, 75W R30, 75W PAR30L
EI2700AT: 65W BR30, 75W R30, 75W PAR30L
EI2700R: 65W BR30, 75W R30, 75W PAR30L

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT705 Open



ERT705 High Gloss Appliance White Trim




HOUSING / LAMP:
EI2700: 50W PAR30L, 60W BR30, 75W PAR30
EI2700AT: 50W PAR30L, 60W BR30, 75W PAR30
EI2700R: 60W BR30

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss Appliance White Trim with Frosted Glass Lens




HOUSING / LAMP:
EI2700: 35W PAR30L
EI2700AT: 35W PAR30L
EI2700R: 40W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT723 Showerlight with Fresnel Lens and Reflector



ERT723 High Gloss Appliance White Trim with Fresnel Glass Lens



HOUSING / LAMP:
EI2700: 35W PAR30L
EI2700AT: 35W PAR30L
EI2700R: 40W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

6-INCH INCANDESCENT SHALLOW NEW CONSTRUCTION HOUSING NON - IC





ET2700

FEATURES
- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, IP Rated





ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELYΔ

SAMPLE NUMBER: ET2700 - ERT707WHT

Housing	Trims
ET2700=6" Aperture, Shallow Ceiling, New Construction, Non-IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 75W R30, 75W PAR30, 85W BR30, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716WHT**=High Gloss Appliance White Trim with White Baffle **Open** **ERT706 Open, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT706**=High Gloss Appliance White Trim **ERT708 Large Aperture Open, 120W BR40, 150W R40, OD: 8" [203mm]** **ERT708**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT701 Albalite Glass Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT701**=High Gloss Appliance White Trim with Albalite Lens **ERT702 Drop Opal Plastic Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT702**=High Gloss Appliance White Trim with Drop Opal Glass Lens **ERT703 Fresnel Glass Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT703**=High Gloss Appliance White Trim with Fresnel Glass Lens


NOTES: Δ UL/cUL Listed for Wet Location with select trims.


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

6-INCH INCANDESCENT SHALLOW REMODEL HOUSING NON - IC

FEATURES
- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box
- Shallow ceiling housing

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, IP Rated







ET2700R

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY[Δ]

SAMPLE NUMBER: ET2700R - ERT707WHT

Housing	Trims
ET2700R=6" Aperture, Shallow Housing, Remodel, Non-IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 75W PAR30, 75W PAR30L, 85W BR30, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716WHT**=High Gloss Appliance White Trim with White Baffle **Open** **ERT706 Open, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT706**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 85W BR30, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens

NOTES: Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


ERT710 Specular Reflector



ERT710 High Gloss Appliance White Trim with Clear Specular Reflector



ERT710G High Gloss Appliance White Trim with Gold Reflector



HOUSING / LAMP:
ET2700: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30
ET2700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 85W BR30

DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]


ERT707 Metal Baffle



ERT707WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings



ERT707 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim Rings



HOUSING / LAMP:
ET2700: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L
ET2700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm]; Wide OD: 8" [203mm]; Narrow OD: 7-1/4" [184mm], Two Trim Rings, Narrow and Wide, Supplied with Trim


ERT714 Plastic Baffle



ERT714WHT High Gloss Appliance White Trim with White Baffle



ERT714 High Gloss Appliance White Trim with Black Baffle




HOUSING / LAMP:
ET2700: 75W R30, 75W PAR30, 85W BR30
ET2700R: 75W PAR30, 75W PAR30L, 85W BR30

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT704 Eyeball



ERT704 High Gloss Appliance White Trim with White Eyeball




HOUSING / LAMP:
ET2700: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L
ET2700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT716 Shallow Metal Baffle



ERT716WHT High Gloss Appliance White Trim with White Baffle




HOUSING / LAMP:
ET2700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
ET2700R: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT706 Open



ERT706 High Gloss Appliance White Trim




HOUSING / LAMP:
ET2700: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L
ET2700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT708 Large Aperture Open



ERT708 High Gloss Appliance White Trim




HOUSING / LAMP:
ET2700: 120W BR40, 150W R40

DIMENSIONS: Height: 5-3/16" [131mm]; OD: 8" [203mm]

ERT701 Albalite Glass Lens Showerlight

ERT701 High Gloss Appliance White Trim




HOUSING / LAMP:
ET2700: 60W A19

DIMENSIONS: OD: 8" [203mm]

ERT702 Drop Opal Plastic Lens Showerlight

ERT702 High Gloss Appliance White Trim with Drop Opal Lens




HOUSING / LAMP:
ET2700: 60W A19

DIMENSIONS: OD: 8" [203mm]

ERT703 Fresnel Glass Lens Showerlight



ERT703 High Gloss Appliance White Trim with Fresnel Glass Lens




HOUSING / LAMP:
ET2700: 60W A19

DIMENSIONS: OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss Appliance White Trim with Frosted Glass Lens




HOUSING / LAMP:
ET2700: 60W A19
ET2700R: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT723 Showerlight with Fresnel Lens and Reflector



ERT723 High Gloss Appliance White Trim with Fresnel Glass Lens



HOUSING / LAMP:
ET2700: 60W A19
ET2700R: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

6-INCH INCANDESCENT NEW CONSTRUCTION NON - IC





ET700

FEATURES
- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, IP Rated





ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELYΔ

SAMPLE NUMBER: ET700 - ERT707WHT


Housing	Trims
ET700=6" Aperture, New Construction, Non-IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT706 Open, 65W BR30, 75W R30, 75W PAR30, OD: 8" [203mm]** **ERT706**=High Gloss Appliance White Trim **ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT709 Large Aperture Metal Baffle, 120W R40, 120W PAR38, OD: 7-1/4" [184mm]** **ERT709**=High Gloss Appliance White Trim with Black Baffle **ERT709WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 75W R30, 75W PAR30, 75W PAR30L, 85W BR30, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716WHT**=High Gloss Appliance White Trim with White Baffle **ERT717 Large Aperture Plastic Baffle, 150W PAR38, 120W BR40, 150W R40, OD: 8" [203mm]** **ERT717WHT**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 75W A19, 75W PAR30L, 75W PAR30, 85W BR30, 100W R30, 120W BR40, 150W R40, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 50W PAR30L, 85W BR30, 90W A19, 100W R30,, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 50W PAR30L, 75W PAR30L, 85W BR30, 90W A19, 100W R30, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction	**Lenses and Diffusers** **ERT701 Albalite Glass Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT701**=High Gloss Appliance White Trim **ERT702 Drop Opal Plastic Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT702**=High Gloss Appliance White Trim with Drop Opal Glass Lens **ERT703 Fresnel Glass Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT703**=High Gloss Appliance White Trim with Fresnel Glass Lens **Open** **ERT708 Large Aperture Open, 120W BR40, 150W R40, OD: 8" [203mm]** **ERT708**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 65W BR30, 75W R30, 75W PAR30, 150W R40, 150W PAR38, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Regressed Eyeball** **ERT711 Regressed Eyeball, 65W BR30, 75W R30, 75W PAR30, OD: 8" [203mm]** **ERT711**=High Gloss Appliance White Trim and Eyeball with Black Baffle **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 85W BR30, 120W BR40, 100W R30, 75W PAR30L, 100W A19, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction


NOTES: Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES
- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, IP Rated







ET700R

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELYΔ

SAMPLE NUMBER: ET700R - ERT707WHT

Housing	Trims
ET700R=6" Aperture, Remodel, Non-IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT706 Open, 65W R30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT706**=High Gloss Appliance White Trim **ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 75W R30, 75W PAR30L, 85W BR30, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716WHT**=High Gloss Appliance White Trim with White Baffle **ERT717 Large Aperture Plastic Baffle, 150W R40, 120W BR40, OD: 8" [203mm]** **ERT717WHT**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 65W BR30, 75W PAR30L, 150W R40, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 50W PAR30L, 85W BR30, 90W A19, 100W R30,, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 50W PAR30L, 75W PAR30L, 85W BR30, 90W A19, 100W R30, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **Lenses and Diffusers** **ERT701 Albalite Glass Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT701**=High Gloss Appliance White Trim **ERT702 Drop Opal Plastic Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT702**=High Gloss Appliance White Trim with Drop Opal Glass Lens **ERT703 Fresnel Glass Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT703**=High Gloss Appliance White Trim with Fresnel Glass Lens **Open** **ERT708 Large Aperture Open, 120W BR40, 150W R40, OD: 8" [203mm]** **ERT708**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 150W R40, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


ERT710 Specular Reflector



ERT710 High Gloss Appliance White Trim with Clear Specular Reflector



ERT710G High Gloss Appliance White Trim with Gold Reflector



HOUSING / LAMP:
ET700: 65W BR30, 75W R30, 75W PAR30, 150W R40, 150W PAR38
ET700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 150W R40


DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]

ERT712 White Reflector

ERT712TS High Gloss Appliance White Trim withWhite Reflector, Torsion Spring

ERT712 High Gloss Appliance White Trim with White Reflector


ERT712TS



HOUSING / LAMP:
ET700: 85W BR30, 120W BR40, 100W R30, 75W PAR30L, 100W A19
ET700R: 65W BR30, 75W PAR30L

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT712




ERT707 Metal Baffle



ERT707WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings



ERT707 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim Rings



HOUSING / LAMP:
ET700: 65W BR30, 75W R30, 75W PAR30
ET700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm]; Wide OD: 8" [203mm]; Narrow OD: 7-1/4" [184mm]


ERT709 Large Aperture Metal Baffle



ERT709WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings



ERT709 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim RIngs



HOUSING / LAMP:
ET700: 120W R40, 120W PAR38

DIMENSIONS: Height: 2-5/8" [67mm]; Wide OD: 8" [203mm]; Narrow OD: 7-1/4" [184mm]

ERT713 Black Metal Baffle




ERT713 High Gloss Appliance White Trim with Black Baffle



ERT713TS High Gloss White Trim with Black Baffle Torsion Spring Construction


ERT713TS



HOUSING / LAMP:
ET700: 75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40
ET700R: 65W BR30, 75W PAR30L

DIMENSIONS: Height: 5" [127mm]; OD: 7-1/4" [184mm]

ERT713



ERT713L Black Metal Baffle




ERT713L High Gloss Appliance White Trim with Black Baffle



ERT713LTS High Gloss White Trim with Black Baffle Torsion Spring Construction


ERT713LTS



HOUSING / LAMP:
ET700: 75W A19, 75W PAR30L, 75W PAR30, 85W BR30, 100W R30, 120W BR40, 150W R40
ET700R: 65W BR30, 75W PAR30L, 150W R40

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT713LTS




ERT713WHT White Metal Baffle

ERT713WHT High Gloss Appliance White Trim with White Baffle

ERT713WHTTS High Gloss White Trim with White Baffle Torsion Spring Construction


ERT713WHTTS



HOUSING / LAMP:
ET700: 75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40
ET700R: 65W BR30, 75W PAR30L

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT713WHT




ERT714 Plastic Baffle



ERT714WHT High Gloss Appliance White Trim with White Baffle



ERT714 High Gloss Appliance White Trim with Black Baffle




HOUSING / LAMP:
ET700: 75W R30, 75W PAR30, 75W PAR30L, 85W BR30
ET700R: 75W R30, 75W PAR30L, 85W BR30

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT717 Large Aperture Plastic Baffle



ERT717WHT High Gloss Appliance White Trim and White Baffle




HOUSING / LAMP:
ET700: 150W PAR38, 120W BR40, 150W R40
ET700R: 150W R40, 120W BR40

DIMENSIONS: Height: 2-3/4" [70mm]; OD: 8" [203mm]

ERT716 Shallow Metal Baffle



ERT716 High Gloss Appliance White Trim with White Baffle




HOUSING / LAMP:
ET700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
ET700R: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT704 Eyeball



ERT704 High Gloss Appliance White Trim with White Eyeball




HOUSING / LAMP:
ET700: 75W R30, 75W PAR30, 75W PAR30L
ET700R: 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT711 Regressed Eyeball



ERT711 High Gloss Appliance White Trim and Eyeball with Black Baffle



HOUSING / LAMP:
ET700: 65W BR30, 75W R30, 75W PAR30


DIMENSIONS: Height: 3" [76mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

ERT706 Open



ERT706 High Gloss
Appliance White Trim




HOUSING / LAMP:
ET700: 65W BR30, 75W R30, 75W PAR30
ET700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT708 Large Aperture Open



ERT708 High Gloss
Appliance White Trim




HOUSING / LAMP:
ET700: 120W BR40, 150W R40
ET700R: 120W BR40, 150W R40

DIMENSIONS: Height: 5-3/16" [131mm]; OD: 8" [203mm]

ERT701 Albalite Glass Lens Showerlight

ERT701 High Gloss
Appliance White Trim




HOUSING / LAMP:
ET700: 60W A19
ET700R: 60W A19

DIMENSIONS: OD: 8" [203mm]

ERT702 Drop Opal Plastic Lens Showerlight

ERT702 High Gloss
Appliance White Trim with
Drop Opal Lens




HOUSING / LAMP:
ET700: 60W A20
ET700R: 60W A20

DIMENSIONS: OD: 8" [203mm]

ERT703 Fresnel Glass Lens Showerlight



ERT703 High Gloss
Appliance White Trim with
Fresnel Glass Lens




HOUSING / LAMP:
ET700: 60W A21
ET700R: 60W A21

DIMENSIONS: OD: 8" [203mm]

ERT705 Open



ERT705 High Gloss
Appliance White Trim




HOUSING / LAMP:
ET700: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss
Appliance White Trim with
Frosted Glass Lens



HOUSING / LAMP:
ET700: 60W A19
ET700R: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT725 Black Metal Baffle/Splay




ERT725 High Gloss
Appliance White Trim with
Black Baffle



ERT725TS High Gloss
White Trim with Black
Baffle Torsion Spring
Construction


ERT725TS



HOUSING / LAMP:
ET700: 50W PAR30L, 85W BR30,
90W A19, 100W R30,
ET700R: 50W PAR30L, 85W BR30,
90W A19, 100W R30,

DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT725




ERT725WHT White Metal Baffle/Splay

ERT725WHT High Gloss
Appliance White Trim with
White Baffle

ERT725WHTTS High
Gloss Appliance White
Trim with White Baffle,
Torsion Spring


ERT725WHTTS



HOUSING / LAMP:
ET700: 50W PAR30L, 75W PAR30L,
85W BR30, 90W A19, 100W R30
ET700R: 50W PAR30L, 75W PAR30L,
85W BR30, 90W A19, 100W R30

DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]


ERT725WHT



ERT723 Showerlight with Fresnel Lens and Reflector



ERT723 High Gloss
Appliance White Trim with
Fresnel Glass Lens



HOUSING / LAMP:
ET700: 60W A19
ET700R: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

6-INCH INCANDESCENT NEW CONSTRUCTION IC





EI700

FEATURES
- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, IP Rated





ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY[Δ]

SAMPLE NUMBER: EI700 - ERT707WHT


Housing	Trims
EI700=6" Aperture, New Construction, IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **Reflectors** **ERT710 Specular Reflector, 75W R30, 65W BR30, 50W PAR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Regressed Eyeball** **ERT711 Regressed Eyeball, 50W PAR30, OD: 8" [203mm]** **ERT711**=High Gloss Appliance White Trim and Eyeball with Black Baffle **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


FEATURES
- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Insulation Contact





EI700R



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELYΔ

SAMPLE NUMBER: EI700R - ERT707WHT

Housing	Trims
EI700R=6" Aperture, Remodel, IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **Reflectors** **ERT710 Specular Reflector, 75W R30, 65W BR30, 50W PAR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


6-INCH INCANDESCENT NEW CONSTRUCTION ICAT




EI700AT

FEATURES
- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- Quick Connect wiring connectors included in junction box
- NM cable pry-outs and conduit knockouts in junction box
- AIR-TITE™
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283





ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY[Δ]

SAMPLE NUMBER: EI700AT - ERT707WHT


Housing	Trims
EI700AT=6" Aperture, New Construction, IC, AIR-TITE™, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **Reflectors** **ERT710 Specular Reflector, 75W R30, 65W BR30, 50W PAR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Regressed Eyeball** **ERT711 Regressed Eyeball, 50W PAR30, OD: 8" [203mm]** **ERT711**=High Gloss Appliance White Trim and Eyeball with Black Baffle **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction


NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES
- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283







EI700RAT

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELYΔ

SAMPLE NUMBER: EI700RAT - ERT707WHT

Housing	Trims
EI700RAT=6" Aperture, Remodel, IC, AIR-TITE™, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **Reflectors** **ERT710 Specular Reflector, 50W PAR30, 75W PAR30L, 65W BR30, 75W R30, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

6-INCH INCANDESCENT NEW CONSTRUCTION ICAT





EI700ATNB

FEATURES
- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- Quick Connect wiring connectors included in junction box
- NM cable pry-outs and conduit knockouts in junction box
- AIR-TITE™
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected
- Designed without a socket bracket, for socket supporting trims only

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283





ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELYΔ


SAMPLE NUMBER: EI700ATNB - ERT713WHT

Housing	Trims
EI700ATNB=6" Aperture, New Construction, IC, AIR-TITE™, 120V Line Voltage, No Socket Bracket	**Adjustables** **ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **Regressed Eyeball** **ERT711 Regressed Eyeball, 65W BR30, 75W R30, OD: 8" [203mm]** **ERT711**=High Gloss Appliance White Trim and Eyeball with Black Baffle **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


FEATURES
- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Quick Connect wiring connectors included in junction box
- Housing may be removed from plaster frame for junction box access
- Designed without a socket bracket, for socket supporting trims only
- Die-formed housing and plaster frame
- Thermally protected





EI700NB

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELYΔ

SAMPLE NUMBER: EI700NB - ERT713WHT

Housing	Trims
EI700NB=6" Aperture, New Construction, IC, 120V Line Voltage, No-Socket Bracket	**Adjustables** **ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **Regressed Eyeball** **ERT711 Regressed Eyeball, 65W BR30, 75W R30, OD: 8" [203mm]** **ERT711**=High Gloss Appliance White Trim and Eyeball with Black Baffle **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


ERT710 Specular Reflector



ERT710 High Gloss Appliance White Trim with Clear Specular Reflector



ERT710G High Gloss Appliance White Trim with Gold Reflector



HOUSING / LAMP:
EI700: 75W R30, 65W BR30, 50W PAR30, 75W PAR30L
EI700AT: 75W R30, 65W BR30, 50W PAR30, 75W PAR30L
EI700R: 50W PAR30, 75W PAR30L, 65W BR30, 75W R30
EI700RAT: 50W PAR30, 75W PAR30L, 65W BR30, 75W R30


DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]

ERT712 White Reflector

ERT712TS High Gloss Appliance White Trim withWhite Reflector, Torsion Spring


ERT712 High Gloss Appliance White Trim with White Reflector

ERT712TS



HOUSING / LAMP:
EI700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700AT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700ATNB: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700NB: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700R: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700RAT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40

ERT712



DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]


ERT707 Metal Baffle



ERT707WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings



ERT707 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim Rings



HOUSING / LAMP:
EI700: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI700AT: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI700R: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI700RAT: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm];
Wide OD: 8" [203mm];
Narrow OD: 7-1/4" [184mm], Two Trim Rings, Narrow and Wide, Supplied with Trim

ERT713 Black Metal Baffle




ERT713 High Gloss Appliance White Trim with Black Baffle




ERT713TS High Gloss White Trim with Black Baffle Torsion Spring Construction

ERT713TS



ERT713



HOUSING / LAMP:
EI700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40
EI700AT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40
EI700ATNB: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700NB: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700R: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700RAT: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40

DIMENSIONS: Height: 5" [127mm]; OD: 7-1/4" [184mm]

ERT713L Black Metal Baffle




ERT713L High Gloss Appliance White Trim with Black Baffle




ERT713LTS High Gloss White Trim with Black Baffle Torsion Spring Construction

ERT713LTS



ERT713LTS



HOUSING / LAMP:
EI700: 75W BR40, 65W BR30, 75W PAR30L
EI700AT: 75W BR40, 65W BR30, 75W PAR30L
EI700ATNB: 75W BR40, 65W BR30, 75W PAR30L
EI700NB: 75W BR40, 65W BR30, 75W PAR30L
EI700R: 75W BR40, 65W BR30, 75W PAR30L
EI700RAT: 75W BR40, 65W BR30, 75W PAR30L


DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT713WHT White Metal Baffle


ERT713WHT High Gloss Appliance White Trim with White Baffle

ERT713WHTTS High Gloss White Trim with White Baffle Torsion Spring Construction

ERT713WHTTS



ERT713WHT



HOUSING / LAMP:
EI700: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700AT: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700ATNB: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700NB: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700R: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700RAT: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]


ERT714 Plastic Baffle



ERT714WHT High Gloss Appliance White Trim with White Baffle



ERT714 High Gloss Appliance White Trim with Black Baffle




HOUSING / LAMP:
EI700: 50W PAR30, 65W BR30, 75W PAR30L
EI700AT: 50W PAR30, 65W BR30, 75W PAR30L
EI700R: 50W PAR30, 65W BR30, 75W PAR30L
EI700RAT: 50W PAR30, 65W BR30, 75W PAR30L

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT716 Shallow Metal Baffle



ERT716WHT High Gloss Appliance White Trim with White Baffle




HOUSING / LAMP:
EI700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700AT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700ATNB: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700NB: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700R: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700RAT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT704 Eyeball



ERT704 High Gloss Appliance White Trim with White Eyeball



HOUSING / LAMP:
EI700: 75W R30, 65W BR30, 75W PAR30L
EI700AT: 75W R30, 65W BR30, 75W PAR30L
EI700ATNB: 75W R30, 65W BR30, 75W PAR30L
EI700NB: 75W R30, 65W BR30, 75W PAR30L
EI700R: 75W R30, 65W BR30, 75W PAR30L
EI700RAT: 75W R30, 65W BR30, 75W PAR30L


DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

ERT711 Regressed Eyeball



ERT711 High Gloss Appliance White Trim and Eyeball with Black Baffle




HOUSING / LAMP:
EI700: 50W PAR30
EI700AT: 50W PAR30
EI700ATNB: 65W BR30, 75W R30
EI700NB: 65W BR30, 75W R30

DIMENSIONS: Height: 3" [76mm]; OD: 8" [203mm]

ERT705 Open



ERT705 High Gloss Appliance White Trim




HOUSING / LAMP:
EI700: 65W BR30, 75W PAR30, 75W PAR30L
EI700AT: 65 W BR30, 75W PAR30, 75W PAR30L
EI700ATNB: 65 W BR30, 75W PAR30, 75W PAR30L
EI700NB: 65 W BR30, 75W PAR30, 75W PAR30L
EI700R: 65 W BR30, 75W PAR30, 75W PAR30L
EI700RAT: 65 W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss Appliance White Trim with Frosted Glass Lens



HOUSING / LAMP:
EI700: 40W A19
EI700AT: 40W A19
EI700ATNB: 40W A19
EI700NB: 40W A19
EI700R: 40W A19
EI700RAT: 40W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT725 Black Metal Baffle/Splay




ERT725 High Gloss Appliance White Trim with Black Baffle




ERT725TS High Gloss White Trim with Black Baffle Torsion Spring Construction

ERT725TS



ERT725



HOUSING / LAMP:
EI700: 50W PAR30L, 65W BR30
EI700AT: 50W PAR30L, 65W BR30
EI700ATNB: 50W PAR30L, 65W BR30
EI700NB: 50W PAR30L, 65W BR30
EI700R: 50W PAR30L, 65W BR30
EI700RAT: 50W PAR30L, 65W BR30


DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT725WHT White Metal Baffle/Splay


ERT725WHT High Gloss Appliance White Trim with White Baffle

ERT725WHTTS High Gloss Appliance White Trim with White Baffle, Torsion Spring

ERT725WHTTS



ERT725WHT




HOUSING / LAMP:
EI700: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700AT: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700ATNB: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700NB: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700R: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700RAT: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT723 Showerlight with Fresnel Lens and Reflector



ERT723 High Gloss Appliance White Trim with Fresnel Glass Lens




HOUSING / LAMP:
EI700: 40W A19
EI700AT: 40W A19
EI700ATNB: 40W A19
EI700NB: 40W A19
EI700R: 40W A19
EI700RAT: 40W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

6-INCH INCANDESCENT NEW CONSTRUCTION IC





EI700U

FEATURES
- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact





ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY$^{\Delta}$


SAMPLE NUMBER: EI700U - ERT707WHT

Housing	Trims
EI700U=6" Aperture, New Construction, IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT709 Large Aperture Metal Baffle, 90W BR40, OD: 7-1/4" [184mm]** **ERT709**=High Gloss Appliance White Trim with Black Baffle **ERT709WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 40W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 40W A19, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 60W A19, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction	**Lenses and Diffusers** **ERT701 Albalite Glass Lens Showerlight, 40W A19, OD: 8" [203mm]** **ERT701**=High Gloss Appliance White Trim with Albalite Lens **ERT702 Drop Opal Plastic Lens Showerlight, 40W A19, OD: 8" [203mm]** **ERT702**=High Gloss Appliance White Trim with Drop Opal Glass Lens **ERT703 Fresnel Glass Lens Showerlight, 40W A19, OD: 8" [203mm]** **ERT703**=High Gloss Appliance White Trim with Fresnel Glass Lens **Open** **ERT708 Large Aperture Open, 100W R40 (Requires H1999 Socket Extender), OD: 8" [203mm]** **ERT708**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 75W PAR30, 75W PAR30L, 85W BR30, 90W BR40, 100W R30, 100W R40, 100W PAR38, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES
- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected





EI700UAT



Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELYΔ

SAMPLE NUMBER: EI700UAT - ERT707WHT

Housing	Trims
EI700UAT=6" Aperture, New Construction, IC AIR-TITE™, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT705 Open, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT709 Large Aperture Metal Baffle, 90W BR40, OD: 7-1/4" [184mm]** **ERT709**=High Gloss Appliance White Trim with Black Baffle **ERT709WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **Full Cone Metal Baffle** **ERT713 Black Metal Baffle, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40, OD: 7-1/4" [184mm]** **ERT713**=High Gloss Appliance White Trim with Black Baffle **ERT713TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713L Black Metal Baffle, 40W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40, OD: 7-1/4" [184mm]** **ERT713L**=High Gloss Appliance White Trim with Black Baffle **ERT713LTS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT713WHT White Metal Baffle, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40, OD: 7-1/4" [184mm]** **ERT713WHT**=High Gloss Appliance White Trim with White Baffle **ERT713WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **ERT725 Black Metal Baffle/Splay, 40W A19, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm]** **ERT725**=High Gloss Appliance White Trim with Black Baffle **ERT725TS**=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction **ERT725WHT White Metal Baffle/Splay, 60W A19, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm]** **ERT725WHT**=High Gloss Appliance White Trim with White Baffle **ERT725WHTTS**=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction **Lenses and Diffusers** **ERT701 Albalite Glass Lens Showerlight, 40W A19, OD: 8" [203mm]** **ERT701**=High Gloss Appliance White Trim with Albalite Lens **ERT702 Drop Opal Plastic Lens Showerlight, 40W A19, OD: 8" [203mm]** **ERT702**=High Gloss Appliance White Trim with Drop Opal Glass Lens **ERT703 Fresnel Glass Lens Showerlight, 40W A19, OD: 8" [203mm]** **ERT703**=High Gloss Appliance White Trim with Fresnel Glass Lens **Open** **ERT708 Large Aperture Open, 100W R40 (Requires H1999 Socket Extender), OD: 8" [203mm]** **ERT708**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 75W PAR30, 75W PAR30L, 85W BR30, 90W BR40, 100W R30, 100W R40, 100W PAR38, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens **White Cone Reflector** **ERT712 White Reflector, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40, OD: 7-1/4" [184mm]** **ERT712**=High Gloss Appliance White Trim with White Reflector **ERT712TS**=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


ERT710 Specular Reflector



ERT710 High Gloss Appliance White Trim with Clear Specular Reflector



ERT710G High Gloss Appliance White Trim with Gold Reflector



HOUSING / LAMP:
EI700U: 75W PAR30, 75W PAR30L, 85W BR30, 90W BR40, 100W R30, 100W R40, 100W PAR38
EI700UAT: 75W PAR30, 75W PAR30L, 85W BR30, 90W BR40, 100W R30, 100W R40, 100W PAR38


DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]

ERT712 White Reflector


ERT712TS High Gloss Appliance White Trim with White Reflector, Torsion Spring

ERT712 High Gloss Appliance White Trim with White Reflector

ERT712TS



ERT712



HOUSING / LAMP:
EI700U: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40
EI700UAT: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]


ERT707 Metal Baffle



ERT707WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings



ERT707 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim Rings



HOUSING / LAMP:
EI700U: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40
EI700UAT: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40

DIMENSIONS: Height: 2-7/8" [73mm]; Wide OD: 8" [203mm]; Narrow OD: 7-1/4" [184mm], Two Trim Rings, Narrow and Wide, Supplied with Trim


ERT709 Large Aperture Metal Baffle



ERT709WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings



ERT709 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim RIngs



HOUSING / LAMP:
EI700U: 90W BR40
EI700UAT: 90W BR40

DIMENSIONS: Height: 2-5/8" [67mm]; Wide OD: 8" [203mm]; Narrow OD: 7-1/4" [184mm], Two Trim Rings, Narrow and Wide, Supplied with Trim

ERT713 Black Metal Baffle




ERT713 High Gloss Appliance White Trim with Black Baffle




ERT713TS High Gloss White Trim with Black Baffle Torsion Spring Construction

ERT713TS



ERT713



HOUSING / LAMP:
EI700U: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40
EI700UAT: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40

DIMENSIONS: Height: 5" [127mm]; OD: 7-1/4" [184mm]

ERT713L Black Metal Baffle




ERT713L High Gloss Appliance White Trim with Black Baffle




ERT713LTS High Gloss White Trim with Black Baffle Torsion Spring Construction

ERT713LTS



ERT713LTS



HOUSING / LAMP:
EI700U: 40W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40
EI700UAT: 40W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40


DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT713WHT White Metal Baffle

ERT713WHT High Gloss Appliance White Trim with White Baffle


ERT713WHTTS High Gloss White Trim with White Baffle Torsion Spring Construction

ERT713WHTTS



HOUSING / LAMP:
EI700U: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40
EI700UAT: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40

ERT713WHT



DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]


ERT714 Plastic Baffle



ERT714WHT High Gloss Appliance White Trim with White Baffle



ERT714 High Gloss Appliance White Trim with Black Baffle



HOUSING / LAMP:
EI700U: 65W BR30, 75W PAR30, 75W PAR30L
EI700UAT: 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT725 Black Metal Baffle/Splay




ERT725 High Gloss Appliance White Trim with Black Baffle




ERT725TS High Gloss White Trim with Black Baffle Torsion Spring Construction

ERT725TS



HOUSING / LAMP:
EI700U: 40W A19, 75W PAR30L, 85W BR30, 100W R30
EI700UAT: 40W A19, 75W PAR30L, 85W BR30, 100W R30

ERT725



DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

ERT725WHT White Metal Baffle/Splay


ERT725WHT High Gloss Appliance White Trim with White Baffle

ERT725WHTTS High Gloss Appliance White Trim with White Baffle, Torsion Spring

ERT725WHTTS



ERT725WHT




HOUSING / LAMP:
EI700U: 60W A19, 75W PAR30L, 85W BR30, 100W R30
EI700UAT: 60W A19, 75W PAR30L, 85W BR30, 100W R30

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT704 Eyeball



ERT704 High Gloss Appliance White Trim with White Eyeball




HOUSING / LAMP:
EI700U: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30
EI700UAT: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT705 Open



ERT705 High Gloss Appliance White Trim




HOUSING / LAMP:
EI700U: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30
EI700UAT: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT708 Large Aperture Open



ERT708 High Gloss Appliance White Trim




HOUSING / LAMP:
EI700U: 100W R40
(Requires H1999 Socket Extender)
EI700UAT: 100W R40 (Requires H1999 Socket Extender)

DIMENSIONS: Height: 5-3/16" [131mm]; OD: 8" [203mm]

ERT701 Albalite Glass Lens Showerlight

ERT701 High Gloss Appliance White Trim with Albalite Glass Lens




HOUSING / LAMP:
EI700U: 40W A19
EI700UAT: 40W A19

DIMENSIONS: OD: 8" [203mm]

ERT702 Drop Opal Plastic Lens Showerlight

ERT702 High Gloss Appliance White Trim with Drop Opal Lens




HOUSING / LAMP:
EI700U: 40W A19
EI700UAT: 40W A19

DIMENSIONS: OD: 8" [203mm]

ERT703 Fresnel Glass Lens Showerlight



ERT703 High Gloss Appliance White Trim with Fresnel Glass Lens




HOUSING / LAMP:
EI700U: 40W A19
EI700UAT: 40W A19

DIMENSIONS: OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss Appliance White Trim with Frosted Glass Lens




HOUSING / LAMP:
EI700U: 60W A19
EI700UAT: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT723 Showerlight with Fresnel Lens and Reflector



ERT723 High Gloss Appliance White Trim with Fresnel Glass Lens



HOUSING / LAMP:
EI700U: 60W A19
EI700UAT: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


6-INCH INCANDESCENT SHALLOW NEW CONSTRUCTION HOUSING IC




EI2700

FEATURES
- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Shallow ceiling housing
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact





ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY$^{\Delta}$

SAMPLE NUMBER: EI2700 - ERT707WHT


Housing	Trims
EI2700=6" Aperture, Shallow Ceiling, New Construction, IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 65W BR30, 50W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716WHT**=High Gloss Appliance White Trim with White Baffle **Open** **ERT705 Open, 50W PAR30L, 60W BR30, 75W PAR30, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 35W PAR30L, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 35W PAR30L, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens


NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES
- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Insulation Contact







EI2700R

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY[Δ]

SAMPLE NUMBER: EI2700R - ERT707WHT

Housing	Trims
EI2700R=6" Aperture, Shallow Ceiling, Remodel, IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT707 Metal Baffle, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 60W BR30, 50W PAR30, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716WHT**=High Gloss Appliance White Trim with White Baffle **Open** **ERT705 Open, 50W PAR30L, 60W BR30, 75W PAR30, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

6-INCH INCANDESCENT SHALLOW NEW CONSTRUCTION HOUSING ICAT




EI2700AT

FEATURES
- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected



Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY$^{\Delta}$

SAMPLE NUMBER: EI2700AT - ERT707WHT

Housing	Trims
EI2700AT=6" Aperture, Shallow Ceiling, New Construction, IC AIR-TITE™, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 65W BR30, 50W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716WHT**=High Gloss Appliance White Trim with White Baffle **Open** **ERT705 Open, 50W PAR30L, 60W BR30, 75W PAR30, OD: 8" [203mm]** **ERT705**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Frosted Glass Lens and Reflector, 35W PAR30L, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 35W PAR30L, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


ERT710 Specular Reflector



ERT710 High Gloss Appliance White Trim with Clear Specular Reflector



ERT710G High Gloss Appliance White Trim with Gold Reflector



HOUSING / LAMP:
EI2700: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI2700AT: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI2700R: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]


ERT707 Metal Baffle



ERT707WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings



ERT707 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim Rings



HOUSING / LAMP:
EI2700: 50W PAR30, 65W BR30, 75W PAR30L
EI2700AT: 50W PAR30, 65W BR30, 75W PAR30L
EI2700R: 65W BR30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm]; Wide OD: 8" [203mm]; Narrow OD: 7-1/4" [184mm], Two Trim Rings, Narrow and Wide, Supplied with Trim


ERT714 Plastic Baffle



ERT714WHT High Gloss Appliance White Trim with White Baffle



ERT714 High Gloss Appliance White Trim with Black Baffle




HOUSING / LAMP:
EI2700: 65W BR30, 50W PAR30, 75W PAR30L
EI2700AT: 65W BR30, 50W PAR30, 75W PAR30L
EI2700R: 50W PAR30, 60W BR30

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT716 Shallow Metal Baffle



ERT716WHT High Gloss Appliance White Trim with White Baffle




HOUSING / LAMP:
EI2700: 65W BR30, 75W PAR30, 75W PAR30L
EI2700AT: 65W BR30, 75W PAR30, 75W PAR30L
EI2700R: 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT704 Eyeball



ERT704 High Gloss Appliance White Trim with White Eyeball




HOUSING / LAMP:
EI2700: 65W BR30, 75W R30, 75W PAR30L
EI2700AT: 65W BR30, 75W R30, 75W PAR30L
EI2700R: 65W BR30, 75W R30, 75W PAR30L

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT705 Open



ERT705 High Gloss Appliance White Trim




HOUSING / LAMP:
EI2700: 50W PAR30L, 60W BR30, 75W PAR30
EI2700AT: 50W PAR30L, 60W BR30, 75W PAR30
EI2700R: 60W BR30

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss Appliance White Trim with Frosted Glass Lens




HOUSING / LAMP:
EI2700: 35W PAR30L
EI2700AT: 35W PAR30L
EI2700R: 40W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT723 Showerlight with Fresnel Lens and Reflector



ERT723 High Gloss Appliance White Trim with Fresnel Glass Lens



HOUSING / LAMP:
EI2700: 35W PAR30L
EI2700AT: 35W PAR30L
EI2700R: 40W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

6-INCH INCANDESCENT SHALLOW NEW CONSTRUCTION HOUSING NON - IC





ET2700

FEATURES
- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, IP Rated





ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELYΔ

SAMPLE NUMBER: ET2700 - ERT707WHT

Housing	Trims
ET2700=6" Aperture, Shallow Ceiling, New Construction, Non-IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 75W R30, 75W PAR30, 85W BR30, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716WHT**=High Gloss Appliance White Trim with White Baffle **Open** **ERT706 Open, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT706**=High Gloss Appliance White Trim **ERT708 Large Aperture Open, 120W BR40, 150W R40, OD: 8" [203mm]** **ERT708**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT701 Albalite Glass Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT701**=High Gloss Appliance White Trim with Albalite Lens **ERT702 Drop Opal Plastic Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT702**=High Gloss Appliance White Trim with Drop Opal Glass Lens **ERT703 Fresnel Glass Lens Showerlight, 60W A19, OD: 8" [203mm]** **ERT703**=High Gloss Appliance White Trim with Fresnel Glass Lens


NOTES: Δ UL/cUL Listed for Wet Location with select trims.


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

6-INCH INCANDESCENT SHALLOW REMODEL HOUSING NON - IC

FEATURES
- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box
- Shallow ceiling housing

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.
COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, IP Rated







ET2700R

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY[Δ]

SAMPLE NUMBER: ET2700R - ERT707WHT

Housing	Trims
ET2700R=6" Aperture, Shallow Housing, Remodel, Non-IC, 120V Line Voltage	**Adjustables** **ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT704**=High Gloss Appliance White Trim with White Eyeball **Baffles** **ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 7-1/4" [184mm]** **ERT707**=High Gloss Appliance White Trim with Black Baffle **ERT707WHT**=High Gloss Appliance White Trim with White Baffle **ERT714 Plastic Baffle, 75W PAR30, 75W PAR30L, 85W BR30, OD: 8" [203mm]** **ERT714**=High Gloss Appliance White Trim with Black Baffle **ERT714WHT**=High Gloss Appliance White Trim with White Baffle **ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT716WHT**=High Gloss Appliance White Trim with White Baffle **Open** **ERT706 Open, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm]** **ERT706**=High Gloss Appliance White Trim **Reflectors** **ERT710 Specular Reflector, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 85W BR30, OD: 7-1/4" [184mm]** **ERT710**=High Gloss Appliance White Trim with Clear Specular Reflector **ERT710G**=High Gloss Appliance White Trim with Gold Reflector **Showerlight** **ERT721 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT721**=High Gloss Appliance White Trim with Frosted Glass Lens **ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm]** **ERT723**=High Gloss Appliance White Trim with Fresnel Glass Lens

NOTES: Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.


ERT710 Specular Reflector



ERT710 High Gloss Appliance White Trim with Clear Specular Reflector



ERT710G High Gloss Appliance White Trim with Gold Reflector



HOUSING / LAMP:
ET2700: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30
ET2700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 85W BR30

DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]


ERT707 Metal Baffle



ERT707WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings



ERT707 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim Rings



HOUSING / LAMP:
ET2700: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L
ET2700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm]; Wide OD: 8" [203mm]; Narrow OD: 7-1/4" [184mm], Two Trim Rings, Narrow and Wide, Supplied with Trim


ERT714 Plastic Baffle



ERT714WHT High Gloss Appliance White Trim with White Baffle



ERT714 High Gloss Appliance White Trim with Black Baffle




HOUSING / LAMP:
ET2700: 75W R30, 75W PAR30, 85W BR30
ET2700R: 75W PAR30, 75W PAR30L, 85W BR30

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT704 Eyeball



ERT704 High Gloss Appliance White Trim with White Eyeball




HOUSING / LAMP:
ET2700: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L
ET2700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT716 Shallow Metal Baffle



ERT716WHT High Gloss Appliance White Trim with White Baffle




HOUSING / LAMP:
ET2700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
ET2700R: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT706 Open



ERT706 High Gloss Appliance White Trim




HOUSING / LAMP:
ET2700: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L
ET2700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT708 Large Aperture Open



ERT708 High Gloss Appliance White Trim




HOUSING / LAMP:
ET2700: 120W BR40, 150W R40

DIMENSIONS: Height: 5-3/16" [131mm]; OD: 8" [203mm]

ERT701 Albalite Glass Lens Showerlight

ERT701 High Gloss Appliance White Trim




HOUSING / LAMP:
ET2700: 60W A19

DIMENSIONS: OD: 8" [203mm]

ERT702 Drop Opal Plastic Lens Showerlight

ERT702 High Gloss Appliance White Trim with Drop Opal Lens




HOUSING / LAMP:
ET2700: 60W A19

DIMENSIONS: OD: 8" [203mm]

ERT703 Fresnel Glass Lens Showerlight



ERT703 High Gloss Appliance White Trim with Fresnel Glass Lens




HOUSING / LAMP:
ET2700: 60W A19

DIMENSIONS: OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss Appliance White Trim with Frosted Glass Lens




HOUSING / LAMP:
ET2700: 60W A19
ET2700R: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT723 Showerlight with Fresnel Lens and Reflector



ERT723 High Gloss Appliance White Trim with Fresnel Glass Lens



HOUSING / LAMP:
ET2700: 60W A19
ET2700R: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.