

6-INCH INCANDESCENT NEW CONSTRUCTION NON - IC





ET700

FEATURES

- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, IP Rated

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^A

SAMPLE NUMBER: ET700 - ERT707WHT

Housing	Trims
ET700=6" Aperture, New Construction, Non-IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT705 Open, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim ERT706 Open, 65W BR30, 75W R30, 75W PAR30, OD: 8" [203mm] ERT706=High Gloss Appliance White Trim ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT709 Large Aperture Metal Baffle, 120W R40, 120W PAR38, OD: 7-1/4" [184mm] ERT709=High Gloss Appliance White Trim with Black Baffle ERT709WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 75W R30, 75W PAR30, 75W PAR30L, 85W BR30, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716WHT=High Gloss Appliance White Trim with White Baffle ERT717 Large Aperture Plastic Baffle, 150W PAR38, 120W BR40, 150W R40, OD: 8" [203mm] ERT717WHT=High Gloss Appliance White Trim with White Baffle
	Lenses and Diffusers ERT701 Albalite Glass Lens Showerlight, 60W A19, OD: 8" [203mm] ERT701=High Gloss Appliance White Trim ERT702 Drop Opal Plastic Lens Showerlight, 60W A19, OD: 8" [203mm] ERT702=High Gloss Appliance White Trim with Drop Opal Glass Lens ERT703 Fresnel Glass Lens Showerlight, 60W A19, OD: 8" [203mm] ERT703=High Gloss Appliance White Trim with Fresnel Glass Lens
	Open ERT708 Large Aperture Open, 120W BR40, 150W R40, OD: 8" [203mm] ERT708=High Gloss Appliance White Trim
	Reflectors ERT710 Specular Reflector, 65W BR30, 75W R30, 75W PAR30, 150W R40, 150W PAR38, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector
	Regressed Eyeball ERT711 Regressed Eyeball, 65W BR30, 75W R30, 75W PAR30, OD: 8" [203mm] ERT711=High Gloss Appliance White Trim and Eyeball with Black Baffle
	Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens
	ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens
	White Cone Reflector ERT712 White Reflector, 85W BR30, 120W BR40, 100W R30, 75W PAR30L, 100W A19, OD: 7-1/4" [184mm] ERT712=High Gloss Appliance White Trim with White Reflector ERT712TS=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction
	ERT713 Black Metal Baffle, 75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40, OD: 7-1/4" [184mm] ERT713=High Gloss Appliance White Trim with Black Baffle ERT713TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713L Black Metal Baffle, 75W A19, 75W PAR30L, 75W PAR30, 85W BR30, 100W R30, 120W BR40, 150W R40, OD: 7-1/4" [184mm] ERT713L=High Gloss Appliance White Trim with Black Baffle ERT713LTS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713WHT White Metal Baffle, 75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40, OD: 7-1/4" [184mm] ERT713WHT=High Gloss Appliance White Trim with White Baffle ERT713WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	ERT725 Black Metal Baffle/Splay, 50W PAR30L, 85W BR30, 90W A19, 100W R30, OD: 7-1/4" [184mm] ERT725=High Gloss Appliance White Trim with Black Baffle ERT725TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT725WHT White Metal Baffle/Splay, 50W PAR30L, 75W PAR30L, 85W BR30, 90W A19, 100W R30, OD: 7-1/4" [184mm] ERT725WHT=High Gloss Appliance White Trim with White Baffle ERT725WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction

NOTES: ^A UL/cUL Listed for Wet Location with select trims.


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES

- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, IP Rated



ET700R

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^A

SAMPLE NUMBER: ET700R - ERT707WHT


Housing	Trims
ET700R=6" Aperture, Remodel, Non-IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT706 Open, 65W R30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT706=High Gloss Appliance White Trim ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 75W R30, 75W PAR30L, 85W BR30, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716WHT=High Gloss Appliance White Trim with White Baffle ERT717 Large Aperture Plastic Baffle, 150W R40, 120W BR40, OD: 8" [203mm] ERT717WHT=High Gloss Appliance White Trim with White Baffle Full Cone Metal Baffle ERT713 Black Metal Baffle, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT713=High Gloss Appliance White Trim with Black Baffle ERT713TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713L Black Metal Baffle, 65W BR30, 75W PAR30L, 150W R40, OD: 7-1/4" [184mm] ERT713L=High Gloss Appliance White Trim with Black Baffle ERT713LTS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713WHT White Metal Baffle, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT713WHT=High Gloss Appliance White Trim with White Baffle ERT713WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction ERT725 Black Metal Baffle/Splay, 50W PAR30L, 85W BR30, 90W A19, 100W R30, OD: 7-1/4" [184mm] ERT725=High Gloss Appliance White Trim with Black Baffle ERT725TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT725WHT White Metal Baffle/Splay, 50W PAR30L, 75W PAR30L, 85W BR30, 90W A19, 100W R30, OD: 7-1/4" [184mm] ERT725WHT=High Gloss Appliance White Trim with White Baffle ERT725WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction Lenses and Diffusers ERT701 Albalite Glass Lens Showerlight, 60W A19, OD: 8" [203mm] ERT701=High Gloss Appliance White Trim ERT702 Drop Opal Plastic Lens Showerlight, 60W A19, OD: 8" [203mm] ERT702=High Gloss Appliance White Trim with Drop Opal Glass Lens ERT703 Fresnel Glass Lens Showerlight, 60W A19, OD: 8" [203mm] ERT703=High Gloss Appliance White Trim with Fresnel Glass Lens Open ERT708 Large Aperture Open, 120W BR40, 150W R40, OD: 8" [203mm] ERT708=High Gloss Appliance White Trim Reflectors ERT710 Specular Reflector, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 150W R40, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens White Cone Reflector ERT712 White Reflector, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT712=High Gloss Appliance White Trim with White Reflector ERT712TS=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: ^A UL/cUL Listed for Wet Location with select trims.

ERT710 Specular Reflector

ERT710 High Gloss Appliance White Trim with Clear Specular Reflector

ERT710G High Gloss Appliance White Trim with Gold Reflector

**HOUSING / LAMP:**

ET700: 65W BR30, 75W R30, 75W PAR30, 150W R40, 150W PAR38



ET700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 150W R40

DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]

ERT712 White Reflector

ERT712TS High Gloss Appliance White Trim with White Reflector, Torsion Spring

ERT712 High Gloss Appliance White Trim with White Reflector

**ERT712****HOUSING / LAMP:**

ET700: 85W BR30, 120W BR40, 100W R30, 75W PAR30L, 100W A19


ET700R: 65W BR30, 75W PAR30L

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT707 Metal Baffle

ERT707WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings

ERT707 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim Rings

**HOUSING / LAMP:**

ET700: 65W BR30, 75W R30, 75W PAR30


ET700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm]; Wide OD: 8" [203mm]; Narrow OD: 7-1/4" [184mm]

ERT709 Large Aperture Metal Baffle

ERT709WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings

ERT709 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim Rings

**HOUSING / LAMP:**



ET700: 120W R40, 120W PAR38

DIMENSIONS: Height: 2-5/8" [67mm]; Wide OD: 8" [203mm]; Narrow OD: 7-1/4" [184mm]

ERT713 Black Metal Baffle

ERT713 High Gloss Appliance White Trim with Black Baffle

ERT713TS High Gloss White Trim with Black Baffle Torsion Spring Construction

**ERT713****HOUSING / LAMP:**

ET700: 75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40



ET700R: 65W BR30, 75W PAR30L

DIMENSIONS: Height: 5" [127mm]; OD: 7-1/4" [184mm]

ERT713L Black Metal Baffle

ERT713L High Gloss Appliance White Trim with Black Baffle

ERT713LTS High Gloss White Trim with Black Baffle Torsion Spring Construction

**ERT713LTS****HOUSING / LAMP:**

ET700: 75W A19, 75W PAR30L, 75W PAR30, 85W BR30, 100W R30, 120W BR40, 150W R40



ET700R: 65W BR30, 75W PAR30L, 150W R40

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT713WHT White Metal Baffle

ERT713WHT High Gloss Appliance White Trim with White Baffle

ERT713WHTTS High Gloss White Trim with White Baffle Torsion Spring Construction

**ERT713WHT****HOUSING / LAMP:**

ET700: 75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40


ET700R: 65W BR30, 75W PAR30L

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT714 Plastic Baffle

ERT714WHT High Gloss Appliance White Trim with White Baffle

ERT714 High Gloss Appliance White Trim with Black Baffle

**HOUSING / LAMP:**


ET700: 75W R30, 75W PAR30, 75W PAR30L, 85W BR30

ET700R: 75W R30, 75W PAR30L, 85W BR30

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT717 Large Aperture Plastic Baffle

ERT717WHT High Gloss Appliance White Trim and White Baffle

**HOUSING / LAMP:**


ET700: 150W PAR38, 120W BR40, 150W R40

ET700R: 150W R40, 120W BR40

DIMENSIONS: Height: 2-3/4" [70mm]; OD: 8" [203mm]

ERT716 Shallow Metal Baffle

ERT716 High Gloss Appliance White Trim with White Baffle

**HOUSING / LAMP:**


ET700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L

ET700R: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT704 Eyeball

ERT704 High Gloss Appliance White Trim with White Eyeball

**HOUSING / LAMP:**


ET700: 75W R30, 75W PAR30, 75W PAR30L

ET700R: 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT711 Regressed Eyeball

ERT711 High Gloss Appliance White Trim and Eyeball with Black Baffle

**HOUSING / LAMP:**


ET700: 65W BR30, 75W R30, 75W PAR30

DIMENSIONS: Height: 3" [76mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

ERT706 Open

ERT706 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

ET700: 65W BR30, 75W R30, 75W PAR30
ET700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT708 Large Aperture Open

ERT708 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

ET700: 120W BR40, 150W R40
ET700R: 120W BR40, 150W R40

DIMENSIONS: Height: 5-3/16" [131mm]; OD: 8" [203mm]

ERT701 Albalite Glass Lens Showerlight

ERT701 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

ET700: 60W A19
ET700R: 60W A19

DIMENSIONS: OD: 8" [203mm]

ERT702 Drop Opal Plastic Lens Showerlight

ERT702 High Gloss
Appliance White Trim with
Drop Opal Lens


**HOUSING / LAMP:**

ET700: 60W A20
ET700R: 60W A20

DIMENSIONS: OD: 8" [203mm]

ERT703 Fresnel Glass Lens Showerlight

ERT703 High Gloss
Appliance White Trim with
Fresnel Glass Lens


**HOUSING / LAMP:**

ET700: 60W A21
ET700R: 60W A21

DIMENSIONS: OD: 8" [203mm]

ERT705 Open

ERT705 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

ET700: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss
Appliance White Trim with
Frosted Glass Lens

**HOUSING / LAMP:**

ET700: 60W A19
ET700R: 60W A19



DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT725 Black Metal Baffle/Splay

ERT725 High Gloss
Appliance White Trim with
Black Baffle



ERT725TS High Gloss
White Trim with Black
Baffle Torsion Spring
Construction

**HOUSING / LAMP:**

ET700: 50W PAR30L, 85W BR30,
90W A19, 100W R30,
ET700R: 50W PAR30L, 85W BR30,
90W A19, 100W R30,



DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT725WHT White Metal Baffle/Splay

ERT725WHT High Gloss
Appliance White Trim with
White Baffle



ERT725WHTTS High
Gloss Appliance White
Trim with White Baffle,
Torsion Spring


**HOUSING / LAMP:**

ET700: 50W PAR30L, 75W PAR30L,
85W BR30, 90W A19, 100W R30
ET700R: 50W PAR30L, 75W PAR30L,
85W BR30, 90W A19, 100W R30

DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT723 Showerlight with Fresnel Lens and Reflector

ERT723 High Gloss
Appliance White Trim with
Fresnel Glass Lens

**HOUSING / LAMP:**

ET700: 60W A19
ET700R: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

6-INCH INCANDESCENT NEW CONSTRUCTION IC





EI700

FEATURES

- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, IP Rated



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^Δ

SAMPLE NUMBER: EI700 - ERT707WHT

Housing	Trims
EI700=6" Aperture, New Construction, IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball
	Baffles ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim
	ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle
	ERT714 Plastic Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle
	ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716=High Gloss Appliance White Trim with White Baffle
	Full Cone Metal Baffle ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713=High Gloss Appliance White Trim with Black Baffle ERT713TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT713L=High Gloss Appliance White Trim with Black Baffle ERT713LTS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713WHT=High Gloss Appliance White Trim with White Baffle ERT713WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm] ERT725=High Gloss Appliance White Trim with Black Baffle ERT725TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT725WHT=High Gloss Appliance White Trim with White Baffle ERT725WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	Reflectors ERT710 Specular Reflector, 75W R30, 65W BR30, 50W PAR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector
	Regressed Eyeball ERT711 Regressed Eyeball, 50W PAR30, OD: 8" [203mm] ERT711=High Gloss Appliance White Trim and Eyeball with Black Baffle
	Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens
	ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens
	White Cone Reflector ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm] ERT712=High Gloss Appliance White Trim with White Reflector ERT712TS=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.



Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES

- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Insulation Contact



EI700R

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^A

SAMPLE NUMBER: EI700R - ERT707WHT

Housing	Trims
EI700R=6" Aperture, Remodel, IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716=High Gloss Appliance White Trim with White Baffle Full Cone Metal Baffle ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713=High Gloss Appliance White Trim with Black Baffle ERT713TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT713L=High Gloss Appliance White Trim with Black Baffle ERT713LTS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713WHT=High Gloss Appliance White Trim with White Baffle ERT713WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm] ERT725=High Gloss Appliance White Trim with Black Baffle ERT725TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT725WHT=High Gloss Appliance White Trim with White Baffle ERT725WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction Reflectors ERT710 Specular Reflector, 75W R30, 65W BR30, 50W PAR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens White Cone Reflector ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm] ERT712=High Gloss Appliance White Trim with White Reflector ERT712TS=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: ^A Not to be used in direct contact with spray foam insulation. ^Δ UL/cUL Listed for Wet Location with select trims.

6-INCH INCANDESCENT NEW CONSTRUCTION ICAT





EI700AT

FEATURES

- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- Quick Connect wiring connectors included in junction box
- NM cable pry-outs and conduit knockouts in junction box
- AIR-TITE™
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^Δ

SAMPLE NUMBER: EI700AT - ERT707WHT

Housing	Trims
EI700AT=6" Aperture, New Construction, IC, AIR-TITE™, 120V Line Voltage	Adjustables ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball
	Baffles ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim
	ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle
	ERT714 Plastic Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle
	ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716=High Gloss Appliance White Trim with White Baffle
	Full Cone Metal Baffle ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713=High Gloss Appliance White Trim with Black Baffle ERT713TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT713L=High Gloss Appliance White Trim with Black Baffle ERT713LTS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713WHT=High Gloss Appliance White Trim with White Baffle ERT713WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm] ERT725=High Gloss Appliance White Trim with Black Baffle ERT725TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT725WHT=High Gloss Appliance White Trim with White Baffle ERT725WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	Reflectors ERT710 Specular Reflector, 75W R30, 65W BR30, 50W PAR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector
	Regressed Eyeball ERT711 Regressed Eyeball, 50W PAR30, OD: 8" [203mm] ERT711=High Gloss Appliance White Trim and Eyeball with Black Baffle
	Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens
	ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens
	White Cone Reflector ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm] ERT712=High Gloss Appliance White Trim with White Reflector ERT712TS=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: ^Δ Not to be used in direct contact with spray foam insulation. ^Δ UL/cUL Listed for Wet Location with select trims.


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES


- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283



EI700RAT

**ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^A**

SAMPLE NUMBER: EI700RAT - ERT707WHT

Housing	Trims
EI700RAT=6" Aperture, Remodel, IC, AIR-TITE™, 120V Line Voltage	Adjustables ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716=High Gloss Appliance White Trim with White Baffle Full Cone Metal Baffle ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713=High Gloss Appliance White Trim with Black Baffle ERT713TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT713L=High Gloss Appliance White Trim with Black Baffle ERT713LTS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713WHT=High Gloss Appliance White Trim with White Baffle ERT713WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm] ERT725=High Gloss Appliance White Trim with Black Baffle ERT725TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT725WHT=High Gloss Appliance White Trim with White Baffle ERT725WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction Reflectors ERT710 Specular Reflector, 50W PAR30, 75W PAR30L, 65W BR30, 75W R30, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens White Cone Reflector ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm] ERT712=High Gloss Appliance White Trim with White Reflector ERT712TS=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: ^A Not to be used in direct contact with spray foam insulation. ^Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

6-INCH INCANDESCENT NEW CONSTRUCTION ICAT





EI700ATNB

FEATURES

- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- Quick Connect wiring connectors included in junction box
- NM cable pry-outs and conduit knockouts in junction box
- AIR-TITE™
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected
- Designed without a socket bracket, for socket supporting trims only

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^Δ

SAMPLE NUMBER: EI700ATNB - ERT713WHT

Housing	Trims
EI700ATNB=6" Aperture, New Construction, IC, AIR-TITE™, 120V Line Voltage, No Socket Bracket	Adjustables ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT704= High Gloss Appliance White Trim with White Eyeball
	Baffles ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT705= High Gloss Appliance White Trim
	ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716= High Gloss Appliance White Trim with White Baffle
	Full Cone Metal Baffle ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713= High Gloss Appliance White Trim with Black Baffle ERT713TS= High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT713L= High Gloss Appliance White Trim with Black Baffle ERT713LTS= High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713WHT= High Gloss Appliance White Trim with White Baffle ERT713WHTTS= High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm] ERT725= High Gloss Appliance White Trim with Black Baffle ERT725TS= High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT725WHT= High Gloss Appliance White Trim with White Baffle ERT725WHTTS= High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	Regressed Eyeball ERT711 Regressed Eyeball, 65W BR30, 75W R30, OD: 8" [203mm] ERT711= High Gloss Appliance White Trim and Eyeball with Black Baffle
	Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT721= High Gloss Appliance White Trim with Frosted Glass Lens
	ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT723= High Gloss Appliance White Trim with Fresnel Glass Lens
	White Cone Reflector ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm] ERT712= High Gloss Appliance White Trim with White Reflector ERT712TS= High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES

- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Quick Connect wiring connectors included in junction box
- Housing may be removed from plaster frame for junction box access
- Designed without a socket bracket, for socket supporting trims only
- Die-formed housing and plaster frame
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact



EI700NB

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^A

SAMPLE NUMBER: EI700NB - ERT713WHT

Housing	Trims
EI700NB=6" Aperture, New Construction, IC, 120V Line Voltage, No-Socket Bracket	Adjustables ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716=High Gloss Appliance White Trim with White Baffle Full Cone Metal Baffle ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713=High Gloss Appliance White Trim with Black Baffle ERT713TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT713L=High Gloss Appliance White Trim with Black Baffle ERT713LTS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713WHT=High Gloss Appliance White Trim with White Baffle ERT713WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm] ERT725=High Gloss Appliance White Trim with Black Baffle ERT725TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT725WHT=High Gloss Appliance White Trim with White Baffle ERT725WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction Regressed Eyeball ERT711 Regressed Eyeball, 65W BR30, 75W R30, OD: 8" [203mm] ERT711=High Gloss Appliance White Trim and Eyeball with Black Baffle Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens White Cone Reflector ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm] ERT712=High Gloss Appliance White Trim with White Reflector ERT712TS=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: ^A Not to be used in direct contact with spray foam insulation. ^Δ UL/cUL Listed for Wet Location with select trims.


ERT710 Specular Reflector



ERT710 High Gloss Appliance White Trim with Clear Specular Reflector



ERT710G High Gloss Appliance White Trim with Gold Reflector



HOUSING / LAMP:

EI700: 75W R30, 65W BR30, 50W PAR30, 75W PAR30L
EI700AT: 75W R30, 65W BR30, 50W PAR30, 75W PAR30L
EI700R: 50W PAR30, 75W PAR30L, 65W BR30, 75W R30
EI700RAT: 50W PAR30, 75W PAR30L, 65W BR30, 75W R30

DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]



ERT712 White Reflector



ERT712TS High Gloss Appliance White Trim with White Reflector, Torsion Spring



ERT712 High Gloss Appliance White Trim with White Reflector



HOUSING / LAMP:

EI700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700AT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700ATNB: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700NB: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700R: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700RAT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]


ERT707 Metal Baffle



ERT707WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings



ERT707 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim Rings



HOUSING / LAMP:

EI700: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI700AT: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI700R: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI700RAT: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm];
Wide OD: 8" [203mm];
Narrow OD: 7-1/4" [184mm], Two Trim Rings,
Narrow and Wide, Supplied with Trim



ERT713 Black Metal Baffle



ERT713 High Gloss Appliance White Trim with Black Baffle



ERT713TS High Gloss White Trim with Black Baffle Torsion Spring Construction



HOUSING / LAMP:

EI700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40
EI700AT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40
EI700ATNB: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700NB: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700R: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700RAT: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40

DIMENSIONS: Height: 5" [127mm]; OD: 7-1/4" [184mm]



ERT713L Black Metal Baffle



ERT713L High Gloss Appliance White Trim with Black Baffle



ERT713LTS High Gloss White Trim with Black Baffle Torsion Spring Construction



HOUSING / LAMP:

EI700: 75W BR40, 65W BR30, 75W PAR30L
EI700AT: 75W BR40, 65W BR30, 75W PAR30L
EI700ATNB: 75W BR40, 65W BR30, 75W PAR30L
EI700NB: 75W BR40, 65W BR30, 75W PAR30L
EI700R: 75W BR40, 65W BR30, 75W PAR30L
EI700RAT: 75W BR40, 65W BR30, 75W PAR30L

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]



ERT713WHT White Metal Baffle



ERT713WHT High Gloss Appliance White Trim with White Baffle



ERT713WHTTS High Gloss White Trim with White Baffle Torsion Spring Construction



HOUSING / LAMP:

EI700: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700AT: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700ATNB: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700NB: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700R: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700RAT: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]


ERT714 Plastic Baffle



ERT714WHT High Gloss Appliance White Trim with White Baffle



ERT714 High Gloss Appliance White Trim with Black Baffle



HOUSING / LAMP:


EI700: 50W PAR30, 65W BR30, 75W PAR30L
EI700AT: 50W PAR30, 65W BR30, 75W PAR30L
EI700R: 50W PAR30, 65W BR30, 75W PAR30L
EI700RAT: 50W PAR30, 65W BR30, 75W PAR30L

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT716 Shallow Metal Baffle



ERT716WHT High Gloss Appliance White Trim with White Baffle



HOUSING / LAMP:


EI700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700AT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700ATNB: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700NB: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700R: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700RAT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT704 Eyeball



ERT704 High Gloss Appliance White Trim with White Eyeball




HOUSING / LAMP:

EI700: 75W R30, 65W BR30, 75W PAR30L
EI700AT: 75W R30, 65W BR30, 75W PAR30L
EI700ATNB: 75W R30, 65W BR30, 75W PAR30L
EI700NB: 75W R30, 65W BR30, 75W PAR30L
EI700R: 75W R30, 65W BR30, 75W PAR30L
EI700RAT: 75W R30, 65W BR30, 75W PAR30L

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT711 Regressed Eyeball

ERT711 High Gloss
Appliance White Trim and
Eyeball with Black Baffle


**HOUSING / LAMP:**

EI700: 50W PAR30
EI700AT: 50W PAR30
EI700ATNB: 65W BR30, 75W R30
EI700NB: 65W BR30, 75W R30

DIMENSIONS: Height: 3" [76mm]; OD: 8" [203mm]

ERT705 Open

ERT705 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

EI700: 65W BR30, 75W PAR30, 75W PAR30L
EI700AT: 65 W BR30, 75W PAR30, 75W PAR30L
EI700ATNB: 65 W BR30, 75W PAR30, 75W PAR30L
EI700NB: 65 W BR30, 75W PAR30, 75W PAR30L
EI700R: 65 W BR30, 75W PAR30, 75W PAR30L
EI700RAT: 65 W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss
Appliance White Trim with
Frosted Glass Lens


**HOUSING / LAMP:**

EI700: 40W A19
EI700AT: 40W A19
EI700ATNB: 40W A19
EI700NB: 40W A19
EI700R: 40W A19
EI700RAT: 40W A19


DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT725 Black Metal Baffle/Splay

ERT725 High Gloss
Appliance White Trim with
Black Baffle



ERT725TS High Gloss
White Trim with Black
Baffle Torsion Spring
Construction


**HOUSING / LAMP:**

EI700: 50W PAR30L, 65W BR30
EI700AT: 50W PAR30L, 65W BR30
EI700ATNB: 50W PAR30L, 65W BR30
EI700NB: 50W PAR30L, 65W BR30
EI700R: 50W PAR30L, 65W BR30
EI700RAT: 50W PAR30L, 65W BR30


DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT725WHT White Metal Baffle/Splay

ERT725WHT High Gloss
Appliance White Trim with
White Baffle



ERT725WHTTS High
Gloss Appliance White
Trim with White Baffle,
Torsion Spring


**HOUSING / LAMP:**

EI700: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700AT: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700ATNB: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700NB: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700R: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700RAT: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT723 Showerlight with Fresnel Lens and Reflector

ERT723 High Gloss
Appliance White Trim with
Fresnel Glass Lens

**HOUSING / LAMP:**

EI700: 40W A19
EI700AT: 40W A19
EI700ATNB: 40W A19
EI700NB: 40W A19
EI700R: 40W A19
EI700RAT: 40W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

6-INCH INCANDESCENT NEW CONSTRUCTION IC





EI700U

FEATURES

- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^Δ

SAMPLE NUMBER: EI700U - ERT707WHT

Housing	Trims
EI700U =6" Aperture, New Construction, IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 8" [203mm] ERT704 =High Gloss Appliance White Trim with White Eyeball
	Baffles ERT705 Open, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 8" [203mm] ERT705 =High Gloss Appliance White Trim
	ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40, OD: 7-1/4" [184mm] ERT707 =High Gloss Appliance White Trim with Black Baffle ERT707WHT =High Gloss Appliance White Trim with White Baffle
	ERT709 Large Aperture Metal Baffle, 90W BR40, OD: 7-1/4" [184mm] ERT709 =High Gloss Appliance White Trim with Black Baffle ERT709WHT =High Gloss Appliance White Trim with White Baffle
	ERT714 Plastic Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT714 =High Gloss Appliance White Trim with Black Baffle ERT714WHT =High Gloss Appliance White Trim with White Baffle
	Full Cone Metal Baffle ERT713 Black Metal Baffle, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40, OD: 7-1/4" [184mm] ERT713 =High Gloss Appliance White Trim with Black Baffle ERT713TS =High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713L Black Metal Baffle, 40W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40, OD: 7-1/4" [184mm] ERT713L =High Gloss Appliance White Trim with Black Baffle ERT713LTS =High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713WHT White Metal Baffle, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40, OD: 7-1/4" [184mm] ERT713WHT =High Gloss Appliance White Trim with White Baffle ERT713WHTTS =High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	ERT725 Black Metal Baffle/Splay, 40W A19, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm] ERT725 =High Gloss Appliance White Trim with Black Baffle ERT725TS =High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT725WHT White Metal Baffle/Splay, 60W A19, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm] ERT725WHT =High Gloss Appliance White Trim with White Baffle ERT725WHTTS =High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	Lenses and Diffusers ERT701 Albalite Glass Lens Showerlight, 40W A19, OD: 8" [203mm] ERT701 =High Gloss Appliance White Trim with Albalite Lens
	ERT702 Drop Opal Plastic Lens Showerlight, 40W A19, OD: 8" [203mm] ERT702 =High Gloss Appliance White Trim with Drop Opal Glass Lens

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES



- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283



6-INCH INCANDESCENT NEW CONSTRUCTION ICAT



EI700UAT

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^Δ

SAMPLE NUMBER: EI700UAT - ERT707WHT

Housing	Trims
EI700UAT=6" Aperture, New Construction, IC AIR-TITE™, 120V Line Voltage	Adjustables ERT704 Eyeball, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball
	Baffles ERT705 Open, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim
	ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle
	ERT709 Large Aperture Metal Baffle, 90W BR40, OD: 7-1/4" [184mm] ERT709=High Gloss Appliance White Trim with Black Baffle ERT709WHT=High Gloss Appliance White Trim with White Baffle
	ERT714 Plastic Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle
	Full Cone Metal Baffle ERT713 Black Metal Baffle, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40, OD: 7-1/4" [184mm] ERT713=High Gloss Appliance White Trim with Black Baffle ERT713TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713L Black Metal Baffle, 40W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40, OD: 7-1/4" [184mm] ERT713L=High Gloss Appliance White Trim with Black Baffle ERT713LTS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713WHT White Metal Baffle, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40, OD: 7-1/4" [184mm] ERT713WHT=High Gloss Appliance White Trim with White Baffle ERT713WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	ERT725 Black Metal Baffle/Splay, 40W A19, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm] ERT725=High Gloss Appliance White Trim with Black Baffle ERT725TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT725WHT White Metal Baffle/Splay, 60W A19, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm] ERT725WHT=High Gloss Appliance White Trim with White Baffle ERT725WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	Lenses and Diffusers ERT701 Albalite Glass Lens Showerlight, 40W A19, OD: 8" [203mm] ERT701=High Gloss Appliance White Trim with Albalite Lens ERT702 Drop Opal Plastic Lens Showerlight, 40W A19, OD: 8" [203mm] ERT702=High Gloss Appliance White Trim with Drop Opal Glass Lens ERT703 Fresnel Glass Lens Showerlight, 40W A19, OD: 8" [203mm] ERT703=High Gloss Appliance White Trim with Fresnel Glass Lens
	Open ERT708 Large Aperture Open, 100W R40 (Requires H1999 Socket Extender), OD: 8" [203mm] ERT708=High Gloss Appliance White Trim
	Reflectors ERT710 Specular Reflector, 75W PAR30, 75W PAR30L, 85W BR30, 90W BR40, 100W R30, 100W R40, 100W PAR38, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector
	Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens
	White Cone Reflector ERT712 White Reflector, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40, OD: 7-1/4" [184mm] ERT712=High Gloss Appliance White Trim with White Reflector ERT712TS=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction


NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

ERT710 Specular Reflector

ERT710 High Gloss
Appliance White Trim with
Clear Specular Reflector



ERT710G High Gloss
Appliance White Trim with
Gold Reflector

**HOUSING / LAMP:**

EI700U: 75W PAR30, 75W PAR30L, 85W BR30, 90W BR40, 100W R30, 100W R40, 100W PAR38
EI700UAT: 75W PAR30, 75W PAR30L, 85W BR30, 90W BR40, 100W R30, 100W R40, 100W PAR38



DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]

ERT712 White Reflector

ERT712TS High Gloss
Appliance White Trim with
White Reflector, Torsion
Spring



ERT712 High Gloss
Appliance White Trim with
White Reflector

**ERT712****HOUSING / LAMP:**

EI700U: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40
EI700UAT: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40


DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT707 Metal Baffle

ERT707WHT High Gloss
Appliance White Trim with
White Baffle, Narrow and
Wide Trim Rings



ERT707 High Gloss
Appliance White Trim with
Black Baffle, Narrow and
Wide Trim Rings

**HOUSING / LAMP:**

EI700U: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40
EI700UAT: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40


DIMENSIONS: Height: 2-7/8" [73mm]; Wide OD: 8" [203mm];
Narrow OD: 7-1/4" [184mm], Two Trim Rings,
Narrow and Wide, Supplied with Trim

ERT709 Large Aperture Metal Baffle

ERT709WHT High Gloss
Appliance White Trim with
White Baffle, Narrow and
Wide Trim Rings



ERT709 High Gloss
Appliance White Trim with
Black Baffle, Narrow and
Wide Trim Rings

**HOUSING / LAMP:**

EI700U: 90W BR40
EI700UAT: 90W BR40



DIMENSIONS: Height: 2-5/8" [67mm]; Wide OD: 8" [203mm];
Narrow OD: 7-1/4" [184mm], Two Trim Rings,
Narrow and Wide, Supplied with Trim

ERT713 Black Metal Baffle

ERT713 High Gloss
Appliance White Trim with
Black Baffle



ERT713TS High Gloss
Appliance White Trim with
Black Baffle Torsion Spring
Construction

**ERT713****HOUSING / LAMP:**

EI700U: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40
EI700UAT: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40



DIMENSIONS: Height: 5" [127mm];
OD: 7-1/4" [184mm]

ERT713L Black Metal Baffle

ERT713L High Gloss
Appliance White Trim with
Black Baffle



ERT713LTS High Gloss
Appliance White Trim with
Black Baffle Torsion Spring
Construction

**ERT713LTS****HOUSING / LAMP:**

EI700U: 40W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40
EI700UAT: 40W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40



DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT713WHT White Metal Baffle

ERT713WHT High Gloss
Appliance White Trim with
White Baffle



ERT713WHTTS High
Gloss White Trim with
White Baffle Torsion
Spring Construction

**ERT713WHT****HOUSING / LAMP:**

EI700U: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40
EI700UAT: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40


DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT714 Plastic Baffle

ERT714WHT High Gloss
Appliance White Trim with
White Baffle



ERT714 High Gloss
Appliance White Trim with
Black Baffle

**HOUSING / LAMP:**

EI700U: 65W BR30, 75W PAR30, 75W PAR30L
EI700UAT: 65W BR30, 75W PAR30, 75W PAR30L



DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT725 Black Metal Baffle/Splay

ERT725 High Gloss
Appliance White Trim with
Black Baffle



ERT725TS High Gloss
White Trim with Black
Baffle Torsion Spring
Construction

**ERT725****HOUSING / LAMP:**

EI700U: 40W A19, 75W PAR30L, 85W BR30, 100W R30
EI700UAT: 40W A19, 75W PAR30L, 85W BR30, 100W R30



DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT725WHT White Metal Baffle/Splay

ERT725WHT High Gloss
Appliance White Trim with
White Baffle



ERT725WHTTS High
Gloss Appliance White
Trim with White Baffle,
Torsion Spring


**ERT725WHT****HOUSING / LAMP:**

EI700U: 60W A19, 75W PAR30L,
85W BR30, 100W R30
EI700UAT: 60W A19, 75W PAR30L,
85W BR30, 100W R30

DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT704 Eyeball

ERT704 High Gloss
Appliance White Trim with
White Eyeball


**HOUSING / LAMP:**

EI700U: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30
EI700UAT: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT705 Open

ERT705 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

EI700U: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30
EI700UAT: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT708 Large Aperture Open

ERT708 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

EI700U: 100W R40
(Requires H1999 Socket Extender)
EI700UAT: 100W R40 (Requires H1999 Socket Extender)

DIMENSIONS: Height: 5-3/16" [131mm]; OD: 8" [203mm]

ERT701 Albalite Glass Lens Showerlight

ERT701 High Gloss
Appliance White Trim with
Albalite Glass Lens


**HOUSING / LAMP:**

EI700U: 40W A19
EI700UAT: 40W A19

DIMENSIONS: OD: 8" [203mm]

ERT702 Drop Opal Plastic Lens Showerlight

ERT702 High Gloss
Appliance White Trim with
Drop Opal Lens


**HOUSING / LAMP:**

EI700U: 40W A19
EI700UAT: 40W A19

DIMENSIONS: OD: 8" [203mm]

ERT703 Fresnel Glass Lens Showerlight

ERT703 High Gloss
Appliance White Trim with
Fresnel Glass Lens


**HOUSING / LAMP:**

EI700U: 40W A19
EI700UAT: 40W A19

DIMENSIONS: OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss
Appliance White Trim with
Frosted Glass Lens

**HOUSING / LAMP:**

EI700U: 60W A19
EI700UAT: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT723 Showerlight with Fresnel Lens and Reflector

ERT723 High Gloss
Appliance White Trim with
Fresnel Glass Lens

**HOUSING / LAMP:**

EI700U: 60W A19
EI700UAT: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

6-INCH INCANDESCENT SHALLOW NEW CONSTRUCTION HOUSING IC





EI2700

FEATURES

- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Shallow ceiling housing
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^Δ

SAMPLE NUMBER: EI2700 - ERT707WHT

Housing	Trims
EI2700=6" Aperture, Shallow Ceiling, New Construction, IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 65W BR30, 50W PAR30, 75W PAR30L, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716WHT=High Gloss Appliance White Trim with White Baffle Open ERT705 Open, 50W PAR30L, 60W BR30, 75W PAR30, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim Reflectors ERT710 Specular Reflector, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 35W PAR30L, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 35W PAR30L, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES

- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Insulation Contact



EI2700R

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^Δ

SAMPLE NUMBER: EI2700R - ERT707WHT

Housing	Trims
EI2700R=6" Aperture, Shallow Ceiling, Remodel, IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT707 Metal Baffle, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 60W BR30, 50W PAR30, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716WHT=High Gloss Appliance White Trim with White Baffle Open ERT705 Open, 50W PAR30L, 60W BR30, 75W PAR30, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim Reflectors ERT710 Specular Reflector, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

6-INCH INCANDESCENT SHALLOW NEW CONSTRUCTION HOUSING ICAT





EI2700AT

FEATURES

- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^Δ

SAMPLE NUMBER: EI2700AT - ERT707WHT

Housing	Trims
EI2700AT=6" Aperture, Shallow Ceiling, New Construction, IC AIR-TITE™, 120V Line Voltage	Adjustables ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 65W BR30, 50W PAR30, 75W PAR30L, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716WHT=High Gloss Appliance White Trim with White Baffle Open ERT705 Open, 50W PAR30L, 60W BR30, 75W PAR30, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim Reflectors ERT710 Specular Reflector, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 35W PAR30L, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 35W PAR30L, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens


NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

ERT710 Specular Reflector

ERT710 High Gloss
Appliance White Trim with
Clear Specular Reflector

ERT710G High Gloss
Appliance White Trim with
Gold Reflector

**HOUSING / LAMP:**


EI2700: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI2700AT: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI2700R: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]

ERT707 Metal Baffle

ERT707WHT High Gloss
Appliance White Trim with
White Baffle, Narrow and
Wide Trim Rings

ERT707 High Gloss
Appliance White Trim with
Black Baffle, Narrow and
Wide Trim Rings

**HOUSING / LAMP:**


EI2700: 50W PAR30, 65W BR30, 75W PAR30L
EI2700AT: 50W PAR30, 65W BR30, 75W PAR30L
EI2700R: 65W BR30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm]; Wide OD: 8" [203mm];
Narrow OD: 7-1/4" [184mm], Two Trim Rings,
Narrow and Wide, Supplied with Trim

ERT714 Plastic Baffle

ERT714WHT High Gloss
Appliance White Trim with
White Baffle

ERT714 High Gloss
Appliance White Trim with
Black Baffle

**HOUSING / LAMP:**

EI2700: 65W BR30, 50W PAR30, 75W PAR30L
EI2700AT: 65W BR30, 50W PAR30, 75W PAR30L
EI2700R: 50W PAR30, 60W BR30

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT716 Shallow Metal Baffle

ERT716WHT High Gloss
Appliance White Trim with
White Baffle


**HOUSING / LAMP:**

EI2700: 65W BR30, 75W PAR30, 75W PAR30L
EI2700AT: 65W BR30, 75W PAR30, 75W PAR30L
EI2700R: 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT704 Eyeball

ERT704 High Gloss
Appliance White Trim with
White Eyeball


**HOUSING / LAMP:**

EI2700: 65W BR30, 75W R30, 75W PAR30L
EI2700AT: 65W BR30, 75W R30, 75W PAR30L
EI2700R: 65W BR30, 75W R30, 75W PAR30L

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT705 Open

ERT705 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

EI2700: 50W PAR30L, 60W BR30, 75W PAR30
EI2700AT: 50W PAR30L, 60W BR30, 75W PAR30
EI2700R: 60W BR30

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss
Appliance White Trim with
Frosted Glass Lens


**HOUSING / LAMP:**

EI2700: 35W PAR30L
EI2700AT: 35W PAR30L
EI2700R: 40W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT723 Showerlight with Fresnel Lens and Reflector

ERT723 High Gloss
Appliance White Trim with
Fresnel Glass Lens

**HOUSING / LAMP:**

EI2700: 35W PAR30L
EI2700AT: 35W PAR30L
EI2700R: 40W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

6-INCH INCANDESCENT SHALLOW NEW CONSTRUCTION HOUSING NON - IC





ET2700

FEATURES

- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, IP Rated



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^Δ

SAMPLE NUMBER: ET2700 - ERT707WHT

Housing	Trims
ET2700=6" Aperture, Shallow Ceiling, New Construction, Non-IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 75W R30, 75W PAR30, 85W BR30, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716WHT=High Gloss Appliance White Trim with White Baffle Open ERT706 Open, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT706=High Gloss Appliance White Trim ERT708 Large Aperture Open, 120W BR40, 150W R40, OD: 8" [203mm] ERT708=High Gloss Appliance White Trim Reflectors ERT710 Specular Reflector, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector Showerlight ERT701 Albalite Glass Lens Showerlight, 60W A19, OD: 8" [203mm] ERT701=High Gloss Appliance White Trim with Albalite Lens ERT702 Drop Opal Plastic Lens Showerlight, 60W A19, OD: 8" [203mm] ERT702=High Gloss Appliance White Trim with Drop Opal Glass Lens ERT703 Fresnel Glass Lens Showerlight, 60W A19, OD: 8" [203mm] ERT703=High Gloss Appliance White Trim with Fresnel Glass Lens

NOTES: Δ UL/cUL Listed for Wet Location with select trims.



Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES

- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box
- Shallow ceiling housing

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, IP Rated

**6-INCH INCANDESCENT SHALLOW REMODEL HOUSING NON - IC****ET2700R****ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^A**

SAMPLE NUMBER: ET2700R - ERT707WHT

Housing	Trims
ET2700R=6" Aperture, Shallow Housing, Remodel, Non-IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 75W PAR30, 75W PAR30L, 85W BR30, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716WHT=High Gloss Appliance White Trim with White Baffle Open ERT706 Open, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT706=High Gloss Appliance White Trim Reflectors ERT710 Specular Reflector, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 85W BR30, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector Showerlight ERT721 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens


NOTES: ^A UL/cUL Listed for Wet Location with select trims.

ERT710 Specular Reflector

ERT710 High Gloss
Appliance White Trim with
Clear Specular Reflector



ERT710G High Gloss
Appliance White Trim with
Gold Reflector

**HOUSING / LAMP:**

ET2700: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30
ET2700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 85W BR30


DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]

ERT707 Metal Baffle

ERT707WHT High Gloss
Appliance White Trim with
White Baffle, Narrow and
Wide Trim Rings



ERT707 High Gloss
Appliance White Trim with
Black Baffle, Narrow and
Wide Trim Rings

**HOUSING / LAMP:**

ET2700: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L
ET2700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L


DIMENSIONS: Height: 2-7/8" [73mm]; Wide OD: 8" [203mm];
Narrow OD: 7-1/4" [184mm], Two Trim Rings,
Narrow and Wide, Supplied with Trim

ERT714 Plastic Baffle

ERT714WHT High Gloss
Appliance White Trim with
White Baffle



ERT714 High Gloss
Appliance White Trim with
Black Baffle


**HOUSING / LAMP:**

ET2700: 75W R30, 75W PAR30, 85W BR30
ET2700R: 75W PAR30, 75W PAR30L, 85W BR30

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT704 Eyeball

ERT704 High Gloss
Appliance White Trim with
White Eyeball


**HOUSING / LAMP:**

ET2700: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L
ET2700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT716 Shallow Metal Baffle

ERT716WHT High Gloss
Appliance White Trim with
White Baffle


**HOUSING / LAMP:**

ET2700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
ET2700R: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT706 Open

ERT706 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

ET2700: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L
ET2700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT708 Large Aperture Open

ERT708 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

ET2700: 120W BR40, 150W R40

DIMENSIONS: Height: 5-3/16" [131mm]; OD: 8" [203mm]

ERT701 Albalite Glass Lens Showerlight

ERT701 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

ET2700: 60W A19

DIMENSIONS: OD: 8" [203mm]

ERT702 Drop Opal Plastic Lens Showerlight

ERT702 High Gloss
Appliance White Trim with
Drop Opal Lens


**HOUSING / LAMP:**

ET2700: 60W A19

DIMENSIONS: OD: 8" [203mm]

ERT703 Fresnel Glass Lens Showerlight

ERT703 High Gloss
Appliance White Trim with
Fresnel Glass Lens


**HOUSING / LAMP:**

ET2700: 60W A19

DIMENSIONS: OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss
Appliance White Trim with
Frosted Glass Lens


**HOUSING / LAMP:**

ET2700: 60W A19
ET2700R: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT723 Showerlight with Fresnel Lens and Reflector

ERT723 High Gloss
Appliance White Trim with
Fresnel Glass Lens

**HOUSING / LAMP:**

ET2700: 60W A19
ET2700R: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

6-INCH INCANDESCENT NEW CONSTRUCTION NON - IC





ET700

FEATURES

- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, IP Rated

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^A

SAMPLE NUMBER: ET700 - ERT707WHT

Housing	Trims
ET700=6" Aperture, New Construction, Non-IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT705 Open, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim ERT706 Open, 65W BR30, 75W R30, 75W PAR30, OD: 8" [203mm] ERT706=High Gloss Appliance White Trim ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT709 Large Aperture Metal Baffle, 120W R40, 120W PAR38, OD: 7-1/4" [184mm] ERT709=High Gloss Appliance White Trim with Black Baffle ERT709WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 75W R30, 75W PAR30, 75W PAR30L, 85W BR30, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716WHT=High Gloss Appliance White Trim with White Baffle ERT717 Large Aperture Plastic Baffle, 150W PAR38, 120W BR40, 150W R40, OD: 8" [203mm] ERT717WHT=High Gloss Appliance White Trim with White Baffle Full Cone Metal Baffle ERT713 Black Metal Baffle, 75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40, OD: 7-1/4" [184mm] ERT713=High Gloss Appliance White Trim with Black Baffle ERT713TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713L Black Metal Baffle, 75W A19, 75W PAR30L, 75W PAR30, 85W BR30, 100W R30, 120W BR40, 150W R40, OD: 7-1/4" [184mm] ERT713L=High Gloss Appliance White Trim with Black Baffle ERT713LTS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713WHT White Metal Baffle, 75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40, OD: 7-1/4" [184mm] ERT713WHT=High Gloss Appliance White Trim with White Baffle ERT713WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction ERT725 Black Metal Baffle/Splay, 50W PAR30L, 85W BR30, 90W A19, 100W R30, OD: 7-1/4" [184mm] ERT725=High Gloss Appliance White Trim with Black Baffle ERT725TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT725WHT White Metal Baffle/Splay, 50W PAR30L, 75W PAR30L, 85W BR30, 90W A19, 100W R30, OD: 7-1/4" [184mm] ERT725WHT=High Gloss Appliance White Trim with White Baffle ERT725WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	Lenses and Diffusers ERT701 Albalite Glass Lens Showerlight, 60W A19, OD: 8" [203mm] ERT701=High Gloss Appliance White Trim ERT702 Drop Opal Plastic Lens Showerlight, 60W A19, OD: 8" [203mm] ERT702=High Gloss Appliance White Trim with Drop Opal Glass Lens ERT703 Fresnel Glass Lens Showerlight, 60W A19, OD: 8" [203mm] ERT703=High Gloss Appliance White Trim with Fresnel Glass Lens Open ERT708 Large Aperture Open, 120W BR40, 150W R40, OD: 8" [203mm] ERT708=High Gloss Appliance White Trim Reflectors ERT710 Specular Reflector, 65W BR30, 75W R30, 75W PAR30, 150W R40, 150W PAR38, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector Regressed Eyeball ERT711 Regressed Eyeball, 65W BR30, 75W R30, 75W PAR30, OD: 8" [203mm] ERT711=High Gloss Appliance White Trim and Eyeball with Black Baffle Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens White Cone Reflector ERT712 White Reflector, 85W BR30, 120W BR40, 100W R30, 75W PAR30L, 100W A19, OD: 7-1/4" [184mm] ERT712=High Gloss Appliance White Trim with White Reflector ERT712TS=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: ^A UL/cUL Listed for Wet Location with select trims.


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES

- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, IP Rated



ET700R

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^A

SAMPLE NUMBER: ET700R - ERT707WHT


Housing	Trims
ET700R=6" Aperture, Remodel, Non-IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT706 Open, 65W R30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT706=High Gloss Appliance White Trim ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 75W R30, 75W PAR30L, 85W BR30, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716WHT=High Gloss Appliance White Trim with White Baffle ERT717 Large Aperture Plastic Baffle, 150W R40, 120W BR40, OD: 8" [203mm] ERT717WHT=High Gloss Appliance White Trim with White Baffle Full Cone Metal Baffle ERT713 Black Metal Baffle, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT713=High Gloss Appliance White Trim with Black Baffle ERT713TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713L Black Metal Baffle, 65W BR30, 75W PAR30L, 150W R40, OD: 7-1/4" [184mm] ERT713L=High Gloss Appliance White Trim with Black Baffle ERT713LTS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713WHT White Metal Baffle, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT713WHT=High Gloss Appliance White Trim with White Baffle ERT713WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction ERT725 Black Metal Baffle/Splay, 50W PAR30L, 85W BR30, 90W A19, 100W R30, OD: 7-1/4" [184mm] ERT725=High Gloss Appliance White Trim with Black Baffle ERT725TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT725WHT White Metal Baffle/Splay, 50W PAR30L, 75W PAR30L, 85W BR30, 90W A19, 100W R30, OD: 7-1/4" [184mm] ERT725WHT=High Gloss Appliance White Trim with White Baffle ERT725WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction Lenses and Diffusers ERT701 Albalite Glass Lens Showerlight, 60W A19, OD: 8" [203mm] ERT701=High Gloss Appliance White Trim ERT702 Drop Opal Plastic Lens Showerlight, 60W A19, OD: 8" [203mm] ERT702=High Gloss Appliance White Trim with Drop Opal Glass Lens ERT703 Fresnel Glass Lens Showerlight, 60W A19, OD: 8" [203mm] ERT703=High Gloss Appliance White Trim with Fresnel Glass Lens Open ERT708 Large Aperture Open, 120W BR40, 150W R40, OD: 8" [203mm] ERT708=High Gloss Appliance White Trim Reflectors ERT710 Specular Reflector, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 150W R40, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens White Cone Reflector ERT712 White Reflector, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT712=High Gloss Appliance White Trim with White Reflector ERT712TS=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: ^A UL/cUL Listed for Wet Location with select trims.

ERT710 Specular Reflector

ERT710 High Gloss Appliance White Trim with Clear Specular Reflector

ERT710G High Gloss Appliance White Trim with Gold Reflector

**HOUSING / LAMP:**

ET700: 65W BR30, 75W R30, 75W PAR30, 150W R40, 150W PAR38



ET700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 150W R40

DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]

ERT712 White Reflector

ERT712TS High Gloss Appliance White Trim with White Reflector, Torsion Spring

ERT712 High Gloss Appliance White Trim with White Reflector

**HOUSING / LAMP:**

ET700: 85W BR30, 120W BR40, 100W R30, 75W PAR30L, 100W A19


ET700R: 65W BR30, 75W PAR30L

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT707 Metal Baffle

ERT707WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings

ERT707 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim Rings

**HOUSING / LAMP:**

ET700: 65W BR30, 75W R30, 75W PAR30


ET700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm]; Wide OD: 8" [203mm]; Narrow OD: 7-1/4" [184mm]

ERT709 Large Aperture Metal Baffle

ERT709WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings

ERT709 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim Rings

**HOUSING / LAMP:**



ET700: 120W R40, 120W PAR38

DIMENSIONS: Height: 2-5/8" [67mm]; Wide OD: 8" [203mm]; Narrow OD: 7-1/4" [184mm]

ERT713 Black Metal Baffle

ERT713 High Gloss Appliance White Trim with Black Baffle

ERT713TS High Gloss White Trim with Black Baffle Torsion Spring Construction

**HOUSING / LAMP:**

ET700: 75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40



ET700R: 65W BR30, 75W PAR30L

DIMENSIONS: Height: 5" [127mm]; OD: 7-1/4" [184mm]

ERT713L Black Metal Baffle

ERT713L High Gloss Appliance White Trim with Black Baffle

ERT713LTS High Gloss White Trim with Black Baffle Torsion Spring Construction

**HOUSING / LAMP:**

ET700: 75W A19, 75W PAR30L, 75W PAR30, 85W BR30, 100W R30, 120W BR40, 150W R40



ET700R: 65W BR30, 75W PAR30L, 150W R40

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT713WHT White Metal Baffle

ERT713WHT High Gloss Appliance White Trim with White Baffle

ERT713WHTTS High Gloss White Trim with White Baffle Torsion Spring Construction

**HOUSING / LAMP:**

ET700: 75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40


ET700R: 65W BR30, 75W PAR30L

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT714 Plastic Baffle

ERT714WHT High Gloss Appliance White Trim with White Baffle

ERT714 High Gloss Appliance White Trim with Black Baffle

**HOUSING / LAMP:**


ET700: 75W R30, 75W PAR30, 75W PAR30L, 85W BR30

ET700R: 75W R30, 75W PAR30L, 85W BR30

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT717 Large Aperture Plastic Baffle

ERT717WHT High Gloss Appliance White Trim and White Baffle

**HOUSING / LAMP:**


ET700: 150W PAR38, 120W BR40, 150W R40

ET700R: 150W R40, 120W BR40

DIMENSIONS: Height: 2-3/4" [70mm]; OD: 8" [203mm]

ERT716 Shallow Metal Baffle

ERT716 High Gloss Appliance White Trim with White Baffle

**HOUSING / LAMP:**


ET700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L

ET700R: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT704 Eyeball

ERT704 High Gloss Appliance White Trim with White Eyeball

**HOUSING / LAMP:**


ET700: 75W R30, 75W PAR30, 75W PAR30L

ET700R: 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT711 Regressed Eyeball

ERT711 High Gloss Appliance White Trim and Eyeball with Black Baffle

**HOUSING / LAMP:**


ET700: 65W BR30, 75W R30, 75W PAR30

DIMENSIONS: Height: 3" [76mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

ERT706 Open

ERT706 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

ET700: 65W BR30, 75W R30, 75W PAR30
ET700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT708 Large Aperture Open

ERT708 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

ET700: 120W BR40, 150W R40
ET700R: 120W BR40, 150W R40

DIMENSIONS: Height: 5-3/16" [131mm]; OD: 8" [203mm]

ERT701 Albalite Glass Lens Showerlight

ERT701 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

ET700: 60W A19
ET700R: 60W A19

DIMENSIONS: OD: 8" [203mm]

ERT702 Drop Opal Plastic Lens Showerlight

ERT702 High Gloss
Appliance White Trim with
Drop Opal Lens


**HOUSING / LAMP:**

ET700: 60W A20
ET700R: 60W A20

DIMENSIONS: OD: 8" [203mm]

ERT703 Fresnel Glass Lens Showerlight

ERT703 High Gloss
Appliance White Trim with
Fresnel Glass Lens


**HOUSING / LAMP:**

ET700: 60W A21
ET700R: 60W A21

DIMENSIONS: OD: 8" [203mm]

ERT705 Open

ERT705 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

ET700: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss
Appliance White Trim with
Frosted Glass Lens

**HOUSING / LAMP:**

ET700: 60W A19
ET700R: 60W A19



DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT725 Black Metal Baffle/Splay

ERT725 High Gloss
Appliance White Trim with
Black Baffle



ERT725TS High Gloss
White Trim with Black
Baffle Torsion Spring
Construction

**HOUSING / LAMP:**

ET700: 50W PAR30L, 85W BR30,
90W A19, 100W R30,
ET700R: 50W PAR30L, 85W BR30,
90W A19, 100W R30,



DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT725WHT White Metal Baffle/Splay

ERT725WHT High Gloss
Appliance White Trim with
White Baffle



ERT725WHTS High
Gloss Appliance White
Trim with White Baffle,
Torsion Spring


**HOUSING / LAMP:**

ET700: 50W PAR30L, 75W PAR30L,
85W BR30, 90W A19, 100W R30
ET700R: 50W PAR30L, 75W PAR30L,
85W BR30, 90W A19, 100W R30

DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT723 Showerlight with Fresnel Lens and Reflector

ERT723 High Gloss
Appliance White Trim with
Fresnel Glass Lens

**HOUSING / LAMP:**

ET700: 60W A19
ET700R: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

6-INCH INCANDESCENT NEW CONSTRUCTION IC





EI700

FEATURES

- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, IP Rated



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^Δ

SAMPLE NUMBER: EI700 - ERT707WHT

Housing	Trims
EI700=6" Aperture, New Construction, IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball
	Baffles ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim
	ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle
	ERT714 Plastic Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle
	ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716=High Gloss Appliance White Trim with White Baffle
	Full Cone Metal Baffle ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713=High Gloss Appliance White Trim with Black Baffle ERT713TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT713L=High Gloss Appliance White Trim with Black Baffle ERT713LTS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713WHT=High Gloss Appliance White Trim with White Baffle ERT713WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm] ERT725=High Gloss Appliance White Trim with Black Baffle ERT725TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT725WHT=High Gloss Appliance White Trim with White Baffle ERT725WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	Reflectors ERT710 Specular Reflector, 75W R30, 65W BR30, 50W PAR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector
	Regressed Eyeball ERT711 Regressed Eyeball, 50W PAR30, OD: 8" [203mm] ERT711=High Gloss Appliance White Trim and Eyeball with Black Baffle
	Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens
	ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens
	White Cone Reflector ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm] ERT712=High Gloss Appliance White Trim with White Reflector ERT712TS=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES

- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Insulation Contact



EI700R

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^A

SAMPLE NUMBER: EI700R - ERT707WHT

Housing	Trims
EI700R=6" Aperture, Remodel, IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716=High Gloss Appliance White Trim with White Baffle Full Cone Metal Baffle ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713=High Gloss Appliance White Trim with Black Baffle ERT713TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT713L=High Gloss Appliance White Trim with Black Baffle ERT713LTS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713WHT=High Gloss Appliance White Trim with White Baffle ERT713WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm] ERT725=High Gloss Appliance White Trim with Black Baffle ERT725TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT725WHT=High Gloss Appliance White Trim with White Baffle ERT725WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction Reflectors ERT710 Specular Reflector, 75W R30, 65W BR30, 50W PAR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens White Cone Reflector ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm] ERT712=High Gloss Appliance White Trim with White Reflector ERT712TS=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: ^A Not to be used in direct contact with spray foam insulation. ^Δ UL/cUL Listed for Wet Location with select trims.

6-INCH INCANDESCENT NEW CONSTRUCTION ICAT





EI700AT

FEATURES

- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- Quick Connect wiring connectors included in junction box
- NM cable pry-outs and conduit knockouts in junction box
- AIR-TITE™
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^Δ

SAMPLE NUMBER: EI700AT - ERT707WHT

Housing	Trims
EI700AT=6" Aperture, New Construction, IC, AIR-TITE™, 120V Line Voltage	Adjustables ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball
	Baffles ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim
	ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle
	ERT714 Plastic Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle
	ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716=High Gloss Appliance White Trim with White Baffle
	Full Cone Metal Baffle ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713=High Gloss Appliance White Trim with Black Baffle ERT713TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT713L=High Gloss Appliance White Trim with Black Baffle ERT713LTS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713WHT=High Gloss Appliance White Trim with White Baffle ERT713WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm] ERT725=High Gloss Appliance White Trim with Black Baffle ERT725TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT725WHT=High Gloss Appliance White Trim with White Baffle ERT725WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	Reflectors ERT710 Specular Reflector, 75W R30, 65W BR30, 50W PAR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector
	Regressed Eyeball ERT711 Regressed Eyeball, 50W PAR30, OD: 8" [203mm] ERT711=High Gloss Appliance White Trim and Eyeball with Black Baffle
	Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens
	ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens
	White Cone Reflector ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm] ERT712=High Gloss Appliance White Trim with White Reflector ERT712TS=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: ^Δ Not to be used in direct contact with spray foam insulation. ^Δ UL/cUL Listed for Wet Location with select trims.


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES


- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283



EI700RAT

**ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^A**

SAMPLE NUMBER: EI700RAT - ERT707WHT

Housing	Trims
EI700RAT=6" Aperture, Remodel, IC, AIR-TITE™, 120V Line Voltage	Adjustables ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716=High Gloss Appliance White Trim with White Baffle Full Cone Metal Baffle ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713=High Gloss Appliance White Trim with Black Baffle ERT713TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT713L=High Gloss Appliance White Trim with Black Baffle ERT713LTS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713WHT=High Gloss Appliance White Trim with White Baffle ERT713WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm] ERT725=High Gloss Appliance White Trim with Black Baffle ERT725TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT725WHT=High Gloss Appliance White Trim with White Baffle ERT725WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction Reflectors ERT710 Specular Reflector, 50W PAR30, 75W PAR30L, 65W BR30, 75W R30, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens White Cone Reflector ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm] ERT712=High Gloss Appliance White Trim with White Reflector ERT712TS=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: ^A Not to be used in direct contact with spray foam insulation. ^Δ UL/cUL Listed for Wet Location with select trims.

6-INCH INCANDESCENT NEW CONSTRUCTION ICAT





EI700ATNB

FEATURES

- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- Quick Connect wiring connectors included in junction box
- NM cable pry-outs and conduit knockouts in junction box
- AIR-TITE™
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected
- Designed without a socket bracket, for socket supporting trims only

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^A

SAMPLE NUMBER: EI700ATNB - ERT713WHT

Housing	Trims
EI700ATNB=6" Aperture, New Construction, IC, AIR-TITE™, 120V Line Voltage, No Socket Bracket	Adjustables ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT704= High Gloss Appliance White Trim with White Eyeball
	Baffles ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT705= High Gloss Appliance White Trim
	ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716= High Gloss Appliance White Trim with White Baffle
	Full Cone Metal Baffle ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713= High Gloss Appliance White Trim with Black Baffle ERT713TS= High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT713L= High Gloss Appliance White Trim with Black Baffle ERT713LTS= High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713WHT= High Gloss Appliance White Trim with White Baffle ERT713WHTTS= High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm] ERT725= High Gloss Appliance White Trim with Black Baffle ERT725TS= High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT725WHT= High Gloss Appliance White Trim with White Baffle ERT725WHTTS= High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	Regressed Eyeball ERT711 Regressed Eyeball, 65W BR30, 75W R30, OD: 8" [203mm] ERT711= High Gloss Appliance White Trim and Eyeball with Black Baffle
	Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT721= High Gloss Appliance White Trim with Frosted Glass Lens
	ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT723= High Gloss Appliance White Trim with Fresnel Glass Lens
	White Cone Reflector ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W R30, 90W BR40, OD: 7-1/4" [184mm] ERT712= High Gloss Appliance White Trim with White Reflector ERT712TS= High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES

- All-Nail bar hangers
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Quick Connect wiring connectors included in junction box
- Housing may be removed from plaster frame for junction box access
- Designed without a socket bracket, for socket supporting trims only
- Die-formed housing and plaster frame
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact



EI700NB

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^A

SAMPLE NUMBER: EI700NB - ERT713WHT

Housing	Trims
EI700NB=6" Aperture, New Construction, IC, 120V Line Voltage, No-Socket Bracket	Adjustables ERT704 Eyeball, 75W R30, 65W BR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT705 Open, 65 W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716=High Gloss Appliance White Trim with White Baffle Full Cone Metal Baffle ERT713 Black Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713=High Gloss Appliance White Trim with Black Baffle ERT713TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713L Black Metal Baffle, 75W BR40, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT713L=High Gloss Appliance White Trim with Black Baffle ERT713LTS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713WHT White Metal Baffle, 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40, OD: 7-1/4" [184mm] ERT713WHT=High Gloss Appliance White Trim with White Baffle ERT713WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction ERT725 Black Metal Baffle/Splay, 50W PAR30L, 65W BR30, OD: 7-1/4" [184mm] ERT725=High Gloss Appliance White Trim with Black Baffle ERT725TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT725WHT White Metal Baffle/Splay, 40W A19, 50W PAR30L, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT725WHT=High Gloss Appliance White Trim with White Baffle ERT725WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction Regressed Eyeball ERT711 Regressed Eyeball, 65W BR30, 75W R30, OD: 8" [203mm] ERT711=High Gloss Appliance White Trim and Eyeball with Black Baffle Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens White Cone Reflector ERT712 White Reflector, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40, OD: 7-1/4" [184mm] ERT712=High Gloss Appliance White Trim with White Reflector ERT712TS=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: ^A Not to be used in direct contact with spray foam insulation. ^Δ UL/cUL Listed for Wet Location with select trims.


ERT710 Specular Reflector



ERT710 High Gloss Appliance White Trim with Clear Specular Reflector



ERT710G High Gloss Appliance White Trim with Gold Reflector



HOUSING / LAMP:

EI700: 75W R30, 65W BR30, 50W PAR30, 75W PAR30L
EI700AT: 75W R30, 65W BR30, 50W PAR30, 75W PAR30L
EI700R: 50W PAR30, 75W PAR30L, 65W BR30, 75W R30
EI700RAT: 50W PAR30, 75W PAR30L, 65W BR30, 75W R30

DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]



ERT712 White Reflector



ERT712TS High Gloss Appliance White Trim with White Reflector, Torsion Spring



ERT712 High Gloss Appliance White Trim with White Reflector



HOUSING / LAMP:

EI700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700AT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700ATNB: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700NB: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700R: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40
EI700RAT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 75W R30, 90W BR40

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]


ERT707 Metal Baffle



ERT707WHT High Gloss Appliance White Trim with White Baffle, Narrow and Wide Trim Rings



ERT707 High Gloss Appliance White Trim with Black Baffle, Narrow and Wide Trim Rings



HOUSING / LAMP:

EI700: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI700AT: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI700R: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI700RAT: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm];
Wide OD: 8" [203mm];
Narrow OD: 7-1/4" [184mm], Two Trim Rings,
Narrow and Wide, Supplied with Trim



ERT713 Black Metal Baffle



ERT713 High Gloss Appliance White Trim with Black Baffle



ERT713TS High Gloss White Trim with Black Baffle Torsion Spring Construction



HOUSING / LAMP:

EI700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40
EI700AT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, 90W BR40
EI700ATNB: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700NB: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700R: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700RAT: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40

DIMENSIONS: Height: 5" [127mm]; OD: 7-1/4" [184mm]



ERT713L Black Metal Baffle



ERT713L High Gloss Appliance White Trim with Black Baffle



ERT713LTS High Gloss White Trim with Black Baffle Torsion Spring Construction



HOUSING / LAMP:

EI700: 75W BR40, 65W BR30, 75W PAR30L
EI700AT: 75W BR40, 65W BR30, 75W PAR30L
EI700ATNB: 75W BR40, 65W BR30, 75W PAR30L
EI700NB: 75W BR40, 65W BR30, 75W PAR30L
EI700R: 75W BR40, 65W BR30, 75W PAR30L
EI700RAT: 75W BR40, 65W BR30, 75W PAR30L

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]



ERT713WHT White Metal Baffle



ERT713WHT High Gloss Appliance White Trim with White Baffle



ERT713WHTTS High Gloss White Trim with White Baffle Torsion Spring Construction



HOUSING / LAMP:

EI700: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700AT: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700ATNB: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700NB: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700R: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40
EI700RAT: 40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W BR40

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]


ERT714 Plastic Baffle



ERT714WHT High Gloss Appliance White Trim with White Baffle



ERT714 High Gloss Appliance White Trim with Black Baffle



HOUSING / LAMP:


EI700: 50W PAR30, 65W BR30, 75W PAR30L
EI700AT: 50W PAR30, 65W BR30, 75W PAR30L
EI700R: 50W PAR30, 65W BR30, 75W PAR30L
EI700RAT: 50W PAR30, 65W BR30, 75W PAR30L

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT716 Shallow Metal Baffle



ERT716WHT High Gloss Appliance White Trim with White Baffle



HOUSING / LAMP:


EI700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700AT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700ATNB: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700NB: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700R: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
EI700RAT: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT704 Eyeball



ERT704 High Gloss Appliance White Trim with White Eyeball




HOUSING / LAMP:

EI700: 75W R30, 65W BR30, 75W PAR30L
EI700AT: 75W R30, 65W BR30, 75W PAR30L
EI700ATNB: 75W R30, 65W BR30, 75W PAR30L
EI700NB: 75W R30, 65W BR30, 75W PAR30L
EI700R: 75W R30, 65W BR30, 75W PAR30L
EI700RAT: 75W R30, 65W BR30, 75W PAR30L

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT711 Regressed Eyeball

ERT711 High Gloss
Appliance White Trim and
Eyeball with Black Baffle


**HOUSING / LAMP:**

EI700: 50W PAR30
EI700AT: 50W PAR30
EI700ATNB: 65W BR30, 75W R30
EI700NB: 65W BR30, 75W R30

DIMENSIONS: Height: 3" [76mm]; OD: 8" [203mm]

ERT705 Open

ERT705 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

EI700: 65W BR30, 75W PAR30, 75W PAR30L
EI700AT: 65 W BR30, 75W PAR30, 75W PAR30L
EI700ATNB: 65 W BR30, 75W PAR30, 75W PAR30L
EI700NB: 65 W BR30, 75W PAR30, 75W PAR30L
EI700R: 65 W BR30, 75W PAR30, 75W PAR30L
EI700RAT: 65 W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss
Appliance White Trim with
Frosted Glass Lens

**HOUSING / LAMP:**

EI700: 40W A19
EI700AT: 40W A19
EI700ATNB: 40W A19
EI700NB: 40W A19
EI700R: 40W A19
EI700RAT: 40W A19



DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT725 Black Metal Baffle/Splay

ERT725 High Gloss
Appliance White Trim with
Black Baffle



ERT725TS High Gloss
White Trim with Black
Baffle Torsion Spring
Construction

**HOUSING / LAMP:**

EI700: 50W PAR30L, 65W BR30
EI700AT: 50W PAR30L, 65W BR30
EI700ATNB: 50W PAR30L, 65W BR30
EI700NB: 50W PAR30L, 65W BR30
EI700R: 50W PAR30L, 65W BR30
EI700RAT: 50W PAR30L, 65W BR30



DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT725WHT White Metal Baffle/Splay

ERT725WHT High Gloss
Appliance White Trim with
White Baffle



ERT725WHTS High
Gloss Appliance White
Trim with White Baffle,
Torsion Spring


**HOUSING / LAMP:**

EI700: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700AT: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700ATNB: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700NB: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700R: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L
EI700RAT: 40W A19, 50W PAR30L,
65W BR30, 75W PAR30L

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT723 Showerlight with Fresnel Lens and Reflector

ERT723 High Gloss
Appliance White Trim with
Fresnel Glass Lens

**HOUSING / LAMP:**

EI700: 40W A19
EI700AT: 40W A19
EI700ATNB: 40W A19
EI700NB: 40W A19
EI700R: 40W A19
EI700RAT: 40W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

6-INCH INCANDESCENT NEW CONSTRUCTION IC





EI700U

FEATURES

- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^Δ

SAMPLE NUMBER: EI700U - ERT707WHT

Housing	Trims
EI700U=6" Aperture, New Construction, IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT705 Open, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT709 Large Aperture Metal Baffle, 90W BR40, OD: 7-1/4" [184mm] ERT709=High Gloss Appliance White Trim with Black Baffle ERT709WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle Full Cone Metal Baffle ERT713 Black Metal Baffle, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40, OD: 7-1/4" [184mm] ERT713=High Gloss Appliance White Trim with Black Baffle ERT713TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713L Black Metal Baffle, 40W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40, OD: 7-1/4" [184mm] ERT713L=High Gloss Appliance White Trim with Black Baffle ERT713LTS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT713WHT White Metal Baffle, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40, OD: 7-1/4" [184mm] ERT713WHT=High Gloss Appliance White Trim with White Baffle ERT713WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction ERT725 Black Metal Baffle/Splay, 40W A19, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm] ERT725=High Gloss Appliance White Trim with Black Baffle ERT725TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction ERT725WHT White Metal Baffle/Splay, 60W A19, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm] ERT725WHT=High Gloss Appliance White Trim with White Baffle ERT725WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	Lenses and Diffusers ERT701 Albalite Glass Lens Showerlight, 40W A19, OD: 8" [203mm] ERT701=High Gloss Appliance White Trim with Albalite Lens ERT702 Drop Opal Plastic Lens Showerlight, 40W A19, OD: 8" [203mm] ERT702=High Gloss Appliance White Trim with Drop Opal Glass Lens ERT703 Fresnel Glass Lens Showerlight, 40W A19, OD: 8" [203mm] ERT703=High Gloss Appliance White Trim with Fresnel Glass Lens Open ERT708 Large Aperture Open, 100W R40 (Requires H1999 Socket Extender), OD: 8" [203mm] ERT708=High Gloss Appliance White Trim
	Reflectors ERT710 Specular Reflector, 75W PAR30, 75W PAR30L, 85W BR30, 90W BR40, 100W R30, 100W R40, 100W PAR38, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector
	Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens
	White Cone Reflector ERT712 White Reflector, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40, OD: 7-1/4" [184mm] ERT712=High Gloss Appliance White Trim with White Reflector ERT712TS=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES



- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283



6-INCH INCANDESCENT NEW CONSTRUCTION ICAT



EI700UAT

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^Δ

SAMPLE NUMBER: EI700UAT - ERT707WHT

Housing	Trims
EI700UAT=6" Aperture, New Construction, IC AIR-TITE™, 120V Line Voltage	Adjustables ERT704 Eyeball, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball
	Baffles ERT705 Open, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim
	ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle
	ERT709 Large Aperture Metal Baffle, 90W BR40, OD: 7-1/4" [184mm] ERT709=High Gloss Appliance White Trim with Black Baffle ERT709WHT=High Gloss Appliance White Trim with White Baffle
	ERT714 Plastic Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle
	Full Cone Metal Baffle ERT713 Black Metal Baffle, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40, OD: 7-1/4" [184mm] ERT713=High Gloss Appliance White Trim with Black Baffle ERT713TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713L Black Metal Baffle, 40W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40, OD: 7-1/4" [184mm] ERT713L=High Gloss Appliance White Trim with Black Baffle ERT713LTS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT713WHT White Metal Baffle, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40, OD: 7-1/4" [184mm] ERT713WHT=High Gloss Appliance White Trim with White Baffle ERT713WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	ERT725 Black Metal Baffle/Splay, 40W A19, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm] ERT725=High Gloss Appliance White Trim with Black Baffle ERT725TS=High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction
	ERT725WHT White Metal Baffle/Splay, 60W A19, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm] ERT725WHT=High Gloss Appliance White Trim with White Baffle ERT725WHTTS=High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction
	Lenses and Diffusers ERT701 Albalite Glass Lens Showerlight, 40W A19, OD: 8" [203mm] ERT701=High Gloss Appliance White Trim with Albalite Lens ERT702 Drop Opal Plastic Lens Showerlight, 40W A19, OD: 8" [203mm] ERT702=High Gloss Appliance White Trim with Drop Opal Glass Lens ERT703 Fresnel Glass Lens Showerlight, 40W A19, OD: 8" [203mm] ERT703=High Gloss Appliance White Trim with Fresnel Glass Lens
	Open ERT708 Large Aperture Open, 100W R40 (Requires H1999 Socket Extender), OD: 8" [203mm] ERT708=High Gloss Appliance White Trim
	Reflectors ERT710 Specular Reflector, 75W PAR30, 75W PAR30L, 85W BR30, 90W BR40, 100W R30, 100W R40, 100W PAR38, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector
	Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens
	White Cone Reflector ERT712 White Reflector, 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40, OD: 7-1/4" [184mm] ERT712=High Gloss Appliance White Trim with White Reflector ERT712TS=High Gloss Appliance White Trim with White Reflector and Torsion Spring Construction


NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

ERT710 Specular Reflector

ERT710 High Gloss
Appliance White Trim with
Clear Specular Reflector



ERT710G High Gloss
Appliance White Trim with
Gold Reflector

**HOUSING / LAMP:**

EI700U: 75W PAR30, 75W PAR30L, 85W BR30, 90W BR40, 100W R30, 100W R40, 100W PAR38
EI700UAT: 75W PAR30, 75W PAR30L, 85W BR30, 90W BR40, 100W R30, 100W R40, 100W PAR38



DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]

ERT712 White Reflector

ERT712TS High Gloss
Appliance White Trim with
White Reflector, Torsion
Spring



ERT712 High Gloss
Appliance White Trim with
White Reflector

ERT712TS**ERT712****HOUSING / LAMP:**

EI700U: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40
EI700UAT: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40


DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT707 Metal Baffle

ERT707WHT High Gloss
Appliance White Trim with
White Baffle, Narrow and
Wide Trim Rings



ERT707 High Gloss
Appliance White Trim with
Black Baffle, Narrow and
Wide Trim Rings

**HOUSING / LAMP:**

EI700U: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40
EI700UAT: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40


DIMENSIONS: Height: 2-7/8" [73mm]; Wide OD: 8" [203mm];
Narrow OD: 7-1/4" [184mm], Two Trim Rings,
Narrow and Wide, Supplied with Trim

ERT709 Large Aperture Metal Baffle

ERT709WHT High Gloss
Appliance White Trim with
White Baffle, Narrow and
Wide Trim Rings



ERT709 High Gloss
Appliance White Trim with
Black Baffle, Narrow and
Wide Trim Rings

**HOUSING / LAMP:**

EI700U: 90W BR40
EI700UAT: 90W BR40



DIMENSIONS: Height: 2-5/8" [67mm]; Wide OD: 8" [203mm];
Narrow OD: 7-1/4" [184mm], Two Trim Rings,
Narrow and Wide, Supplied with Trim

ERT713 Black Metal Baffle

ERT713 High Gloss
Appliance White Trim with
Black Baffle



ERT713TS High Gloss
Appliance White Trim with
Black Baffle Torsion Spring
Construction

ERT713TS**ERT713****HOUSING / LAMP:**

EI700U: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40
EI700UAT: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40



DIMENSIONS: Height: 5" [127mm];
OD: 7-1/4" [184mm]

ERT713L Black Metal Baffle

ERT713L High Gloss
Appliance White Trim with
Black Baffle



ERT713LTS High Gloss
Appliance White Trim with
Black Baffle Torsion Spring
Construction

ERT713LTS**ERT713LTS****HOUSING / LAMP:**

EI700U: 40W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40
EI700UAT: 40W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40



DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT713WHT White Metal Baffle

ERT713WHT High Gloss
Appliance White Trim with
White Baffle



ERT713WHTTS High
Gloss White Trim with
White Baffle Torsion
Spring Construction

**HOUSING / LAMP:**

EI700U: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40
EI700UAT: 60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40


DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT714 Plastic Baffle

ERT714WHT High Gloss
Appliance White Trim with
White Baffle



ERT714 High Gloss
Appliance White Trim with
Black Baffle

**HOUSING / LAMP:**

EI700U: 65W BR30, 75W PAR30, 75W PAR30L
EI700UAT: 65W BR30, 75W PAR30, 75W PAR30L



DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT725 Black Metal Baffle/Splay

ERT725 High Gloss
Appliance White Trim with
Black Baffle



ERT725TS High Gloss
White Trim with Black
Baffle Torsion Spring
Construction

ERT725TS**ERT725****HOUSING / LAMP:**

EI700U: 40W A19, 75W PAR30L, 85W BR30, 100W R30
EI700UAT: 40W A19, 75W PAR30L, 85W BR30, 100W R30

DIMENSIONS: Height: 5-3/8" [136mm];
OD: 7-1/4" [184mm]

ERT725WHT White Metal Baffle/Splay

ERT725WHT High Gloss Appliance White Trim with White Baffle





ERT725WHTTS High Gloss Appliance White Trim with White Baffle, Torsion Spring


HOUSING / LAMP:

EI700U: 60W A19, 75W PAR30L, 85W BR30, 100W R30
EI700UAT: 60W A19, 75W PAR30L, 85W BR30, 100W R30

DIMENSIONS: Height: 5-3/8" [136mm]; OD: 7-1/4" [184mm]

ERT725WHTTS**ERT725WHT****ERT704 Eyeball**

ERT704 High Gloss Appliance White Trim with White Eyeball


**HOUSING / LAMP:**

EI700U: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30
EI700UAT: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT705 Open

ERT705 High Gloss Appliance White Trim


**HOUSING / LAMP:**

EI700U: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30
EI700UAT: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT708 Large Aperture Open

ERT708 High Gloss Appliance White Trim


**HOUSING / LAMP:**

EI700U: 100W R40
(Requires H1999 Socket Extender)
EI700UAT: 100W R40 (Requires H1999 Socket Extender)

DIMENSIONS: Height: 5-3/16" [131mm]; OD: 8" [203mm]

ERT701 Albalite Glass Lens Showerlight

ERT701 High Gloss Appliance White Trim with Albalite Glass Lens


**HOUSING / LAMP:**

EI700U: 40W A19
EI700UAT: 40W A19

DIMENSIONS: OD: 8" [203mm]

ERT702 Drop Opal Plastic Lens Showerlight

ERT702 High Gloss Appliance White Trim with Drop Opal Lens


**HOUSING / LAMP:**

EI700U: 40W A19
EI700UAT: 40W A19

DIMENSIONS: OD: 8" [203mm]

ERT703 Fresnel Glass Lens Showerlight

ERT703 High Gloss Appliance White Trim with Fresnel Glass Lens


**HOUSING / LAMP:**

EI700U: 40W A19
EI700UAT: 40W A19

DIMENSIONS: OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss Appliance White Trim with Frosted Glass Lens


**HOUSING / LAMP:**

EI700U: 60W A19
EI700UAT: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT723 Showerlight with Fresnel Lens and Reflector

ERT723 High Gloss Appliance White Trim with Fresnel Glass Lens

**HOUSING / LAMP:**

EI700U: 60W A19
EI700UAT: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

6-INCH INCANDESCENT SHALLOW NEW CONSTRUCTION HOUSING IC





EI2700

FEATURES

- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Shallow ceiling housing
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^Δ

SAMPLE NUMBER: EI2700 - ERT707WHT

Housing	Trims
EI2700=6" Aperture, Shallow Ceiling, New Construction, IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 65W BR30, 50W PAR30, 75W PAR30L, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716WHT=High Gloss Appliance White Trim with White Baffle Open ERT705 Open, 50W PAR30L, 60W BR30, 75W PAR30, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim Reflectors ERT710 Specular Reflector, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 35W PAR30L, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 35W PAR30L, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.


Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES

- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Insulation Contact



EI2700R

ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^Δ

SAMPLE NUMBER: EI2700R - ERT707WHT

Housing	Trims
EI2700R=6" Aperture, Shallow Ceiling, Remodel, IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT707 Metal Baffle, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 60W BR30, 50W PAR30, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716WHT=High Gloss Appliance White Trim with White Baffle Open ERT705 Open, 50W PAR30L, 60W BR30, 75W PAR30, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim Reflectors ERT710 Specular Reflector, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 40W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens

NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

6-INCH INCANDESCENT SHALLOW NEW CONSTRUCTION HOUSING ICAT





EI2700AT

FEATURES

- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- AIR-TITE™
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, UL/cUL Listed for Insulation Contact, AIR-TITE™ Certified ASTM E283



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^Δ

SAMPLE NUMBER: EI2700AT - ERT707WHT

Housing	Trims
EI2700AT=6" Aperture, Shallow Ceiling, New Construction, IC AIR-TITE™, 120V Line Voltage	Adjustables ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT707 Metal Baffle, 50W PAR30, 65W BR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 65W BR30, 50W PAR30, 75W PAR30L, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716WHT=High Gloss Appliance White Trim with White Baffle Open ERT705 Open, 50W PAR30L, 60W BR30, 75W PAR30, OD: 8" [203mm] ERT705=High Gloss Appliance White Trim Reflectors ERT710 Specular Reflector, 50W PAR30, 65W BR30, 75W R30, 75W PAR30L, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector Showerlight ERT721 Showerlight with Frosted Glass Lens and Reflector, 35W PAR30L, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 35W PAR30L, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens


NOTES: Δ Not to be used in direct contact with spray foam insulation. Δ UL/cUL Listed for Wet Location with select trims.

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

ERT710 Specular Reflector

ERT710 High Gloss
Appliance White Trim with
Clear Specular Reflector

ERT710G High Gloss
Appliance White Trim with
Gold Reflector

**HOUSING / LAMP:**


EI2700: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI2700AT: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L
EI2700R: 50W PAR30, 65W BR30, 75W R30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]

ERT707 Metal Baffle

ERT707WHT High Gloss
Appliance White Trim with
White Baffle, Narrow and
Wide Trim Rings

ERT707 High Gloss
Appliance White Trim with
Black Baffle, Narrow and
Wide Trim Rings

**HOUSING / LAMP:**


EI2700: 50W PAR30, 65W BR30, 75W PAR30L
EI2700AT: 50W PAR30, 65W BR30, 75W PAR30L
EI2700R: 65W BR30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm]; Wide OD: 8" [203mm];
Narrow OD: 7-1/4" [184mm], Two Trim Rings,
Narrow and Wide, Supplied with Trim

ERT714 Plastic Baffle

ERT714WHT High Gloss
Appliance White Trim with
White Baffle

ERT714 High Gloss
Appliance White Trim with
Black Baffle


**HOUSING / LAMP:**

EI2700: 65W BR30, 50W PAR30, 75W PAR30L
EI2700AT: 65W BR30, 50W PAR30, 75W PAR30L
EI2700R: 50W PAR30, 60W BR30

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT716 Shallow Metal Baffle

ERT716WHT High Gloss
Appliance White Trim with
White Baffle


**HOUSING / LAMP:**

EI2700: 65W BR30, 75W PAR30, 75W PAR30L
EI2700AT: 65W BR30, 75W PAR30, 75W PAR30L
EI2700R: 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT704 Eyeball

ERT704 High Gloss
Appliance White Trim with
White Eyeball


**HOUSING / LAMP:**

EI2700: 65W BR30, 75W R30, 75W PAR30L
EI2700AT: 65W BR30, 75W R30, 75W PAR30L
EI2700R: 65W BR30, 75W R30, 75W PAR30L

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT705 Open

ERT705 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

EI2700: 50W PAR30L, 60W BR30, 75W PAR30
EI2700AT: 50W PAR30L, 60W BR30, 75W PAR30
EI2700R: 60W BR30

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss
Appliance White Trim with
Frosted Glass Lens


**HOUSING / LAMP:**

EI2700: 35W PAR30L
EI2700AT: 35W PAR30L
EI2700R: 40W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT723 Showerlight with Fresnel Lens and Reflector

ERT723 High Gloss
Appliance White Trim with
Fresnel Glass Lens

**HOUSING / LAMP:**

EI2700: 35W PAR30L
EI2700AT: 35W PAR30L
EI2700R: 40W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

6-INCH INCANDESCENT SHALLOW NEW CONSTRUCTION HOUSING NON - IC





ET2700

FEATURES

- All-Nail bar hangers
- Quick Connect wiring connectors included in junction box
- Bar hangers may be shortened for narrow joist spaces
- NM cable pry-outs and conduit knockouts in junction box
- Die-formed housing and plaster frame
- Housing may be removed from plaster frame for junction box access
- Thermally protected

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, UL/cUL Listed for Feed Through, IP Rated



ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^Δ

SAMPLE NUMBER: ET2700 - ERT707WHT

Housing	Trims
ET2700=6" Aperture, Shallow Ceiling, New Construction, Non-IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 75W R30, 75W PAR30, 85W BR30, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716WHT=High Gloss Appliance White Trim with White Baffle Open ERT706 Open, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT706=High Gloss Appliance White Trim ERT708 Large Aperture Open, 120W BR40, 150W R40, OD: 8" [203mm] ERT708=High Gloss Appliance White Trim Reflectors ERT710 Specular Reflector, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector Showerlight ERT701 Albalite Glass Lens Showerlight, 60W A19, OD: 8" [203mm] ERT701=High Gloss Appliance White Trim with Albalite Lens ERT702 Drop Opal Plastic Lens Showerlight, 60W A19, OD: 8" [203mm] ERT702=High Gloss Appliance White Trim with Drop Opal Glass Lens ERT703 Fresnel Glass Lens Showerlight, 60W A19, OD: 8" [203mm] ERT703=High Gloss Appliance White Trim with Fresnel Glass Lens

NOTES: Δ UL/cUL Listed for Wet Location with select trims.



Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.

FEATURES

- Quick Connect wiring connectors included in junction box
- Thermally protected
- Die-formed housing
- Remodel springs accommodate 1/2" and 5/8" ceiling material
- NM cable pry-outs and conduit knockouts in junction box
- Shallow ceiling housing

Compliances may not apply to all product configurations. Please consult the product spec sheet for compliance details.

COMPLIANCES: UL/cUL Listed - Wet Location, UL/cUL Listed - Damp Location, UL/cUL Listed 1598 Luminaire, IP Rated

**6-INCH INCANDESCENT SHALLOW REMODEL HOUSING NON - IC****ET2700R****ORDERING INFORMATION: ORDER HOUSING AND TRIMS SEPARATELY^A**

SAMPLE NUMBER: ET2700R - ERT707WHT


Housing	Trims
ET2700R=6" Aperture, Shallow Housing, Remodel, Non-IC, 120V Line Voltage	Adjustables ERT704 Eyeball, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT704=High Gloss Appliance White Trim with White Eyeball Baffles ERT707 Metal Baffle, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 7-1/4" [184mm] ERT707=High Gloss Appliance White Trim with Black Baffle ERT707WHT=High Gloss Appliance White Trim with White Baffle ERT714 Plastic Baffle, 75W PAR30, 75W PAR30L, 85W BR30, OD: 8" [203mm] ERT714=High Gloss Appliance White Trim with Black Baffle ERT714WHT=High Gloss Appliance White Trim with White Baffle ERT716 Shallow Metal Baffle, 40W A19, 65W BR30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT716WHT=High Gloss Appliance White Trim with White Baffle Open ERT706 Open, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, OD: 8" [203mm] ERT706=High Gloss Appliance White Trim Reflectors ERT710 Specular Reflector, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 85W BR30, OD: 7-1/4" [184mm] ERT710=High Gloss Appliance White Trim with Clear Specular Reflector ERT710G=High Gloss Appliance White Trim with Gold Reflector Showerlight ERT721 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT721=High Gloss Appliance White Trim with Frosted Glass Lens ERT723 Showerlight with Fresnel Glass Lens and Reflector, 60W A19, OD: 8" [203mm] ERT723=High Gloss Appliance White Trim with Fresnel Glass Lens

NOTES: ^A UL/cUL Listed for Wet Location with select trims.

ERT710 Specular Reflector

ERT710 High Gloss
Appliance White Trim with
Clear Specular Reflector

ERT710G High Gloss
Appliance White Trim with
Gold Reflector

**HOUSING / LAMP:**


ET2700: 75W PAR30, 75W PAR30L, 85W BR30, 100W R30
ET2700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 85W BR30

DIMENSIONS: Height: 2-7/8" [73mm]; OD: 7-1/4" [184mm]

ERT707 Metal Baffle

ERT707WHT High Gloss
Appliance White Trim with
White Baffle, Narrow and
Wide Trim Rings

ERT707 High Gloss
Appliance White Trim with
Black Baffle, Narrow and
Wide Trim Rings

**HOUSING / LAMP:**


ET2700: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L
ET2700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 2-7/8" [73mm]; Wide OD: 8" [203mm];
Narrow OD: 7-1/4" [184mm], Two Trim Rings,
Narrow and Wide, Supplied with Trim

ERT714 Plastic Baffle

ERT714WHT High Gloss
Appliance White Trim with
White Baffle

ERT714 High Gloss
Appliance White Trim with
Black Baffle


**HOUSING / LAMP:**

ET2700: 75W R30, 75W PAR30, 85W BR30
ET2700R: 75W PAR30, 75W PAR30L, 85W BR30

DIMENSIONS: Height: 2-1/4" [57mm]; OD: 8" [203mm]

ERT704 Eyeball

ERT704 High Gloss
Appliance White Trim with
White Eyeball


**HOUSING / LAMP:**

ET2700: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L
ET2700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-15/16" [100mm]; OD: 8" [203mm]

ERT716 Shallow Metal Baffle

ERT716WHT High Gloss
Appliance White Trim with
White Baffle


**HOUSING / LAMP:**

ET2700: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L
ET2700R: 40W A19, 65W BR30, 75W PAR30, 75W PAR30L

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT706 Open

ERT706 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

ET2700: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L
ET2700R: 65W BR30, 75W R30, 75W PAR30, 75W PAR30L

DIMENSIONS: Aperture: 3-7/8" [98mm]; OD: 8" [203mm]

ERT708 Large Aperture Open

ERT708 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

ET2700: 120W BR40, 150W R40

DIMENSIONS: Height: 5-3/16" [131mm]; OD: 8" [203mm]

ERT701 Albalite Glass Lens Showerlight

ERT701 High Gloss
Appliance White Trim


**HOUSING / LAMP:**

ET2700: 60W A19

DIMENSIONS: OD: 8" [203mm]

ERT702 Drop Opal Plastic Lens Showerlight

ERT702 High Gloss
Appliance White Trim with
Drop Opal Lens


**HOUSING / LAMP:**

ET2700: 60W A19

DIMENSIONS: OD: 8" [203mm]

ERT703 Fresnel Glass Lens Showerlight

ERT703 High Gloss
Appliance White Trim with
Fresnel Glass Lens


**HOUSING / LAMP:**

ET2700: 60W A19

DIMENSIONS: OD: 8" [203mm]

ERT721 Showerlight with Frosted Lens and Reflector

ERT721 High Gloss
Appliance White Trim with
Frosted Glass Lens


**HOUSING / LAMP:**

ET2700: 60W A19
ET2700R: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

ERT723 Showerlight with Fresnel Lens and Reflector

ERT723 High Gloss
Appliance White Trim with
Fresnel Glass Lens

**HOUSING / LAMP:**

ET2700: 60W A19
ET2700R: 60W A19

DIMENSIONS: Height: 4-1/4" [108mm]; OD: 8" [203mm]

Specifications and dimensions subject to change without notice. Consult your Cooper Lighting Representative or visit www.cooperlighting.com for available options, accessories and ordering information.