

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

	100			
	思	8		
1		ы.		
		Ð/		
	115			
	in the	2		
	к.	33		

EYD816 3" Male/Female Drain Seal Crouse-Hinds

Catalog Number	EYD816		
Catalog Number Manufacturer	Crouse-Hinds		
Description	Eaton Crouse-Hinds Series Eyd Conduit Sealing Fitting With Drain Male and Female, Feraloy Iron Alloy and/or Ductile Iron, Vertical Only, Group B Rated, 3"		
Weight per unit			
Product Category	Sealing Bodies		
eatures			
connection	Female Threaded, Female Threaded		
dimensions	4.2500 IN X 4.2500 IN X 8.5000 IN		
Material, Color, and Finish			
Finish	Untreated		
Descriptions			
Description	3" MALE/FEMALE DRAIN SEAL		
extra long description	CRS-H EYD816 3 NPT GRP B THRU MALE/		
Features	In addition to restricting the passage of gases, vapors or flames from one portion of the electrical installation to another, Crouse-Hinds series EYD and EZD drain sealing fittings prevent accumulation of condensate above the seal. They are installed in vertical conduit runs and at low points in conduit systems.		
Long Description	Eaton Crouse-Hinds series EYD conduit sealing fitting with drain, Male and female, Feraloy iron alloy and/or ductile iron, Vertical only, Group B rated, 3"		
Product Type	3 NPT GRP B Thru Male/Fem Iron Drain		
Special Features	With Drain, Vertical Position		
Manufacturer Information			
Brand	EATON CROUSE-HINDS SERIES		
GTIN	00782274365244		
Manufacturers Part Number	EYD816		
UPC	782274365244		
axonomies, Classifications, and (Categories		
Category Description			
Туре	Conduit sealing fitting with drain		
Packaging			
Carton			
Weight Per each	13.35		



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
Enclosure	Class I Div 1 2 Group C D, Class II Div 1 2 Group F G, Class III
standard	UL 886, CSA C22.2