



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

3737 Grader Street Suite 120  
75041-0000, TX Garland  
Phone: 214-503-7227  
Fax: 214-503-9766



## EZTR6262W Modular 15A TR Deco WH

*Eaton Wiring Devices*

Catalog Number	EZTR6262W
Manufacturer	Eaton Wiring Devices
Description	Eaton Ezlink Modular Decorator Receptacle, 15 A, 125 Vac, 60 HZ, Tamper-Resistant, Nema 5-15R, Three-Wire, White
Weight per unit	0.2200 (lbs/each)
Product Category	Wiring Devices

### Features

dimensions	1.9100 IN X 1.7500 IN X 4.4000 IN
media	Yes

### Descriptions

Description	MODULAR 15A TR DECO WH
extra long description	EWD EZTR6262W Modular 15A TR Deco,
Features	Arrow Hart EZ Link™ modular devices are the most efficient way to wire receptacles and switches for large commercial projects. Designed with contractors in mind to help meet deadlines while saving on labor costs, our EZ Link devices feature a unique design for quick and easy installation – faster than traditional wiring. Engineered from the ground up, the revolutionary design reduces installation errors and allows for secure, aligned and accurate installation the first time... every time.
Long Description	Eaton EZLink modular decorator receptacle, 15 A, 125 Vac, 60 Hz, tamper-resistant, NEMA 5-15R, three-wire, white
Product Type	Modular 15A TR Deco, W

### Manufacturer Information

Brand	Eaton Wiring Devices
GTIN	00032664011924
Manufacturers Part Number	EZTR6262W
UPC	032664011924

### Taxonomies, Classifications, and Categories

Category Description	Commercial receptacles
Type	Modular decorator receptacle

### Packaging

Carton	1
Weight Per each	0.22



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

3737 Grader Street Suite 120  
75041-0000, TX Garland  
Phone: 214-503-7227  
Fax: 214-503-9766

## Uses, Certifications, and Standards

Application

Commercial / Institutional Buildings / Structures - Commercial /  
Institutional Buildings / Structures - Other

standard

NOM,cULus Listed,Federal Specification Classification W-C-596G