

NEW!
Steel on
reverse

IN/OUT® BOX in Plastic & Steel

Adjustable PLASTIC Outlet Box for New Construction


FOR NEW CONSTRUCTION



Set for 1/2" wall thicknesses, the box depth adjusts for wall thicknesses up to 1-1/2".



Depth adjustment screw is accessible even after the wall finish is in place.



AVAILABLE in two-gang, three-gang and four-gang styles

Our non-metallic IN/OUT® BOX is adjustable for wall thicknesses up to 1-1/2". It's perfect for use when the final wall thickness is unknown – for instance for double drywall or for change orders; tile, mirrors, etc.

- No more set back boxes – IN/OUT BOX depth adjusts before OR after the wall finish is done
- Depth adjustment screw is accessible even after the wall finish is in place
- Complies with 2008 NEC, 314.20 for set back boxes
- Secure installation – Mounts to wood or steel studs in new construction
- UL Listed

• Option
FA102D low voltage separator for use with multiple gang versions

Catalog Number	UPC/DEI/NAED Mfg. #018997	Description OPTIONAL	Unit/Std Pkg
FA102D	04245	Low Voltage Divider for FA102, FA103, FA104	25

A®
UL
Arlington®

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com
www.arlnew.com/fa101

Catalog Number	UPC/DEI/NAED Mfg. #018997	Description	Size & Cubic Inches	Unit Pkg	Std Pkg
FA101	04241	Non-metallic box w/ depth adjustment up to 1-1/2"	Single-gang • 21.0 cu in	25	25
FA102	04242		Two-gang • 43.5 cu in	10	10
FA103	04243	(pre-set for 1/2" wall thickness)	Three-gang • 65.0 cu in	10	10
FA104	04244		Four-gang • 87.0 cu in	10	10

IN/OUT® BOX in Plastic & Steel

Adjustable Outlet Box in STEEL for New Construction

Arlington's **steel** IN/OUT® BOX for outlets, mounts on wood or steel studs for an extra-secure installation.

Fast and easy to adjust up to 1" – even after the final wall finish is in place – the FAS423 IN/OUT box fits a variety of wall thicknesses. It's perfect for areas where the final thickness of the wall is unknown; for instance a wall with double drywall.

Its adjustability feature helps you comply with 314.20 of the 2008 NEC.

Set back boxes will never be a problem again!




Arlington®

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com
www.arlnew.com/in&outbox



Easy mounting to STEEL or WOOD studs



Catalog Number	UPC/DEI/NAED Mfg. #018997	Description	Single-gang 21.5 Cubic Inches	Unit/Std Pkg
FAS423	04255	Steel outlet box w/ depth adjustment up to 1"	(no connector)	10
FAS423C	04257	Steel outlet box w/ depth adjustment up to 1" Includes connector		10

Distributed by

NEW!
Steel on
reverse

IN/OUT® BOX in Plastic & Steel

Adjustable PLASTIC Outlet Box for New Construction


FOR NEW CONSTRUCTION



Set for 1/2" wall thicknesses, the box depth adjusts for wall thicknesses up to 1-1/2".



Depth adjustment screw is accessible even after the wall finish is in place.



AVAILABLE in two-gang, three-gang and four-gang styles

Our non-metallic IN/OUT® BOX is adjustable for wall thicknesses up to 1-1/2". It's perfect for use when the final wall thickness is unknown – for instance for double drywall or for change orders; tile, mirrors, etc.

- No more set back boxes – IN/OUT BOX depth adjusts before OR after the wall finish is done
- Depth adjustment screw is accessible even after the wall finish is in place
- Complies with 2008 NEC, 314.20 for set back boxes
- Secure installation – Mounts to wood or steel studs in new construction
- UL Listed

• Option
FA102D low voltage separator for use with multiple gang versions

Catalog Number	UPC/DEI/NAED Mfg. #018997	Description OPTIONAL	Unit/Std Pkg
FA102D	04245	Low Voltage Divider for FA102, FA103, FA104	25

A®
UL
Arlington®

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com
www.arlnew.com/fa101

Catalog Number	UPC/DEI/NAED Mfg. #018997	Description	Size & Cubic Inches	Unit Pkg	Std Pkg
FA101	04241	Non-metallic box w/ depth adjustment up to 1-1/2"	Single-gang • 21.0 cu in	25	25
FA102	04242		Two-gang • 43.5 cu in	10	10
FA103	04243	(pre-set for 1/2" wall thickness)	Three-gang • 65.0 cu in	10	10
FA104	04244		Four-gang • 87.0 cu in	10	10

IN/OUT® BOX in Plastic & Steel

Adjustable Outlet Box in STEEL for New Construction

Arlington's **steel** IN/OUT® BOX for outlets, mounts on wood or steel studs for an extra-secure installation.

Fast and easy to adjust up to 1" – even after the final wall finish is in place – the FAS423 IN/OUT box fits a variety of wall thicknesses. It's perfect for areas where the final thickness of the wall is unknown; for instance a wall with double drywall.

Its adjustability feature helps you comply with 314.20 of the 2008 NEC.

Set back boxes will never be a problem again!




Arlington®

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com
www.arlnew.com/in&outbox



Easy mounting to **STEEL** or **WOOD** studs



Catalog Number	UPC/DEI/NAED Mfg. #018997	Description	Single-gang 21.5 Cubic Inches	Unit/Std Pkg
FAS423	04255	Steel outlet box w/ depth adjustment up to 1"	(no connector)	10
FAS423C	04257	Steel outlet box w/ depth adjustment up to 1" Includes connector		10

Distributed by