NON-METALLIC & STEEL BOXES



FLOOR BOX KITS and Boxes • Covers • Accessories



NON-METALLIC BOXES THREE STYLES

FLUSH FIT

Arlington's **UL Listed FLOOR BOX KITS** offer installers the low cost, *convenient* way to put a receptacle in the floor – with a box that installs flush with the floor.

We have a floor box for nearly any job site condition. There's one for new concrete pours, a box for existing floors – and an *adjustable* box that fits most finished floor heights up to 2". All are available with oversized non-metallic or metal covers. And all install flush with the floor surface

that prevent water intrusion – with your choice of threaded plugs or flip lids that protect the receptacle when it's not in use. Best of all, they're oversized to hide miscut flooring!

Arlington's single-gang floor box kits are available with metal or non-metallic

covers in a variety of colors and finishes.

Non-metallic in white, black, brown, light almond and **metal** in brass and nickel-plated brass.
















ON EXISTING FLOORS







ADJUSTS TO FINAL FLOOR HEIGHT




FOR FLOORS UP TO 2" THICK

FOR NEW CONCRETE POURS



Flip Lid **Cover Style**

Suppled with 1/8", 1/4", 1/2" and 3/4" spacers to allow for increases in floor thickness; tile, wood, carpet, etc.



Adjustable boxes for varying floor heights





FLBA101MB Rectangular, **Brass Cover**

Adjustable Bracket positions box flush with floor





FOR EXISTING FLOORS



| CATALOG NUMBER | UPC/DCI/NAED MFG. #018997 | DESCRIPTION UL Listed Floor Box Kit | COVER MATERIAL | COVER STYLE/SHAPE | COVER COLOR | UNIT PKG | STD PKG |
|-------------------|------------------------------|--------------------------------------------|-------------------|----------------------|---------------------|-------------|------------|
| FLBRF101W | 16253 | | Non-Metallic | | White | 1 | 4 |
| FLBRF101LA | 16252 | 20.0 cubic inch | Non-Metallic | RECTANGULAR | Light Almond | 1 | 4 |
| FLBRF101BR | 16251 | BOX FOR | Non-Metallic | with | Brown | 1 | 4 |
| FLBRF101BL | 16250 | EXISTING FLOORS | Non-Metallic | TWO | Black | 1 | 4 |
| FLBRF101ME | 16254 | Flush-to-the-floor | Metal | FLIP LIDS | Brass | 1 | 4 |
| FLBRF101NL | 16255 | Installation. Put a | Metal | | Nickel-plated brass | 1 | 4 |
| FLBR101W | 04356 | receptacle where you need iteasy. | Non-Metallic | RECTANGULAR | White | 1 | 4 |
| FLBR101LA | 04357 | you need iteasy. | Non-Metallic | with | Light Almond | 1 | 4 |
| FLBR101BR | 04359 | (ŮL) | Non-Metallic | TWO | Brown | 1 | 4 |
| FLBR101BL | 04358 | | Non-Metallic | THREADED | Black | 1 | 4 |
| FLBR101MB | 52263 | LISTED | Metal | PLUGS | Brass | 1 | 4 |
| FLBR101NL | 52453 | | Metal | | Nickel-plated brass | 1 | 4 |

Includes: Floor Box, duplex receptacle, (1) NM94 connector, back plate on non-metallic covers, gasketed cover, (5) #6-32 cover plate screws and threaded plugs or flip lids.

FLBRF101LA




Not shown:

FLBRF101NL (Nickel-plated cover with flip lids)

FLBRF101BR (Non-metallic, brown cover with flip lids)





Not shown:

 $\textbf{FLBR101W} \ (\textbf{Non-metallic}, \textbf{white cover with threaded plugs})$



FLBR101LA



INSTALLS FLUSH WITH FLOOR



ADJUSTABLE... FOR FLOORS UP TO 2" H



| CATALOG NUMBER | UPC/DCI/NAED MFG. #018997 | DESCRIPTION UL Listed Floor Box Kit | COVER MATERIAL | COVER STYLE/SHAPE | COVER COLOR | UNIT PKG | STD PKG |
|-------------------|------------------------------|--------------------------------------------|-------------------|----------------------|---------------------|-------------|------------|
| FLBAF101W | 04340 | | Non-Metallic | | White | 1 | 4 |
| FLBAF101LA | 04341 | | Non-Metallic | RECTANGULAR | Light Almond | 1 | 4 |
| FLBAF101BR | 04343 | | Non-Metallic | with | Brown | 1 | 4 |
| FLBAF101BL | 04342 | | Non-Metallic | TWO | Black | 1 | 4 |
| FLBAF101ME | 13805 | | Metal | FLIP LIDS | Brass | 1 | 4 |
| FLBAF101NL | 13806 | 18.3 cubic inch | Metal | | Nickel-plated brass | 1 | 4 |
| FLBA101W | 04344 | ADJUSTABLE BOX Fits most finished | Non-Metallic | RECTANGULAR | White | 1 | 4 |
| FLBA101LA | 04345 | floor heights | Non-Metallic | with | Light Almond | 1 | 4 |
| FLBA101BR | 04347 | up to 2" | Non-Metallic | TWO | Brown | 1 | 4 |
| FLBA101BL | 04346 | ар 10 <u>г</u> | Non-Metallic | THREADED | Black | 1 | 4 |
| FLBA101MB | 52259 | (Ůľ) | Metal | PLUGS | Brass | 1 | 4 |
| FLBA101NL | 52450 | LISTED | Metal | | Nickel-plated brass | 1 | 4 |
| FLBAR101W | 04348 | | Non-Metallic | ROUND | White | 1 | 4 |
| FLBAR101LA | 04349 | | Non-Metallic | with | Light Almond | 1 | 4 |
| FLBAR101BR | 04351 | | Non-Metallic | TWO | Brown | 1 | 4 |
| FLBAR101BL | 04350 | | Non-Metallic | THREADED | Black | 1 | 4 |
| FLBAR101MI | 3 52261 | | Metal | PLUGS | Brass | 1 | 4 |
| FLBAR101NL | 52451 | | Metal | | Nickel-plated brass | 1 | 4 |

Includes: Adjustable Floor Box, (1) tamper-resistant ("TR") duplex receptacle, (1) cover plate w/ gasket, flip lids or threaded plugs, (2) #6-32 x 1* long screws, (2) #6 drywall screws, (1) NM94 connector, (1) NM900 plug, (1) cap (covers adjustable screw hole in cover plate)



NON-METALLIC COVER COLORS








FLBAR101BL
















FOR CONCRETE POURS





| CATALOG NUMBER | UPC/DCI/NAED MFG. #018997 | DESCRIPTION UL Listed Floor Box Kit | COVER MATERIAL | COVER STYLE/SHAPE | COVER COLOR | UNIT PKG | STD PKG |
|-------------------|------------------------------|--------------------------------------------|-------------------|----------------------|---------------------|-------------|------------|
| FLBCF101W | 06950 | | Non-Metallic | | White | 1 | 1 |
| FLBCF101LA | 06951 | | Non-Metallic | RECTANGULAR | Light Almond | 1 | 1 |
| FLBCF101BR | 06952 | BOX FOR | Non-Metallic | with | Brown | 1 | 1 |
| FLBCF101BL | 06953 | NEW CONCRETE | Non-Metallic | TWO | Black | 1 | 1 |
| FLBCF101ME | 52454 | Includes spacers | Metal | FLIP LIDS | Brass | 1 | 1 |
| FLBCF101NL | 52455 | for adjusting box to finished floor | Metal | | Nickel-plated brass | 1 | 1 |
| FLBC101W | 04352 | height | Non-Metallic | - RECTANGULAR | White | 1 | 1 |
| FLBC101LA | 04353 | | Non-Metallic | with | Light Almond | 1 | 1 |
| FLBC101BR | 04355 | (ÎL) | Non-Metallic | TWO | Brown | 1 | 1 |
| FLBC101BL | 04354 | LISTED | Non-Metallic | THREADED | Black | 1 | 1 |
| FLBC101MB | 52265 | | Metal | PLUGS | Brass | 1 | 1 |
| FLBC101NL | 52452 | | Metal | | Nickel-plated brass | 1 | 1 |

Includes: Concrete box, mud cover, (4) 3/4" plugs, (2) 1" plugs, (1) 1/8" spacer, (1) 1/4" spacer, (1) 1/2" spacer and (1) 3/4" spacer, mounting bracket, duplex receptacle, gasketed cover plate, (5) #6-32 x 1/2" long cover plate screws, (4) #8 x 5/8" long sheet metal screws, (4) #8 x 1-1/4" long sheet metal screws and threaded plugs or flip lids.











ROUGH-IN & TRIM KITS

FOR NEW CONCRETE

ROUGH-IN KIT

Non-metallic concrete box and plugs



| CATALOG | UPC/DCI/NAED | DESCRIPTION | BOX | COLOR | UNIT | STD |
|-----------|--------------|---------------------------------------------------|--------------|--------------|------|-----|
| NUMBER | MFG. #018997 | Rough-In Kit | MATERIAL | | PKG | PKG |
| FLBC101RK | 13820 | Non-metallic concrete box, plugs and mud cover | Non-Metallic | Gray plastic | 1 | 1 |

Includes: Concrete box, (4) 3/4" plugs, (2) 1" plugs and mud cover (not shown)



| CATALOG NUMBER | JPC/DCI/NAED MFG. #018997 | DESCRIPTION Trim Kit | COVER MATERIAL | COVER STYLE/SHAPE | COVER COLOR | UNIT PKG | STD PKG |
|-------------------|------------------------------|-----------------------------------------|-------------------|----------------------|---------------------|-------------|------------|
| FLBCF101WTI | 13827 | | Non-Metallic | | White | - 1 | 1 |
| FLBCF101LAT | K 13828 | TRIM KIT | Non-Metallic | RECTANGULAR | Light Almond | 1 | 1 |
| FLBCF101BRT | K 13829 | Includes (4) spacers, mounting bracket, | Non-Metallic | COVER | Brown | 1 | 1 |
| FLBCF101BLT | (13830 | receptacle, (1) gasketed | Non-Metallic | with TWO | Black | 1 | 1 |
| FLBCF101MB | TK 13831 | cover with flip lids | Metal | FLIP LIDS | Brass | 1 | 1 |
| FLBCF101NLT | K 13832 | , , , | Metal | | Nickel-plated brass | 1 | 1 |
| FLBC101WTK | 13821 | TRIM KIT | Non-Metallic | RECTANGULAR | White | 1 | 1 |
| FLBC101LATK | 13822 | Includes (4) spacers, | Non-Metallic | COVER with | Light Almond | 1 | 1 |
| FLBC101BRTK | 13823 | mounting bracket, | Non-Metallic | TWO | Brown | 1 | 1 |
| FLBC101BLTK | 13824 | receptacle, (1) gasketed | Non-Metallic | THREADED | Black | 1 | 1 |
| FLBC101MBTI | (13825 | cover with threaded plugs | Metal | PLUGS | Brass | 1 | 1 |
| FLBC101NLTK | 13826 | | Metal | | Nickel-plated brass | 1 | 1 |



NON-METALLIC COVER COLORS



BRASS & NICKEL-PLATED BRASS METAL COVERS

INTERCHANGEABLE FLOOR BOX KITS, COVERS, ACCESSORIES

NEW & EXIST

Arlington's cost-effective **FLOOR BOX KITS** offer installers the low cost, *convenient* way to install a receptacle *flush with the floor* wherever your customer needs one.

This new series of floor box kits, covers and accessories is designed for installation convenience in new and existing floors, and new concrete pours – as well as interchangeability with a variety of other manufacturers' floor boxes.

Available with a **steel** box and a gasketed brass or nickel-plated brass cover to prevent water intrusion, the cover comes with threaded plugs or flip lids to protect the receptacle when it's not in use.

With a variety of floor box kits and individual metal covers and accessories, Arlington offers just about any option you could possibly need...


- Single and two-gang floor box kits...and a combination box kit with an installed divider for power and low voltage in the same box.
- Rectangular or square metal covers with flip lids or threaded plugs...also sold separately.











COVERS TO FIT OTHER MANUFACTURERS' BOXES FOR GOOD LOOKS ANYWHERE!



ING FLOORS and NEW CONCRETE

Arlington's FLOOR BOX KITS and COVERS **FOR NEW CONCRETE** offer flexibility and convenience.

Made of
heavy-duty
plastic,
our 4.5"
non-metallic
concrete box
is a universal
"fits all" size,

that accommodates our 6" round covers as well as most other round covers on the market.

Our versatile concrete box **covers** are available with flip lids or threaded plugs – in brass or nickel-plated brass. They deliver easier-than-ever installation of receptacles so they'll look great wherever they're installed!

A selection of leveling rings and adapters allows our covers to fit our boxes *and* most other manufacturers' concrete boxes.

For the fastest installation, our trapdoor covers ship *ready to use* with a pre-installed gasket and decorator-style receptacle.





(open and back)

STEEL BOX FLOOR BOX KITS LINGTON PRODUCTS Metal Covers, Boxes

COVERS WITH FLIP LIDS



| CATALOG NUMBER | UPC/DCI/NAED MFG. #018997 | DESCRIPTION COVERS WITH FLIP LIDS | COVER SIZE & STYLE | COVER SHAPE | UNIT PKG | STD PKG |
|-------------------|------------------------------|----------------------------------------------------------------------------------------|-----------------------------------|----------------|-------------|------------|
| | | FLOOR BOX KITS • with STEEL BOX | | | | |
| FLB5331MI | 3 22019 | Single-gang steel box, gaskets, (1) duplex | Brass with Two Flip Lids | | 1 | 4 |
| FLB5331NL | 22020 | receptacle, gasketed cover, mounting screws | Nickel-plated with Two Flip Lids | | 1 | 4 |
| FLB5551MI | 3 22038 | Two-gang steel box, gaskets, (2) duplex | Brass with Four Flip Lids | | 1 | 4 |
| FLB5551NL | 22039 | receptacles, gasketed cover, mounting screws | Nickel-plated w/ Four Flip Lids | | 1 | 4 |
| | 1 | METAL GASKETED COVERS with receptacle | | | | |
| FLB5330MI | B 22017 | Brass Cover | Single-gang with Two Flip Lids | | 1 | 10 |
| FLB5330NL | . 22018 | Nickel-plated Cover | Single-gang with Two Flip Lids | | 1 | 10 |
| FLB5550MI | B 22036 | Brass Cover | Two-gang with Four Flip Lids | | 1 | 10 |
| FLB5550NL | . 22037 | Nickel-plated Cover | Two-gang with Four Flip Lids | | 1 | 10 |
| | FLOOR | BOX KITS • with TWO-GANG STEEL COMB | о вох | | | |
| FLB5552MI | B 22050 | Two-gang steel box with installed low voltage | Brass with Four Flip Lids | | 1 | 4 |
| FLB5552NL | . 22051 | divider, gaskets, (1) duplex receptacle, (1) low voltage duplex plate, mounting screws | Nickel-plated with Four Flip Lids | | 1 | 4 |









SINGLE & TWO-GANG FLOOR BOX KITS









| Carlon • T&B | Hubbell | Lew | WireMold • P&S |
|------------------------------------|-----------------------------------|---------------|---------------------------------|
| | | | |
| 71W-DS | B2481 + S3825 (needs receptacle) | SWB-2-LR | 880W1818TCAL (needs receptacle) |
| 71W-DS-N | B2481 + SA3825 (needs receptacle) | SWB-2-LRA | 880W1818TCAL (needs receptacle) |
| 62W + (2) 64-DS (needs receptacle) | B2482 + SB3082 + (2) S3925 | SWB-4-PQ-LR | 880W2827B (needs receptacle) |
| 62W + (2) 64-AL (needs receptacle) | B2482 + SB3082 + (2) SA3825 | SWB-4-PQ-LR | 880W2827B (needs receptacle) |
| | | | |
| P-64-DS | S3825 | RRP-2-LRR | 828R |
| P-64-DS-AL | SA3825 | RRP-2-LR-AR | 828R-TCAL |
| (2) 64-DS | SB3084 + S3825 | RRP-4-BP-LR | (2) 828R |
| (2) 64-DS-AL | SB3082 + (2) SA3825 | RRP-4-PQ-LR-A | (2) 828R-TCAL |
| | | | |
| | | | |
| | | | |
| | | 1 | |



ARLINGTON'S METAL GASKETED COVERS with FLIP LIDS

Arlington's steel floor outlet boxes are compatible with our metal floor box covers on pages 10 and 12. Features include: installed grounding screw, adjustable mounting ears and multiple 1/2" knockouts.





STEEL OUTLET BOXES FOR NEW OR RETROFIT CONSTRUCTION

| CATALOG NUMBER | UPC/DCI/NAE | | CUBIC | # OF KNOCKOUTS | UNIT PKG | STD PKG |
|-------------------|-------------|-----------------------------------------------------------------------------------------------------|-------|-------------------|-------------|------------|
| FLB5319 | 22060 | Single-gang Steel Floor Outlet Box | 18.0 | 9 | 1 | 10 |
| FLB5548 | 22061 | Two-gang Steel Floor Outlet Box | 36.0 | 14 | 1 | 10 |
| FLB5549 | 22062 | Two-gang Steel Floor Combination Box with installed (removable) divider for power/low voltage | 36.0 | 14 | 1 | 10 |



STEEL BOX FLOOR BOX KITS LINGTON PRODUCTS Metal Covers, Boxes

COVERS WITH THREADED PLUGS





FLB5541MB Floor Box Kit (exploded view)









SINGLE & TWO-GANG FLOOR BOX KITS



FIT THESE MANUFACTURERS' CROSS REFERENCE and others' PRODUCTS

| Carlon • T&B | Hubbell | Lew | WireMold • P&S |
|--------------------------------------|-----------------------------------|------------|----------------------------------|
| | | | |
| 61W + P-64-DU (needs receptacle) | B2481 + S3625 (needs receptacle) | SWB-2 | 880W1+828SPTC (needs receptacle) |
| 61W + P-64-DU-AL (needs receptacle) | B2481 + SA3625 (needs receptacle) | SWB-2-NS | (2) 828SPTC |
| 62W + (2) P-64-DU (needs receptacle) | B2482 + SB3084W + SA3625 | SWB-4-PQ | 880W2 |
| 62W + (2) P-64-DU-AL | B2482 + SA3084 + (2)SA3625 | SWB-4-PQ-A | 880W2 + (2) 828SPTC |
| P-64-DU | S3625 | RRP-2-BR | 828SPTC |
| P-64-DU-AL | SA3625 | RRP-2-NS | |
| (2) P-64-DU | SB3084W + (2) SA3625 | RRP-4-BP | 880W1+(2) 828SPTC |
| (2) P-64-DU-AL | SA3084W + (2) SA3625 | RRP-4-BP-A | (2) 828SPTC |
| | | | |
| | | | |
| | | | |



ARLINGTON'S METAL GASKETED COVERS with THREADED PLUGS

Arlington's single and two-gang steel floor outlet boxes are compatible with our metal floor box covers on pages 10 and 12.

Features include: installed grounding screw, adjustable mounting ears and multiple 1/2" knockouts.

STEEL OUTLET BOXES FOR NEW OR RETROFIT CONSTRUCTION

| CATALOG NUMBER | UPC/DCI/NAED MFG. #018997 | DESCRIPTION | CUBIC | # OF KNOCKOUTS | UNIT PKG | STD PKG |
|-------------------|------------------------------|------------------------------------|-------|-------------------|-------------|------------|
| FLB5319 | 22060 | Single-gang Steel Floor Outlet Box | 18.0 | 9 | 1 | 10 |
| FLB5548 | 22061 | Two-gang Steel Floor Outlet Box | 36.0 | 14 | 1 | 10 |



ARLINGTON PRODUCTS

Metal Covers, Non-Metallic Boxes, Accessories

FOR NEW CONCRETE POURS



| CATALOG NUMBER | UPC/DCI/NAED MFG. #018997 | DESCRIPTION NOTES | UNIT PKG | STD PKG | |
|-------------------|------------------------------|--------------------------------------------------------------------------------------------|-------------|------------|---|
| FLBC4500 | 22010 | 4.5" Non-metallic Round Box for Concrete Pours (conduit plugs, mud cover, voltage divider) | 1 | 5 | |
| FLB6230ME | 3 22025 | Cover Kit 6" Round, Brass w two flip lids *hole pattern fits FLBC4500LR | 1 | 10 | |
| FLB6230NL | 22026 | Cover Kit 6" Round, Nickel-plated w two flip lids *hole pattern fits FLBC4500LR | 1 | 10 | L |
| FLB6220ME | 3 22021 | Cover Kit 6" Round, Brass w two threaded plugs *hole pattern fits FLBC4500LR | 1 | 10 | |
| FLB6220NL | 22022 | Cover Kit 6" Round, Nickel-plated w two threaded plugs *hole pattern fits FLBC4500LR | 1 | 10 | Ĺ |
| FLBC4500L | R 22011 | Leveling Ring for Arlington FLBC4500 & above round covers (has bosses for cover mounting) | 1 | 10 | |
| FLBT6615M | B 22030 | Trapdoor Cover Round, Brass. Pre-mounted gasket & decorator-style 15A receptacle | 1 | 10 | |
| FLBT6615N | L 22031 | Trapdoor Cover Round, Nickel-plated. Pre-mounted gasket & decorator-style 15A receptacle | 1 | 10 | |
| FLBT6615LF | 22029 | Leveling Ring for Arlington FLBC4500 box w FLBT6615 trapdoor style cover | 1 | 10 | |
| FLBC4500A | R 22004 | Oversized Adapater Ring for 5" diameter concrete boxes | 1 | 10 | |
| FLBC4500Y | 22012 | "Y" Adapter - Provides (2) 1" openings for conduit entering 1" hub | 1 | 10 | |

NON-METALLIC CONCRETE BOX



COVER KITS with FLIP LIDS

FLB6230MB Brass cover

Includes cover with flip lids, gaskets, receptacle.

Also available with Nickel-plated cover FLB6230NL (not shown)



COVER KITS with THREADED PLUGS

FLB6220MB

Brass cover

Includes cover with threaded plugs, gaskets, receptacle.

(NOT SHOWN)


FLB6220NL Nickel-plated cover



LEVELING RING

Hole pattern fits above round covers: FLB6230MB FLB6230NL FLB6220MB FLB6220NL







FIT THESE MANUFACTURERS' CROSS REFERENCE and others' PRODUCTS

| Carlon • T&B | Hubbell | Lew | WireMold • P&S |
|-----------------|---------------|----------|------------------------|
| E971FB, 68P | PFB1 | FB | 881 E971FB, 68P |
| E97BR2, P60DS | S3925 + S3082 | TCP-2-LR | 895T E97BR2, P60DS |
| E97SS2, P60CACP | | TCP-LR-A | 895 E97SS2, P60CACP |
| P-60-DUP-60-CP | S3725 + S3082 | TCP-2 | 895SP P-60-DUP-60-CP |
| | | | |
| E97ABR2, 68-PAR | PFBA1 | LRA | 881ADP E97ABR2, 68-PAR |
| | | PUFP-BD | |
| | | PUFF-SD | |
| | | PUFF-LRA | |
| | | LRA-HT | |
| E972Y | PFBYA1 | Y-CONN | N/A E972Y |
| | | 1 | |

ARLINGTON'S TRAPDOOR COVERS & LEVELING RING









FLBT6615MB Trapdoor cover (open & closed)

FLBT6615NL Trapdoor cover

FLBT6615LR Leveling Ring for trapdoor covers



FLBT6615MB Trapdoor cover on FLBC4500 Concrete box



ARLINGTON'S ADAPTERS



FLBC4500AR Oversized Adapter Ring



FLBC4500Y "Y" Adapter





FLOOR BOX KITS

and INTERCHANGEABLE FLOOR BOXES • COVERS • ACCESSORIES



| Distributed by | | |
|----------------|--|--|
| | | |
| | | |
| | | |

NON-METALLIC & STEEL BOXES



FLOOR BOX KITS and Boxes • Covers • Accessories



NON-METALLIC BOXES THREE STYLES

FLUSH FIT

Arlington's **UL Listed FLOOR BOX KITS** offer installers the low cost, *convenient* way to put a receptacle in the floor – with a box that installs flush with the floor.

We have a floor box for nearly any job site condition. There's one for new concrete pours, a box for existing floors – and an *adjustable* box that fits most finished floor heights up to 2". All are available with oversized non-metallic or metal covers. And all install flush with the floor surface

that prevent water intrusion – with your choice of threaded plugs or flip lids that protect the receptacle when it's not in use. Best of all, they're oversized to hide miscut flooring!

Arlington's single-gang floor box kits are available with metal or non-metallic

covers in a variety of colors and finishes.

Non-metallic in white, black, brown, light almond and **metal** in brass and nickel-plated brass.
















ON EXISTING FLOORS







ADJUSTS TO FINAL FLOOR HEIGHT




FOR FLOORS UP TO 2" THICK

FOR NEW CONCRETE POURS



Flip Lid **Cover Style**

Suppled with 1/8", 1/4", 1/2" and 3/4" spacers to allow for increases in floor thickness; tile, wood, carpet, etc.



Adjustable boxes for varying floor heights





FLBA101MB Rectangular, **Brass Cover**

Adjustable Bracket positions box flush with floor





FOR EXISTING FLOORS



| CATALOG NUMBER | UPC/DCI/NAED MFG. #018997 | DESCRIPTION UL Listed Floor Box Kit | COVER MATERIAL | COVER STYLE/SHAPE | COVER COLOR | UNIT PKG | STD PKG |
|-------------------|------------------------------|--------------------------------------------|-------------------|----------------------|---------------------|-------------|------------|
| FLBRF101W | 16253 | | Non-Metallic | | White | 1 | 4 |
| FLBRF101LA | 16252 | 20.0 cubic inch | Non-Metallic | RECTANGULAR | Light Almond | 1 | 4 |
| FLBRF101BR | 16251 | BOX FOR | Non-Metallic | with | Brown | 1 | 4 |
| FLBRF101BL | 16250 | EXISTING FLOORS | Non-Metallic | TWO | Black | 1 | 4 |
| FLBRF101ME | 16254 | Flush-to-the-floor | Metal | FLIP LIDS | Brass | 1 | 4 |
| FLBRF101NL | 16255 | Installation. Put a | Metal | | Nickel-plated brass | 1 | 4 |
| FLBR101W | 04356 | receptacle where you need iteasy. | Non-Metallic | RECTANGULAR | White | 1 | 4 |
| FLBR101LA | 04357 | you need iteasy. | Non-Metallic | with | Light Almond | 1 | 4 |
| FLBR101BR | 04359 | (ŮL) | Non-Metallic | TWO | Brown | 1 | 4 |
| FLBR101BL | 04358 | | Non-Metallic | THREADED | Black | 1 | 4 |
| FLBR101MB | 52263 | LISTED | Metal | PLUGS | Brass | 1 | 4 |
| FLBR101NL | 52453 | | Metal | | Nickel-plated brass | 1 | 4 |

Includes: Floor Box, duplex receptacle, (1) NM94 connector, back plate on non-metallic covers, gasketed cover, (5) #6-32 cover plate screws and threaded plugs or flip lids.

FLBRF101LA




Not shown:

FLBRF101NL (Nickel-plated cover with flip lids)

FLBRF101BR (Non-metallic, brown cover with flip lids)





Not shown:

 $\textbf{FLBR101W} \ (\textbf{Non-metallic}, \textbf{white cover with threaded plugs})$



FLBR101LA



INSTALLS FLUSH WITH FLOOR



ADJUSTABLE... FOR FLOORS UP TO 2" H



| CATALOG NUMBER | UPC/DCI/NAED MFG. #018997 | DESCRIPTION UL Listed Floor Box Kit | COVER MATERIAL | COVER STYLE/SHAPE | COVER COLOR | UNIT PKG | STD PKG |
|-------------------|------------------------------|--------------------------------------------|-------------------|----------------------|---------------------|-------------|------------|
| FLBAF101W | 04340 | | Non-Metallic | | White | 1 | 4 |
| FLBAF101LA | 04341 | | Non-Metallic | RECTANGULAR | Light Almond | 1 | 4 |
| FLBAF101BR | 04343 | | Non-Metallic | with | Brown | 1 | 4 |
| FLBAF101BL | 04342 | | Non-Metallic | TWO | Black | 1 | 4 |
| FLBAF101ME | 13805 | | Metal | FLIP LIDS | Brass | 1 | 4 |
| FLBAF101NL | 13806 | 18.3 cubic inch | Metal | | Nickel-plated brass | 1 | 4 |
| FLBA101W | 04344 | ADJUSTABLE BOX Fits most finished | Non-Metallic | RECTANGULAR | White | 1 | 4 |
| FLBA101LA | 04345 | floor heights | Non-Metallic | with | Light Almond | 1 | 4 |
| FLBA101BR | 04347 | up to 2" | Non-Metallic | TWO | Brown | 1 | 4 |
| FLBA101BL | 04346 | ар 10 <u>г</u> | Non-Metallic | THREADED | Black | 1 | 4 |
| FLBA101MB | 52259 | (Ůľ) | Metal | PLUGS | Brass | 1 | 4 |
| FLBA101NL | 52450 | LISTED | Metal | | Nickel-plated brass | 1 | 4 |
| FLBAR101W | 04348 | | Non-Metallic | ROUND | White | 1 | 4 |
| FLBAR101LA | 04349 | | Non-Metallic | with | Light Almond | 1 | 4 |
| FLBAR101BR | 04351 | | Non-Metallic | TWO | Brown | 1 | 4 |
| FLBAR101BL | 04350 | | Non-Metallic | THREADED | Black | 1 | 4 |
| FLBAR101MI | 3 52261 | | Metal | PLUGS | Brass | 1 | 4 |
| FLBAR101NL | 52451 | | Metal | | Nickel-plated brass | 1 | 4 |

Includes: Adjustable Floor Box, (1) tamper-resistant ("TR") duplex receptacle, (1) cover plate w/ gasket, flip lids or threaded plugs, (2) #6-32 x 1* long screws, (2) #6 drywall screws, (1) NM94 connector, (1) NM900 plug, (1) cap (covers adjustable screw hole in cover plate)



NON-METALLIC COVER COLORS








FLBAR101BL
















FOR CONCRETE POURS





| CATALOG NUMBER | UPC/DCI/NAED MFG. #018997 | DESCRIPTION UL Listed Floor Box Kit | COVER MATERIAL | COVER STYLE/SHAPE | COVER COLOR | UNIT PKG | STD PKG |
|-------------------|------------------------------|--------------------------------------------|-------------------|----------------------|---------------------|-------------|------------|
| FLBCF101W | 06950 | | Non-Metallic | | White | 1 | 1 |
| FLBCF101LA | 06951 | | Non-Metallic | RECTANGULAR | Light Almond | 1 | 1 |
| FLBCF101BR | 06952 | BOX FOR | Non-Metallic | with | Brown | 1 | 1 |
| FLBCF101BL | 06953 | NEW CONCRETE | Non-Metallic | TWO | Black | 1 | 1 |
| FLBCF101ME | 52454 | Includes spacers | Metal | FLIP LIDS | Brass | 1 | 1 |
| FLBCF101NL | 52455 | for adjusting box to finished floor | Metal | | Nickel-plated brass | 1 | 1 |
| FLBC101W | 04352 | height | Non-Metallic | - RECTANGULAR | White | 1 | 1 |
| FLBC101LA | 04353 | | Non-Metallic | with | Light Almond | 1 | 1 |
| FLBC101BR | 04355 | (ÎL) | Non-Metallic | TWO | Brown | 1 | 1 |
| FLBC101BL | 04354 | LISTED | Non-Metallic | THREADED | Black | 1 | 1 |
| FLBC101MB | 52265 | | Metal | PLUGS | Brass | 1 | 1 |
| FLBC101NL | 52452 | | Metal | | Nickel-plated brass | 1 | 1 |

Includes: Concrete box, mud cover, (4) 3/4" plugs, (2) 1" plugs, (1) 1/8" spacer, (1) 1/4" spacer, (1) 1/2" spacer and (1) 3/4" spacer, mounting bracket, duplex receptacle, gasketed cover plate, (5) #6-32 x 1/2" long cover plate screws, (4) #8 x 5/8" long sheet metal screws, (4) #8 x 1-1/4" long sheet metal screws and threaded plugs or flip lids.











ROUGH-IN & TRIM KITS

FOR NEW CONCRETE

ROUGH-IN KIT

Non-metallic concrete box and plugs



| CATALOG | UPC/DCI/NAED | DESCRIPTION | BOX | COLOR | UNIT | STD |
|-----------|--------------|---------------------------------------------------|--------------|--------------|------|-----|
| NUMBER | MFG. #018997 | Rough-In Kit | MATERIAL | | PKG | PKG |
| FLBC101RK | 13820 | Non-metallic concrete box, plugs and mud cover | Non-Metallic | Gray plastic | 1 | 1 |

Includes: Concrete box, (4) 3/4" plugs, (2) 1" plugs and mud cover (not shown)



| CATALOG NUMBER | JPC/DCI/NAED MFG. #018997 | DESCRIPTION Trim Kit | COVER MATERIAL | COVER STYLE/SHAPE | COVER COLOR | UNIT PKG | STD PKG |
|-------------------|------------------------------|-----------------------------------------|-------------------|----------------------|---------------------|-------------|------------|
| FLBCF101WTI | 13827 | | Non-Metallic | | White | - 1 | 1 |
| FLBCF101LAT | K 13828 | TRIM KIT | Non-Metallic | RECTANGULAR | Light Almond | 1 | 1 |
| FLBCF101BRT | K 13829 | Includes (4) spacers, mounting bracket, | Non-Metallic | COVER | Brown | 1 | 1 |
| FLBCF101BLT | (13830 | receptacle, (1) gasketed | Non-Metallic | with TWO | Black | 1 | 1 |
| FLBCF101MB | TK 13831 | cover with flip lids | Metal | FLIP LIDS | Brass | 1 | 1 |
| FLBCF101NLT | K 13832 | , , , | Metal | | Nickel-plated brass | 1 | 1 |
| FLBC101WTK | 13821 | TRIM KIT | Non-Metallic | RECTANGULAR | White | 1 | 1 |
| FLBC101LATK | 13822 | Includes (4) spacers, | Non-Metallic | COVER with | Light Almond | 1 | 1 |
| FLBC101BRTK | 13823 | mounting bracket, | Non-Metallic | TWO | Brown | 1 | 1 |
| FLBC101BLTK | 13824 | receptacle, (1) gasketed | Non-Metallic | THREADED | Black | 1 | 1 |
| FLBC101MBTI | (13825 | cover with threaded plugs | Metal | PLUGS | Brass | 1 | 1 |
| FLBC101NLTK | 13826 | | Metal | | Nickel-plated brass | 1 | 1 |



NON-METALLIC COVER COLORS



BRASS & NICKEL-PLATED BRASS METAL COVERS

INTERCHANGEABLE FLOOR BOX KITS, COVERS, ACCESSORIES

NEW & EXIST

Arlington's cost-effective **FLOOR BOX KITS** offer installers the low cost, *convenient* way to install a receptacle *flush with the floor* wherever your customer needs one.

This new series of floor box kits, covers and accessories is designed for installation convenience in new and existing floors, and new concrete pours – as well as interchangeability with a variety of other manufacturers' floor boxes.

Available with a **steel** box and a gasketed brass or nickel-plated brass cover to prevent water intrusion, the cover comes with threaded plugs or flip lids to protect the receptacle when it's not in use.

With a variety of floor box kits and individual metal covers and accessories, Arlington offers just about any option you could possibly need...


- Single and two-gang floor box kits...and a combination box kit with an installed divider for power and low voltage in the same box.
- Rectangular or square metal covers with flip lids or threaded plugs...also sold separately.











COVERS TO FIT OTHER MANUFACTURERS' BOXES FOR GOOD LOOKS ANYWHERE!



ING FLOORS and NEW CONCRETE

Arlington's FLOOR BOX KITS and COVERS **FOR NEW CONCRETE** offer flexibility and convenience.

Made of
heavy-duty
plastic,
our 4.5"
non-metallic
concrete box
is a universal
"fits all" size,

that accommodates our 6" round covers as well as most other round covers on the market.

Our versatile concrete box **covers** are available with flip lids or threaded plugs – in brass or nickel-plated brass. They deliver easier-than-ever installation of receptacles so they'll look great wherever they're installed!

A selection of leveling rings and adapters allows our covers to fit our boxes *and* most other manufacturers' concrete boxes.

For the fastest installation, our trapdoor covers ship *ready to use* with a pre-installed gasket and decorator-style receptacle.





(open and back)

STEEL BOX FLOOR BOX KITS LINGTON PRODUCTS Metal Covers, Boxes

COVERS WITH FLIP LIDS



| CATALOG NUMBER | UPC/DCI/NAED MFG. #018997 | DESCRIPTION COVERS WITH FLIP LIDS | COVER SIZE & STYLE | COVER SHAPE | UNIT PKG | STD PKG |
|-------------------|------------------------------|----------------------------------------------------------------------------------------|-----------------------------------|----------------|-------------|------------|
| | | FLOOR BOX KITS • with STEEL BOX | | | | |
| FLB5331MI | 3 22019 | Single-gang steel box, gaskets, (1) duplex | Brass with Two Flip Lids | | 1 | 4 |
| FLB5331NL | 22020 | receptacle, gasketed cover, mounting screws | Nickel-plated with Two Flip Lids | | 1 | 4 |
| FLB5551MI | 3 22038 | Two-gang steel box, gaskets, (2) duplex | Brass with Four Flip Lids | | 1 | 4 |
| FLB5551NL | 22039 | receptacles, gasketed cover, mounting screws | Nickel-plated w/ Four Flip Lids | | 1 | 4 |
| | 1 | METAL GASKETED COVERS with receptacle | | | | |
| FLB5330MI | B 22017 | Brass Cover | Single-gang with Two Flip Lids | | 1 | 10 |
| FLB5330NL | . 22018 | Nickel-plated Cover | Single-gang with Two Flip Lids | | 1 | 10 |
| FLB5550MI | B 22036 | Brass Cover | Two-gang with Four Flip Lids | | 1 | 10 |
| FLB5550NL | . 22037 | Nickel-plated Cover | Two-gang with Four Flip Lids | | 1 | 10 |
| | FLOOR | BOX KITS • with TWO-GANG STEEL COMB | о вох | | | |
| FLB5552MI | B 22050 | Two-gang steel box with installed low voltage | Brass with Four Flip Lids | | 1 | 4 |
| FLB5552NL | . 22051 | divider, gaskets, (1) duplex receptacle, (1) low voltage duplex plate, mounting screws | Nickel-plated with Four Flip Lids | | 1 | 4 |









SINGLE & TWO-GANG FLOOR BOX KITS









| Carlon • T&B | Hubbell | Lew | WireMold • P&S |
|------------------------------------|-----------------------------------|---------------|---------------------------------|
| | | | |
| 71W-DS | B2481 + S3825 (needs receptacle) | SWB-2-LR | 880W1818TCAL (needs receptacle) |
| 71W-DS-N | B2481 + SA3825 (needs receptacle) | SWB-2-LRA | 880W1818TCAL (needs receptacle) |
| 62W + (2) 64-DS (needs receptacle) | B2482 + SB3082 + (2) S3925 | SWB-4-PQ-LR | 880W2827B (needs receptacle) |
| 62W + (2) 64-AL (needs receptacle) | B2482 + SB3082 + (2) SA3825 | SWB-4-PQ-LR | 880W2827B (needs receptacle) |
| | | | |
| P-64-DS | S3825 | RRP-2-LRR | 828R |
| P-64-DS-AL | SA3825 | RRP-2-LR-AR | 828R-TCAL |
| (2) 64-DS | SB3084 + S3825 | RRP-4-BP-LR | (2) 828R |
| (2) 64-DS-AL | SB3082 + (2) SA3825 | RRP-4-PQ-LR-A | (2) 828R-TCAL |
| | | | |
| | | | |
| | | | |
| | | 1 | |



ARLINGTON'S METAL GASKETED COVERS with FLIP LIDS

Arlington's steel floor outlet boxes are compatible with our metal floor box covers on pages 10 and 12. Features include: installed grounding screw, adjustable mounting ears and multiple 1/2" knockouts.





STEEL OUTLET BOXES FOR NEW OR RETROFIT CONSTRUCTION

| CATALOG NUMBER | UPC/DCI/NAE | | CUBIC | # OF KNOCKOUTS | UNIT PKG | STD PKG |
|-------------------|-------------|-----------------------------------------------------------------------------------------------------|-------|-------------------|-------------|------------|
| FLB5319 | 22060 | Single-gang Steel Floor Outlet Box | 18.0 | 9 | 1 | 10 |
| FLB5548 | 22061 | Two-gang Steel Floor Outlet Box | 36.0 | 14 | 1 | 10 |
| FLB5549 | 22062 | Two-gang Steel Floor Combination Box with installed (removable) divider for power/low voltage | 36.0 | 14 | 1 | 10 |



STEEL BOX FLOOR BOX KITS LINGTON PRODUCTS Metal Covers, Boxes

COVERS WITH THREADED PLUGS





FLB5541MB Floor Box Kit (exploded view)









SINGLE & TWO-GANG FLOOR BOX KITS



FIT THESE MANUFACTURERS' CROSS REFERENCE and others' PRODUCTS

| Carlon • T&B | Hubbell | Lew | WireMold • P&S |
|--------------------------------------|-----------------------------------|------------|----------------------------------|
| | | | |
| 61W + P-64-DU (needs receptacle) | B2481 + S3625 (needs receptacle) | SWB-2 | 880W1+828SPTC (needs receptacle) |
| 61W + P-64-DU-AL (needs receptacle) | B2481 + SA3625 (needs receptacle) | SWB-2-NS | (2) 828SPTC |
| 62W + (2) P-64-DU (needs receptacle) | B2482 + SB3084W + SA3625 | SWB-4-PQ | 880W2 |
| 62W + (2) P-64-DU-AL | B2482 + SA3084 + (2)SA3625 | SWB-4-PQ-A | 880W2 + (2) 828SPTC |
| P-64-DU | S3625 | RRP-2-BR | 828SPTC |
| P-64-DU-AL | SA3625 | RRP-2-NS | |
| (2) P-64-DU | SB3084W + (2) SA3625 | RRP-4-BP | 880W1+(2) 828SPTC |
| (2) P-64-DU-AL | SA3084W + (2) SA3625 | RRP-4-BP-A | (2) 828SPTC |
| | | | |
| | | | |
| | | | |



ARLINGTON'S METAL GASKETED COVERS with THREADED PLUGS

Arlington's single and two-gang steel floor outlet boxes are compatible with our metal floor box covers on pages 10 and 12.

Features include: installed grounding screw, adjustable mounting ears and multiple 1/2" knockouts.

STEEL OUTLET BOXES FOR NEW OR RETROFIT CONSTRUCTION

| CATALOG NUMBER | UPC/DCI/NAED MFG. #018997 | DESCRIPTION | CUBIC | # OF KNOCKOUTS | UNIT PKG | STD PKG |
|-------------------|------------------------------|------------------------------------|-------|-------------------|-------------|------------|
| FLB5319 | 22060 | Single-gang Steel Floor Outlet Box | 18.0 | 9 | 1 | 10 |
| FLB5548 | 22061 | Two-gang Steel Floor Outlet Box | 36.0 | 14 | 1 | 10 |



ARLINGTON PRODUCTS

Metal Covers, Non-Metallic Boxes, Accessories

FOR NEW CONCRETE POURS



| CATALOG NUMBER | UPC/DCI/NAED MFG. #018997 | DESCRIPTION NOTES | UNIT PKG | STD PKG | |
|-------------------|------------------------------|--------------------------------------------------------------------------------------------|-------------|------------|---|
| FLBC4500 | 22010 | 4.5" Non-metallic Round Box for Concrete Pours (conduit plugs, mud cover, voltage divider) | 1 | 5 | |
| FLB6230ME | 3 22025 | Cover Kit 6" Round, Brass w two flip lids *hole pattern fits FLBC4500LR | 1 | 10 | |
| FLB6230NL | 22026 | Cover Kit 6" Round, Nickel-plated w two flip lids *hole pattern fits FLBC4500LR | 1 | 10 | L |
| FLB6220ME | 3 22021 | Cover Kit 6" Round, Brass w two threaded plugs *hole pattern fits FLBC4500LR | 1 | 10 | |
| FLB6220NL | 22022 | Cover Kit 6" Round, Nickel-plated w two threaded plugs *hole pattern fits FLBC4500LR | 1 | 10 | Ĺ |
| FLBC4500L | R 22011 | Leveling Ring for Arlington FLBC4500 & above round covers (has bosses for cover mounting) | 1 | 10 | |
| FLBT6615M | B 22030 | Trapdoor Cover Round, Brass. Pre-mounted gasket & decorator-style 15A receptacle | 1 | 10 | |
| FLBT6615N | L 22031 | Trapdoor Cover Round, Nickel-plated. Pre-mounted gasket & decorator-style 15A receptacle | 1 | 10 | |
| FLBT6615LF | 22029 | Leveling Ring for Arlington FLBC4500 box w FLBT6615 trapdoor style cover | 1 | 10 | |
| FLBC4500A | R 22004 | Oversized Adapater Ring for 5" diameter concrete boxes | 1 | 10 | |
| FLBC4500Y | 22012 | "Y" Adapter - Provides (2) 1" openings for conduit entering 1" hub | 1 | 10 | |

NON-METALLIC CONCRETE BOX



COVER KITS with FLIP LIDS

FLB6230MB Brass cover

Includes cover with flip lids, gaskets, receptacle.

Also available with Nickel-plated cover FLB6230NL (not shown)



COVER KITS with THREADED PLUGS

FLB6220MB

Brass cover

Includes cover with threaded plugs, gaskets, receptacle.

(NOT SHOWN)


FLB6220NL Nickel-plated cover



LEVELING RING

Hole pattern fits above round covers: FLB6230MB FLB6230NL FLB6220MB FLB6220NL







FIT THESE MANUFACTURERS' CROSS REFERENCE and others' PRODUCTS

| Carlon • T&B | Hubbell | Lew | WireMold • P&S |
|-----------------|---------------|----------|------------------------|
| E971FB, 68P | PFB1 | FB | 881 E971FB, 68P |
| E97BR2, P60DS | S3925 + S3082 | TCP-2-LR | 895T E97BR2, P60DS |
| E97SS2, P60CACP | | TCP-LR-A | 895 E97SS2, P60CACP |
| P-60-DUP-60-CP | S3725 + S3082 | TCP-2 | 895SP P-60-DUP-60-CP |
| | | | |
| E97ABR2, 68-PAR | PFBA1 | LRA | 881ADP E97ABR2, 68-PAR |
| | | PUFP-BD | |
| | | PUFF-SD | |
| | | PUFF-LRA | |
| | | LRA-HT | |
| E972Y | PFBYA1 | Y-CONN | N/A E972Y |
| | T | I | |

ARLINGTON'S TRAPDOOR COVERS & LEVELING RING









FLBT6615MB Trapdoor cover (open & closed)

FLBT6615NL Trapdoor cover

FLBT6615LR Leveling Ring for trapdoor covers



FLBT6615MB Trapdoor cover on FLBC4500 Concrete box



ARLINGTON'S ADAPTERS



FLBC4500AR Oversized Adapter Ring



FLBC4500Y "Y" Adapter





FLOOR BOX KITS

and INTERCHANGEABLE FLOOR BOXES • COVERS • ACCESSORIES



| Distributed by | | |
|----------------|--|--|
| | | |
| | | |
| | | |