



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## **FP30131648BLACK Thin-Wall Heat Shrink Tubing, 3/16 - 48" , BK** *Minnesota Mining (3M)*

Catalog Number	FP30131648BLACK
Manufacturer	Minnesota Mining (3M)
Description	Thin Wall Shrink Tube, Polyolefin Material, Black, 2400 Psi Tensile Strength, 400 % Elongation At Break, 600 V, 3/16 In Cable Size, 0.093 In;2.36 MM Recovered Diameter, 0.187 In Expanded Diameter, 2:1 Shrink Ratio, -67 °F Operating Temperature, +275 °F Operating Temperature, 4 FT Length, 0.02 In Thickness, 10 Yr Shelf Life, 0.04 LB/Ea
Weight per unit	0.0400 (lbs/each)
Product Category	Insulating Materials

### **Descriptions**

Description	THIN-WALL HEAT SHRINK TUBING, 3/16 - 48" , BK
extra long description	3M 7000133489 3M™ Heat Shrink Thin-

### **Manufacturer Information**

GTIN	00051128595701
Manufacturers Part Number	FPO.188BK48"S
UPC	051128595701

### **Taxonomies, Classifications, and Categories**

Category Description	HEAT/COLD SHRINK
Type	Single (Thin) Wall

### **Packaging**

Carton	25
Weight Per each	0.04

### **Uses, Certifications, and Standards**

standard	UL, CSA, ABS
----------	--------------