



FRNR300 300A 250V TD Class RK5 Dual Elem Fuse-Fusetron *Bussmann Fuses*

Catalog Number	FRNR300
Manufacturer	Bussmann Fuses
Description	Eaton Bussmann Series Class RK5 Fuse, FRN-R, Time-Delay, Dual-Element, Current Limiting Fuse, 300 A, Non-Indicating Fuse, Interrupting Rating Of 200 Ka At 250 Vac and 20 Ka At 250 VDC
Weight per unit	1.8 (lbs/each)
Product Category	Dual Element

Features

amperage rating	300
connection	Blade End X Blade End
dimensions	8.6300 IN X 2.3800 IN X 2.3800 IN
element	Dual
Fuse Class	Class RK5
interrupt rating	200 kAIC at 250 Vac20 kAIC at 125 Vdc
media	Yes
Response Time	10 S at 500%
Voltage Rating	250 VAC, 125 VDC

Dimensions and Weight

Size	2.38 In Diameter X 8.63 In Length
------	-----------------------------------

Descriptions

Description	300A 250V TD CLASS RK5 DUAL ELEM FUSE-FUSETRON
extra long description	BUSS FRN-R-300 FUSETRON DUAL-ELEMEN
Features	Bussmann's UL Class RK5 Fusetron product offering provides energy efficient advanced protection with its dual-element, time-delay construction and is available with optional open fuse indication on select ratings. Available in both 250Vac and 600Vac, 200kA RMS Sym interrupting rating and sizes ranging from 0 to 600 amp. Fusetron's deliver 10 seconds (minimum) of time-delay at 500 of rated current (8 seconds for 1/10-30A sizes).
Long Description	Eaton Bussmann Series Class RK5 fuse, FRN-R, time-delay, dual-element, current limiting fuse, 300 A, non-indicating fuse, interrupting rating of 200 kA at 250 Vac and 20 kA at 250 Vdc
Product Type	Fusetron Dual-Element Class RK5
Special Features	Finger Safe



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

3325 Clay Avenue
76711-0000, TX Waco
Phone: 254-752-3331
Fax: 254-752-3460

Manufacturer Information

Brand	Eaton
GTIN	00051712507516
Manufacturers Part Number	FRN-R-300
UPC	051712507516

Taxonomies, Classifications, and Categories

Category Description	Fuses & Fuse Accessories
Type	FUSE

Packaging

Carton	1
Weight Per each	1.8

Uses, Certifications, and Standards

Application standard	Ind Facilities & Factories - Facility: Safety and Security Systems CE Marked
----------------------	---