

GAR2034, Mechanical Grounding Connector, Cable to Rod or Pipe

By Burndy Catalog # GAR2034



Mechanical Grounding Connector, Cable to Rod or Pipe, 300 - 500 kcmil, 3" to 3-1/2" Rod, 3" Pipe, Bright Dipped.

Application

For Joining A Range Of Cable, Parallel Or At Right Angles To Rod Or Tube, Direct Burial Cable, Fence Post

General

EU RoHS Indicator	Yes
Installation Torque	480 LBS/in
Recommended in-lb	
Material	Copper Alloy
Material - Hardware	DURIUM™ Silicon Bronze
Plated	Ν
Plating Type	Bright Dipped
Sub Brand	MECHANICAL CONNECTOR
Туре	GAR
U Bolt Type	282
UPC	781810236659
UPC 12 Digit	7818102366599

Dimensions

Dimension - B Length inch Dimension - Height fraction Dimension - Height inch Dimension - L Length Overall mm	3.75 in 6-3/8 in 6.38 in 60 mm
Dimension - Length Overall inch	2.38 in
Dimension - Outside Diameter inch	3.50 in
Dimension - Width fraction	5-1/4 in
Dimension - Width inch Dimension - Width mm	5.19 in 132 mm

Conductor Related

Conductor - Copper Solid Size Range	300 Kcmil -500 Kcmil
Conductor - Copper Str Size	300 kcmil;350 kcmil;400 kcmil;450 kcmil;500 kcmil
Conductor - Copper Str Size Range	300 kcmil - 500 kcmil
Conductor - Copper Tube Std Size	3 IPS IPS
Conductor - Copper Tube Std Size Range	3 IPS IPS
Conductor - Pipe or Round Tube Size	3 in
Conductor - Rod Size	3 - 3.5 in
Conductor - Rod Size Range	3 in-3 1/2 in
Conductor Type	CU C Solid-Size
	CU C Str-Size

- CU Tube Std-Size
- Rod-Size

Certifications and Compliance

Certification - CSA Approved	No
Certification - ETL	No
Certification - UL Listed Direct Burial	Yes
Certification - UL Recognized	No
Certification - cULus	No
Industry Standard(s)	UL467
Standards - Industry Standards Met	UL467
Standards - RoHS Compliance Status	ΕX
UL Listed	Yes

Logistics

Minimum Pack Quantity

Product Assets

3D Models - GAR2034_MODEL-STEP 3D Models - GAR2034_MODEL-IGES 3D Models - GAR2034_MODEL-PDF Catalogs - Full Line BURNDY Catalog Customer Notices - Prop 65 Notice Sales Drawings - SD..015789-01

1



A proud member of the Hubbell Family.

©2023 Hubbell Incorporated. All rights reserved. BRDY-GAR2034-SPEC-EN | REV 8/2023