

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



GHB1050 50A GHB 1P BKR For Key Operated Attachment Eaton Corp

м	
Catalog Number	GHB1050
Manufacturer	Eaton Corp
Description	Eaton Series C Complete Molded Case Circuit Breaker, G-Frame, GHB, Complete Breaker, Fixed Thermal, Fixed Magnetic Trip Type, Single-Pole, 50 A, 277 Vac, 125 VDC, 14 Kaic At 277 Vac, 50/60 HZ
Weight per unit	0.6500 (lbs/each)
Product Category	1 Pole
tures	
Current Rating	50 A
dimensions	2.6300 IN X 1.0000 IN X 4.0000 IN
media	Yes
Poles	
Тгір Туре	Fixed thermal, fixed magnetic
Voltage Rating	277 Vac, 125 Vdc
criptions	
Description	50A GHB 1P BKR FOR KEY OPERATED ATTACHMENT
extra long description	ETN GHB1050 50A GHB 1P BKR FOR KEY
Features	Experience the superior quality of the Eaton Series C Molded Case Circuit Breaker. The Series C circuit breaker is ideal for panelboards, switchboards, motor control centers, and busway applications. Choose from a premier selection of trip units including thermal magnetic, electronic, and magnetic only switches. Available for systems up to 600 VAC or 250 VDC with current ratings up to 800A.
Long Description	Eaton Series C complete molded case circuit breaker, G-frame, GHB, Complete breaker, Fixed thermal, Fixed magnetic trip type Single-pole, 50 A, 277 Vac, 125 Vdc, 14 kAIC at 277 Vac, 50/60 H
Product Type	50A GHB 1P BKR For Key Opertd Attachment
nufacturer Information Brand	Eaton
GTIN	00786679021729
Manufacturers Part Number	GHB1050
UPC	786679021729
onomies, Classifications, and C	
Category Description	
Туре	Molded case circuit breaker



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging	
Carton	
Weight Per each	0.65
Uses, Certifications, and Standards	
Application	Elec Assemblies, Panels & EOEM - Electrical Assemblies and EOEMs - Other
Frequency Rating	50/60 Hz
standard	UL Listed, Federal Specifications Classification W-C375B