

## ELLIOT ELECTRIC SUPPLY Ma Deliver Lower Cost Quality Products, & Personal Service 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Туре

## GUAC36SA 1" Alu Body&CVR Crouse-Hinds

Catalog Number	GUAC36SA
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Gua Conduit Outlet Box With Cover, 3" Cover Opening Diameter, Copper-Free Aluminum, C Shape, 1"
Weight per unit Product Category	-
	диш
Features	Food Through
Cable Entry dimensions	Feed Through 5.5000 IN X 2.3100 IN X 3.5000 IN
	5.5000 IN X 2.5100 IN X 5.5000 IN
Dimensions and Weight Size	1 in
Descriptions	
Construction	Explosionproof, Dust-Ignitionproof, Raintight
Description	1" ALU BODY&CVR
extra long description	CRS-H GUAC36 SA 1 AL OUTL BX 3 DIA
Features	Crouse-Hinds series GUA and GUR explosionproof conduit outlet boxes are installed in conduit systems in hazardous areas to protect conductors in threaded rigid conduit, act as pull and splice boxes, change conduit direction, and provide access to conductors for maintenance and future system changes. GUA and GUR outlet boxes are certified for Class I, Division 1, Groups B, C, D and Class II, Division 1, Groups E, F, G. GUA boxes are available in ten different hub arrangements, maximizing flexibility in th
Long Description	Eaton Crouse-Hinds series Condulet GUA conduit outlet box with cover, 3" cover opening diameter, Copper-free aluminum, C
	1 AI OutI BX 3 Dia CVR THRD Rigid/Imc
Special Features	
Manufacturer Information	
Brand	Eaton
GTIN	00782274100333
Manufacturers Part Number	GUAC36 SA
UPC	782274100333
Taxonomies, Classifications, and (	Categories HUB STYLE BOXES (GUAB, GUAT, ETC)

Conduit outlet box with cover



## Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

## Packaging

Carton	1
Weight Per each	1.4
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
	PAD
standard	UL 886, CSA C22.2