

Specifications



Photo is representative

Eaton HMCP150T4C

Eaton molded case circuit breaker accessory motor protection, Motor circuit protector, 150 A, Three-pole, Frame J-K, 450-1500 A, Series C, Non-aluminum

General specifications

PRODUCT NAME	Eaton molded case circuit breaker accessory motor protection
CATALOG NUMBER	HMCP150T4C
UPC	786679150863
PRODUCT LENGTH/DEPTH	7.6 in
PRODUCT HEIGHT	4.9 in
PRODUCT WIDTH	5 in
PRODUCT WEIGHT	4.5 lb
CERTIFICATIONS	UL Listed CSA Certified
GLOBAL CATALOG	HMCP150T4C
PRODUCT TYPE	Molded case circuit breaker accessory



Powering Business Worldwide

Product specifications

AMPERAGE RATING	150 A
FRAME SIZE	Frame J-K
MAGNETIC TRIP RANGE	450-1500 A
SERIES	Series C
TERMINAL MATERIAL	Non-aluminum
NUMBER OF POLES	Three-pole
TYPE	Motor circuit protector

Resources

	Application of Multi-Wire Terminals for Molded Case Circuit Breakers
	Application of Tap Rules to Molded Case Breaker Terminals
APPLICATION NOTES	UL listed 100%-rated molded case circuit breakers
	Multi-wire lugs product aid
	Motor protection circuit breakers product aid
	Plug-in adapters for molded case circuit breakers product aid
	StrandAble terminals product aid
BROCHURES	Current limiting Series C molded case circuit breakers product aid
	Power metering and monitoring with Modbus RTU product aid
	Circuit breaker motor operators product aid
	Breaker service centers
CATALOGS	Circuit Protection, Molded Case Circuit Breakers, Volume 4, Tab 2
MULTIMEDIA	Flex shaft handle installation tutorial
	Series C J-Frame molded case circuit breakers time current curves
	MOEM MCCB product selection guide
SPECIFICATIONS AND DATASHEETS	Series C F-Frame molded case circuit breakers
	Series C G-Frame molded case circuit breakers time current curves
	Eaton Specification Sheet - HMCP150T4C

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.



Specifications



Photo is representative

Eaton HMCP150T4C

Eaton molded case circuit breaker accessory motor protection, Motor circuit protector, 150 A, Three-pole, Frame J-K, 450-1500 A, Series C, Non-aluminum

General specifications

PRODUCT NAME	Eaton molded case circuit breaker accessory motor protection
CATALOG NUMBER	HMCP150T4C
UPC	786679150863
PRODUCT LENGTH/DEPTH	7.6 in
PRODUCT HEIGHT	4.9 in
PRODUCT WIDTH	5 in
PRODUCT WEIGHT	4.5 lb
CERTIFICATIONS	UL Listed CSA Certified
GLOBAL CATALOG	HMCP150T4C
PRODUCT TYPE	Molded case circuit breaker accessory



Powering Business Worldwide

Product specifications

AMPERAGE RATING	150 A
FRAME SIZE	Frame J-K
MAGNETIC TRIP RANGE	450-1500 A
SERIES	Series C
TERMINAL MATERIAL	Non-aluminum
NUMBER OF POLES	Three-pole
TYPE	Motor circuit protector

Resources

	Application of Multi-Wire Terminals for Molded Case Circuit Breakers
	Application of Tap Rules to Molded Case Breaker Terminals
APPLICATION NOTES	UL listed 100%-rated molded case circuit breakers
	Multi-wire lugs product aid
	Motor protection circuit breakers product aid
	Plug-in adapters for molded case circuit breakers product aid
	StrandAble terminals product aid
BROCHURES	Current limiting Series C molded case circuit breakers product aid
	Power metering and monitoring with Modbus RTU product aid
	Circuit breaker motor operators product aid
	Breaker service centers
CATALOGS	Circuit Protection, Molded Case Circuit Breakers, Volume 4, Tab 2
MULTIMEDIA	Flex shaft handle installation tutorial
	Series C J-Frame molded case circuit breakers time current curves
	MOEM MCCB product selection guide
SPECIFICATIONS AND DATASHEETS	Series C F-Frame molded case circuit breakers
	Series C G-Frame molded case circuit breakers time current curves
	Eaton Specification Sheet - HMCP150T4C

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

