



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

600 E 23rd Street  
66046-0000, KS Lawrence  
Phone: 785-330-9441  
Fax: 785-371-0291



## HSTT100C 25.4MM 100' Roll BLK Thinwall HS *Panduit Corporation*

|                  |  |
|------------------|--|
| Catalog Number   | HSTT100C   |
| Manufacturer     | Panduit Corporation  |
| Description      | The HSTT100-C Thin Wall Heat Shrink Tubing Shrinks Around Wires, Connectors, Joints, and Terminals When Heated to Protect Against Abrasion. Applications Include Insulating and Protecting Wires/Cables In Indoor, Dry Locations. Shrink Ratio: 2:1. Temperature Range: -67°F to 275°F (-55°C to 135°C). Flame Retardant, Cross-Linked Polyolefin. 1.00" Diameter X 100' Long (25.4 MM X 30.5 M). Color Black. 1 Roll. |
| Weight per unit  | 4.6 (lbs/each)   |
| Product Category | Insulating Materials   |

### Features

|                  |                 |
|------------------|-----------------|
| flammability     | Flame Retardant |
| media            | Yes             |
| outside diameter | 1               |
| Shrink Ratio     | 2:1             |

### Material, Color, and Finish

|       |       |
|-------|-------|
| Color | Black |
|-------|-------|

### Dimensions and Weight

|           |       |
|-----------|-------|
| Thickness | 0.035 |
|-----------|-------|

### Descriptions

|                        |  |
|------------------------|--|
| Description            | 25.4MM 100' ROLL BLK THINWALL HS   |
| extra long description | PAN HSTT100-C Dry-Shrink™ HSTT100-C  |
| Long Description       | The HSTT100-C Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals when heated to protect against abrasion. Applications include insulating and protecting wires/cables in indoor, dry locations. Shrink ratio: 2:1. Temperature range: -67°F to 275°F (-55°C to 135°C). Flame retardant, cross-linked polyolefin. 1.00" Diameter x 100' Long (25.4 mm x 30.5 m). Color Black. 1 roll. |
| Product Type           | Dry-Shrink™ HSTT100-C Heatshrink, Black, Po, 100' L, 1" to 0   |

### Manufacturer Information

|                           |                |
|---------------------------|----------------|
| Brand                     | PANDUIT        |
| GTIN                      | 00074983913916 |
| Manufacturers Part Number | HSTT100-C      |
| UPC                       | 074983913916   |



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

600 E 23rd Street  
66046-0000, KS Lawrence  
Phone: 785-330-9441  
Fax: 785-371-0291

## Taxonomies, Classifications, and Categories

Type ..... Heat-Shrink .....

## Packaging

Carton ..... 1 .....

Weight Per roll ..... 4.55 .....

## Uses, Certifications, and Standards

Application ..... For Dry Locations;Insulating and protecting wires and cables .....

standard ..... Mil Spec: AMS-DTL-23053/5 Class 1;UL: E122770 .....