

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



ITCSN300048 Heat Shrink Heavywall Cable Sleeve ITCSN3000, 48" Minnesota Mining (3M)

	Catalog Number	ITCSN300048
	Manufacturer	Minnesota Mining (3M)
	Description	3M™ Heat Shrink Cable Sleeve Itcsn Is A Heavy Wall Sleeve That
		Provides Abrasion, Corrosion and Chemical Resistance. This
		Sleeve Has A 3:1 Shrink Ratio to Offer Electrical Insulation For 1
		KV Rated Applications. It Features A Cross Linked Polyolefin Construction That Provides Moisture Seal Protection.
	Woight por unit	
	Weight per unit	2.2 (lbs/each)
_	Product Category	Insulating Materials
De	scriptions	
	Description	HEAT SHRINK HEAVYWALL CABLE SLEEVE ITCSN3000, 48"
	extra long description	3M 7000031476 3M™ Heat Shrink Heavy
	Features	3M™ Heat Shrink Cable Sleeve ITCSN is a split resistant sleeve with a factory applied adhesive/sealant that offers reliable
		performance for electrical splices, connections and terminations.
		It is perfect for insulating secondary splices, direct buried,
		submersible or dig in repairs, as well as physical protection of
		high voltage, air insulated connectors or lugs. It withstands
		temperatures of 67 to 230 degrees F (55 to 110 degrees C). UL
		Listed, CSA Certified and RoHS 2011/65/EU Compliant.
	Long Description	3M™ Heat Shrink Cable Sleeve ITCSN is a heavy wall sleeve that
		provides abrasion, corrosion and chemical resistance. This sleeve
		has a 3:1 shrink ratio to offer electrical insulation for 1 kV rated
		applications. It features a cross linked polyolefin construction that provides moisture seal protection.
	Product Type	3M™ Heat Shrink Heavy-Wall Cable Sleeves Itcsn
N // a		Sivi Fledt Silillik Fledvy Wall Gable Sleeves Hesii
IVI	nufacturer Information Brand	3M
	GTIN	00054007089070
	Manufacturers Part Number	IT3.000BK48"S
	UPC	054007089070
Tax		
ıa	konomies, Classifications, and (HEAT/COLD SHRINK
	Category Description	
	Type	Heavy Wall
Pag	ckaging	
	Carton	5
	Weight Per each	2.2

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards			
standard	UL, CSA		