

ELLIOTT ELECTRIC SUPPLY No Deliver Lower Cost Quality Products, & Personal Service 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

2	NRR A
301	
	- Bile-

JDL40 40A 600V Class J Time Delay Fuse Edison Fuses

1	
Catalog Number	JDL40
Manufacturer	Edison Fuses
Description	Eaton Edison Series JDL Fuse, Time-Delay Current-Limiting Fuse, Non-Indicating, 40 A, Class J, Non-Indicating, 200 Kaic, Standard 10, 600 V
Weight per unit	0.1900 (lbs/each)
Product Category	Dual Element
atures	
amperage rating	40 A
class	
dimensions	2.3800 IN X 1.0600 IN X 1.0600 IN
interrupt rating	200 kAIC
media	Yes
Voltage Rating	600 V
escriptions	
Description	40A 600V CLASS J TIME DELAY FUSE
extra long description	EFSE JDL40 UL CLASS J TIME DELAY 60
Features	Edison's UL Class J fuse products are offered in both Dual-Element Time-Delay (JDL) and Fast-Acting (JFL) types. Both types have 200,000 amp interrupting rating at 600Vac RMS Sym amps. Their small physical size and high performance characteristics makes Class J fuses ideal for any space-limited applications. Edison's JFL fuses are best suited for the protection of non-inductive loads such as resistive heating and lighting circuits.
Long Description	Eaton Edison series JDL fuse, Time-delay current-limiting fuse, Non-indicating, 40 A, Class J, Non-indicating, 200 kAIC, Standarc 10, 600 V
Product Type	LII Class I Time Delay 600
Special Features	Non-Indicating
anufacturer Information	
Brand	Eaton
GTIN	00782634803423
Manufacturers Part Number	JDL40
UPC	782634803423

Taxonomies, Classifications, and Categories

Category Description	Fuses & Fuse Accessories
Туре	FUSE



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging

Carton	1
Package	10
Weight Per each	0.19

Uses, Certifications, and Standards

Application	Datacenters - Facilities: Critical Power
standard	UL Listed, CSA Certified, RoHS Compliant, CE Marked