



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

3101 Industrial Terrace
78758-0000, TX Austin
Phone: 512-351-3290
Fax: 512-973-9027



JDL60 60A 600V TD Dual Elem Class J Fuse *Edison Fuses*

Catalog Number	JDL60
Manufacturer	Edison Fuses
Description	Eaton Edison Series JDL Fuse, Time-Delay Current-Limiting Fuse, Non-Indicating, 60 A, Class J, 200 Kaic, Standard, 10, 600 V
Weight per unit	0.1900 (lbs/each)
Product Category	Dual Element

Features

amperage rating	60
dimensions	2.3800 IN X 1.0600 IN X 1.0600 IN
Fuse Class	Class J
interrupt rating	200 kAIC
Voltage Rating	600 V

Descriptions

Description	60A 600V TD DUAL ELEM CLASS J FUSE
extra long description	EFSE JDL60 UL CLASS J TIME DELAY 60
Features	Edison's UL Class J fuse products are offered in both Dual-Element Time-Delay (JDL) and Fast-Acting (JFL) types. Both types have 200,000 amp interrupting rating at 600Vac RMS Sym amps. Their small physical size and high performance characteristics makes Class J fuses ideal for any space-limited applications. Edison's JFL fuses are best suited for the protection of non-inductive loads such as resistive heating and lighting circuits.
Long Description	Eaton Edison series JDL fuse, Time-delay current-limiting fuse, Non-indicating, 60 A, Class J, 200 kAIC, Standard, 10, 600 V
Product Type	UI Class J Time Delay 600
Special Features	Non-Indicating

Manufacturer Information

Brand	Eaton
GTIN	00782634803454
Manufacturers Part Number	JDL60
UPC	782634803454

Taxonomies, Classifications, and Categories

Category Description	Fuses & Fuse Accessories
Type	FUSE

Availability

Status	Inactive
--------	----------



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

3101 Industrial Terrace
78758-0000, TX Austin
Phone: 512-351-3290
Fax: 512-973-9027

Packaging

Carton	1
Package	10
Weight Per each	0.19

Uses, Certifications, and Standards

Application	Datacenters - Facilities: Critical Power
standard	UL Listed, CSA Certified, RoHS Compliant, CE Marked