

KA8C, Copper Terminal, 1 Hole, 14 AWG (Sol)-8 AWG (Str), #10 Stud, 1 Screw.

By Burndy Catalog # KA8C

Copper Terminal, 1 Hole, 14 AWG (Sol)-8 AWG (Str), #10 Stud, 1 Screw.



Application

For Joining A Wide Range Of Copper Cable To Equipment Pads Or Terminal Blocks

General

Connector Type Terminal
EU RoHS Indicator Yes
Hardware Type #12
Material Copper
Material - Hardware Steel

Physical Attribute - Screw Flat head round tip

Туре

Plated N
Plating Type Unplated
Sub Brand KA-LUG

Type Bolted Lugs & Terminals

UPC 781810362051

Dimensions

Dimension - Bolt Size fraction #10
Dimension - Height inch 15.42 in
Dimension - Hole Size fraction 7/32
Dimension - Hole Size inch 0.21 in
Dimension - Hole Size mm 5.3 mm
Dimension - L Length Overall 20.6 mm

mm

Dimension - Length Overall 0.81 in

inch

Dimension - Mounting 12.24 UNC

Hardware Bolt Size inch

Dimension - N inch

Dimension - Pad Width inch

Dimension - Width inch

Dimension - Width inch

Dimension - Width mm

9.70 mm

Conductor Related

Conductor - Copper Solid Size 14 AWG;13 AWG;12 AWG;11

AWG;10 AWG;9 AWG;8 AWG

Conductor - Copper Str Size # 14 Sol. - # 8 Str.

Range

Conductor Size 14-8 AWG
Conductor Type CU C Str-Size

Certifications and Compliance

Certification - CSA Approved No
Certification - ETL No
Certification - UL Recognized No
Certification - cULus No

Industry Standard(s) UL 486A-486B Standards - Industry UL 486A-486B

Standards Met

Standards - RoHS Compliance EX

Status

UL Listed Yes

Logistics

Minimum Pack Quantity 1

Product Assets

3D Models - KA8C_MODEL-IGES
3D Models - KA8C_MODEL-PDF
3D Models - KA8C_MODEL-STEP
Catalogs - Full Line BURNDY Catalog
Customer Notices - Prop 65 Notice
Sales Drawings - sc088846-01

