

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



**UPC** 

## KLU2000 TD Class L Fuse Bussmann Fuses

Catalog Number	
Manufacturer	Bussmann Fuses
Description	Eaton Bussmann Series Klu Fuse, 2000 A, Class L, Non-Indicating, Bolted Blade End X Bolted Blade End, 5 Sec At 500%, 200 Kaic At 600 Vac, Bolt, Standard, 1, 600 V
Weight per unit	
Product Category	
eatures	
amperage rating	2000 A
class	Class L
connection	
dimensions	2 0000 IN V 1 0000 IN V 1 0000 IN
interrupt rating	200 kAIC at 600 Vac
media	Vac
Response Time	5 sec at 500%
Voltage Rating	600 V
imensions and Weight	
Size	3.50 In Diameter X 10.75 In Length
escriptions	<b>Q</b>
Description	TD CLASS L FUSE
extra long description	
Features	Bussmann's broad line of UL Class L fuses includes the KRP-C-SP
	Low-Peak family of fuses offering unsurpassed dual-element,
	current-limiting, time-delay performance and interrupting rating of 300kA RMS Sym. Complementing the Low-Peak family are our
	Limitron products offering both Fast-acting and economical
	time-delay performance in our KTU, KLU, and KRP-CL products
Long Description	Eaton Bussmann series KLU fuse, 2000 A, Class L, Non-indicating, Bolted blade end x bolted blade end, 5 sec at 500%, 200 kAIC at 600 Vac, Bolt, Standard, 1, 600 V
Product Type	Limitran Tima Dalay Fusa
Special Features	Non-Indicating
Nanufacturer Information	
Brand	Eaton
GTIN	00051712135108
Manufacturers Part Number	KLU-2000

051712135108



standard

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, and Categories	
Category Description	Fuses & Fuse Accessories
Туре	FUSE
Packaging	
Carton	1
Weight Per each	8.3
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Facility: Safety and Security Systems
Mounting	Bolt

RoHS Compliant, CE Marked