

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



LB25 3/4" Alu LB SR5 Conduit Body Crouse-Hinds

Catalog Number	LB25		
Manufacturer	Crouse-Hinds		
Description	Conduit Outlet Body, Epoxy Powder Painted, Gray, 3/4 In Trade Size, Threaded/Set Screw Connection, 7.3 Cu.In Capacity, 90° Angle, 3/4 In Hub Size, 4.97 In Length, 1.53 In Width, 2.38 In Height, 0.32 LB/Ea		
Weight per unit	0.3200 (lbs/each)		
Product Category	Alum		

Features

connection Threaded / Set Screw 4.9700 IN X 1.5300 IN X 2.3800 IN dimensions Series 5 Form

Material, Color, and Finish

Color Gray

Dimensions and Weight

Height 2.38

Descriptions

Description extra long description MIDWEST LB25 3/4 RGD LB COND BODY A **Features** Eaton's Crouse-Hinds Division Series 5 die cast copper-free aluminum conduit bodies, covers and gaskets are available for use with rigid or EMT conduit (with set screw). Conduit bodies are available in trade sizes 1/2" to 4", in the most popular conduit body shapes (C, LB, LL, LR, T) and 1/2" to 2" in TB and X shapes. The Series 5 family is available as components or pre-packaged in various configurations as a SnapPack assembly. In addition, Series 5 is completely interchangeable with other

3/4" ALU LB SR5 CONDUIT BODY

Manufacturer Information

Brand Eaton GTIN 00784564140029 UPC 784564140029

manufacturer

Taxonomies, Classifications, and Categories

FORM 5 CONDULETS, COVERS, & GASKETS Category Description Type Conduit outlet body



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

_			•	
บว	rν	24	ıın	a
Pa	$c_{\mathbf{N}}$	au		u

Carton	10	
Weight Per each	0.32	

Uses, Certifications, and Standards

Application	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other	
Enclosure	Condulet	
Mounting	Conduit	
standard	UL, cUL	