ELLIOTT ELECTRIC SUPPLY
We Deliver...Lower Cost, Quality Products, & Personal Service
2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



# LPCC15 15A 600V TD Class CC Low Peak Fuse

*Bussmann Fuses*

| | |
|---|---|
| Catalog Number | LPCC15 |
| Manufacturer | Bussmann Fuses |
| Description | Low Peak Fuse, Time Delay Fuse Speed, Class CC Fuse, 12 S @ 200% Response Time, 15 A, 600 V Ac;150 V DC, Melamine Tube Material, Dual Element, 0.41 In Diameter, 1.5 IN38.1 MM Overall Length, 0.02 LB |
| Weight per unit | 0.0200 (lbs/each) |
| Product Category | Current Limiting |

## Features

| | |
|---|---|
| amperage rating | 15 |
| connection | Ferrule End X Ferrule End |
| dimensions | 1.5000 IN X 0.4100 IN X 0.4100 IN |
| element | Dual |

## Dimensions and Weight

| | |
|---|---|
| Size | 13/32 In Diameter X 1-1/2 In Length |

## Descriptions

| | |
|---|---|
| Description | 15A 600V TD CLASS CC LOW PEAK FUSE |
| extra long description | BUS LP-CC-15 LOW PEAK CC TIME DELAY |
| Features | Bussmann's Class CC fuses set the standard in Class CC fuse performance in the industry. Recognized for their superior performance, Bussmann has the right product for your circuit and equipment protection needs. These branch circuit rated, 600v, 200,000a IR fuses offer exceptional protection in the smallest package of any UL class of fuses. Choose from the ultimate protection provided by our Low Peak LP-CC fuses, the time delay of our FNQ-R's for your control transformer and similar control applications or |
| Special Features | Rejection Style |

## Manufacturer Information

| | |
|---|---|
| Brand | Eaton Bussmann series |
| GTIN | 00051712115308 |
| UPC | 051712115308 |

## Taxonomies, Classifications, and Categories

| | |
|---|---|
| Category Description | MIDGET FUSES |
| Type | FUSE |

## Packaging

| | |
|---|---|
| Carton | 10 |
| Weight Per each | 0.02 |

ELLIOTT ELECTRIC SUPPLY
We Deliver...Lower Cost, Quality Products, & Personal Service
2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

## Uses, Certifications, and Standards

| | |
|---|---|
| standard | UL Listed ,CSA Certified,CE Marked,RoHS Compliant |