# Eaton LPS-RK-30SP

## Catalog Number: LPS-RK-30SP

Eaton Bussmann series LPS-RK fuse, 30 A, Dual, RK1, Nonindicating, Ferrule end x ferrule end, Time delay|Current-limiting, 10 sec at 500%, 100 kAIC at 300 Vdc|300 kAIC at 600 V, Standard, 10, 600 V, 300 Vdc

## General specifications

051712548366

**Product Height** 

**Product Weight** 

Compliances CE Marked

0.81 in

1.6 lb

Product Name Eaton Bussmann series LPS-RK fuse UPC

LPS-RK-30SP Product Length/Depth 5 in Product Width

Catalog Number

0.81 in

Warranty

Not Applicable





## Electrical rating

## Amperage Rating

30 A

#### Interrupt rating

100 kAIC at 300 Vdc 300 kAIC at 600 Vac

## Response time

10 sec at 500%

## Voltage rating

600 Vac, 300 Vdc

## Physical details

Fuse type

Time delay Current-limiting

## Number of elements

Dual

## Packaging type

Standard

## General information

Class

Class RK1

#### Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

## Special features

Electrically isolated end cap

## Resources

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LPS-RK-30SP

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia