



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



LR125M 1-1/4" LR FM5 Conduit Body

Crouse-Hinds

Catalog Number	LR125M
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Form 5 Conduit Outlet Body, Malleable Iron, LR Shape, 1-1/4"
Weight per unit	3.8 (lbs/each)
Product Category	Bodies & Covers

Features

dimensions	8.1200 IN X 2.7500 IN X 2.7500 IN
Form	Form 5

Material, Color, and Finish

Finish	Electrogalvanized With Aluminum Acrylic Painted
--------	---

Dimensions and Weight

Height	2.75
Hub Size	1-1/4 in
Length	8.12
Width	2.75

Descriptions

Description	1-1/4" LR FM5 CONDUIT BODY
extra long description	CRS-H LR125M 1 1/4 FORM 5 LR COND B
Features	Form 5 malleable iron conduit bodies, covers and gaskets from Eaton's Crouse-Hinds Division are used in conduit systems to act as pull outlets for conductors being installed, provide openings for making splices and taps in conductors, make 90 degree bends in conduit runs, and provide access to conductors for maintenance and future system changes. Form 5 conduit bodies are manufactured in trade sizes 1/2" to 4", and are interchangeable with Appleton Form 35 conduit bodies. They are also available with a h
Long Description	Eaton Crouse-Hinds series Condulet Form 5 conduit outlet body, Malleable iron, LR shape, 1-1/4"
Product Type	1 1/4 Form 5 LR Cond Body Malleable

Manufacturer Information

Brand	Eaton
GTIN	00782274756066
Manufacturers Part Number	LR125M
UPC	782274756066



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description FORM 5 CONDULETS, COVERS, & GASKETS
Type Conduit outlet body

Packaging

Carton 5
Weight Per each 3.82

Uses, Certifications, and Standards

Application Commercial / Institutional Buildings / Structures - Commercial /
Institutional Buildings / Structures - Other
standard UL 514B, CSA C22.2, CUL