


ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685





LR58 1-1/2" LR FM8 Conduit Body Crouse-Hinds

Catalog Number	LR58
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Form 8 Conduit Outlet Body, Feraloy Iron Alloy, LR Shape, 1-1/2"
Weight per unit	4.4 (lbs/each)
Product Category	Bodies & Covers

Features

dimensions	9.1300 IN X 2.7800 IN X 4.0000 IN
Form	Form 8

Material, Color, and Finish

Finish E	ectrogalvanized With Aluminum Acrylic Painted
----------	---

Dimensions and Weight

J		
Height	2-25/32	
Hub Size	1-1/2 in	
Length	9-1/8	
vviatn	9-1/8 4	

Descriptions

Description	1-1/2" LR FM8 CONDUIT BODY
extra long description	CRS-H LR58 1 1/2 LR FORM 8 CNDT BOD
Features	One hundred years after the introduction of the Condulet, Eaton remains the leader in conduit outlet bodies with its Crouse-Hinds series. The line has grown to six families manufactured in a variety of materials, and Form 8 bodies are offered in seven different shapes to provide the most flexible offering on the market. Form 8 Condulet outlet bodies provide more room for heavier conductors. Many shapes and sizes are available for rigid threaded conduit. Two cover screws on all body sizes provide tight
Long Description	Eaton Crouse-Hinds series Condulet Form 8 conduit outlet body, Feraloy iron alloy, LR shape, 1-1/2"
Product Type	1 1/2 LR Form 8 CNDT Body

Manufacturer Information

Brand	Eaton
GTIN	00782274529103
Manufacturers Part Number	LR58
UPC	782274529103



standard

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, and Categories	
Category Description	FORM 7, 8, CONDULETS, COVERS, & GASKETS
Туре	Conduit outlet body
Packaging	
Carton	1
Package	2
	4.35
Uses, Certifications, and Standards Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other

UL 514B, CSA C22.2, FEDERAL SPECIFICATION W-C-586D