

ELLIOT ELECTRIC SUPPLY Ma Deliver Lower Cost Quality Products, & Personal Service 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Туре

LT100G 1" LT Ground Conn Crouse-Hinds

Catalog Number	LT100G
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Liquidator Liquidtight Connector, FMC Straight, Aluminum Ground Lug, Non-Insulated, #4-14 Awg Lug Size, Malleable Iron, 1"
Weight per unit	
Product Category	· · · · · · · · · · · · · · · · · · ·
eatures	
connection	Threaded
dimensions	2.0600 IN X 0.8100 IN X 0.8100 IN
installation type	THREADED
Naterial, Color, and Finish	
Color	MALLEABLE IRON
escriptions	
Description	1" LT GROUND CONN
extra long description	MIDWEST LT100G 1 LT CONN GROUND LUG
Features	Liquidtight fittings from Eaton's Crouse-Hinds Division are designed to protect conductors from mechanical damage due to vibration and movement while sealing out cutting oils, coolants, water, and dust. Typical applications include the wiring of machine tools, motors, transformers, food processing equipment, robotics, air conditioning units and illuminated signs To meet any customer preference, Crouse-Hinds series liquidtight fittings are available in a variety sizes, configurations and materials, inclu
Long Description	Eaton Crouse-Hinds series Liquidator liquidtight connector, FMC Straight, Aluminum ground lug, Non-insulated, #4-14 AWG lug size, Malleable iron, 1"
Product Type	1 LT Conn Ground Lug
Special Features	
Nanufacturer Information	
	EATON CROUSE-HINDS SERIES
Brand	EATON CROUSE-HINDS SERIES
Brand GTIN	00704544040021
	00704574070004

Liquidtight connector



$E_{\text{LLIOTT}} E_{\text{LECTRIC}} S_{\text{UPPLY}}$

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Trade Size Trade Size	1 in
Packaging Carton	1
Package	5
Weight Per each	0.46
Uses, Certifications, and Standards	
Application	Commercial / Institutional Buildings / Structures - Commercial /
	Institutional Buildings / Structures - Other
standard	UL 467, UL 514B, CSA C22.2