

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Туре

LTB5045GC 1/2" 45D LT Conn Crouse-Hinds

Catalog Number	LTB5045GC
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Liquidator Liquidtight Connector, FMC 45° Angle, Copper Ground Lug, Insulated, #4-14 Awg Lug Size, Malleable Iron, 1/2"
Weight per unit	0.3200 (lbs/each)
Product Category	Liquid Tight Fittings
eatures	
connection	Threaded
dimensions	2.5000 IN X 1.2500 IN X 2.5000 IN
installation type	THREADED
Material, Color, and Finish	
Color	MALLEABLE IRON
Descriptions	
Description	1/2" 45D LT CONN
extra long description	MIDWEST LTB5045GC 1/2 LT 45 DEG CON
Features	Liquidtight fittings from Eaton's Crouse-Hinds Division are designed to protect conductors from mechanical damage due to vibration and movement while sealing out cutting oils, coolants, water, and dust. Typical applications include the wiring of machine tools, motors, transformers, food processing equipment, robotics, air conditioning units and illuminated signs To meet any customer preference, Crouse-Hinds series liquidtight fittings are available in a variety sizes, configurations and materials, inclu
Long Description	Eaton Crouse-Hinds series Liquidator liquidtight connector, FMC 45° angle, Copper ground lug, Insulated, #4-14 AWG lug size, Malleable iron, 1/2"
Product Type	
Special Features	
Manufacturer Information	
Brand	EATON CROUSE-HINDS SERIES
GTIN	00784564253125
Manufacturers Part Number	LTB5045GC
UPC	784564253125
Faxonomies, Classifications, and	Categories
	FORM 5 CONDULETS, COVERS, & GASKETS

Liquidtight connector



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Trade Size Trade Size	1/2 in
Packaging	
Carton	1
Package	25
Weight Per each	0.32
Uses, Certifications, and Star	ndards
Application	Commercial / Institutional Buildings / Structures - Commercial /
	Institutional Buildings / Structures - Other
standard	UL 467, UL 514B, CSA C22.134