



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

9707 Broadway St Suite 100
78217-0000, TX San Antonio
Phone: 210-646-6950
Fax: 210-646-6192



MHUB3 1" Mall Cond HB *Crouse-Hinds*

Catalog Number	MHUB3
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Mhub Conduit Hub, Malleable Iron, 1"
Weight per unit	0.4200 (lbs/each)
Product Category	Rigid Conduit Fittings - Steel

Features

connection	Male Threaded
dimensions	2.0600 IN X 1.8100 IN X 1.7900 IN
Material	Malleable Iron

Material, Color, and Finish

Finish	Zinc Electroplated
--------	--------------------

Dimensions and Weight

Size	1 in
------	------

Descriptions

Description	1" MALL COND HB
extra long description	MIDWEST MHUB3 1 COND HUB MALLEABLE
Features	The use of rigid/IMC conduit remains the preferred choice in many applications because of the physical protection of conductors and long service life of the installation. Consequently, the need to terminate conduit into a box or enclosure creates the need for a hub. The Crouse-Hinds series commercial hub has been developed to provide a lightweight hub that installs quickly and easily, providing a secure termination.
Long Description	Eaton Crouse-Hinds series MHUB conduit hub, Malleable iron, 1"
Product Type	1 Cond Hub Malleable Iron
Special Features	Weight 50 Lb per 100

Manufacturer Information

Brand	Eaton
GTIN	00784564002877
Manufacturers Part Number	MHUB3
UPC	784564002877

Taxonomies, Classifications, and Categories

Category Description	STEEL EMT FITTINGS
Type	Conduit hub

Packaging

Carton	5
Weight Per each	0.42



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

9707 Broadway St Suite 100
78217-0000, TX San Antonio
Phone: 210-646-6950
Fax: 210-646-6192

Uses, Certifications, and Standards

Application	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other
Enclosure standard	NEMA FB-1, Class I Div 2, Class II Div 1 2, Class III Div 1 2 UL 514B, CUL, CSA C22.2